
(D) X #136 THE SHETSTAN مر 1 2 · GH105 ASTANAS ONINGINIONS SASSANAN CORDON SASSANAS ((NUA) لد 4 ق 560 1757G 93/01 Unclas 0326314 W91-17:00



DATABASE ACCESS MANAGER FOR THE SOFTWARE ENGINEERING LABORATORY (DAMSEL) USER'S GUIDE

MARCH 1990



National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

.

• • •

•

FOREWORD

The Software Engineering Laboratory (SEL) is an organization sponsored by the National Aeronautics and Space Administration/Goddard Space Flight Center (NASA/GSFC) and created for the purpose of investigating the effectiveness of software engineering technologies when applied to the development of applications software. The SEL was created in 1977 and has three primary organizational members:

NASA/GSFC, Systems Development Branch
The University of Maryland, Computer Sciences Department
Computer Sciences Corporation, Systems Development
Operation

The goals of the SEL are (1) to understand the software development process in the GSFC environment; (2) to measure the effect of various methodologies, tools, and models on this process; and (3) to identify and then to apply successful development practices. The activities, findings, and recommendations of the SEL are recorded in the Software Engineering Laboratory Series, a continuing series of reports that includes this document.

The major contributors to this document are

Melanie Buhler (Computer Sciences Corporation) Karen Pumphrey (Computer Sciences Corporation) Douglas Spiegel (Goddard Space Flight Center)

Single copies of this document can be obtained by writing to

Systems Development Branch Code 552 Goddard Space Flight Center Greenbelt, Maryland 20771

	•		
	•		
			•

ABSTRACT

This document presents operating instructions for the Database Access Manager for the Software Engineering Laboratory (DAMSEL) system. It includes step-by-step instructions for performing various data entry and report generation activities. Also included are sample sessions showing the user interface display screens. Instructions for generating reports are accompanied by sample outputs for each of the reports. The document groups the available software functions by the classes of users that may access them.

v

5648

RAGE IV INTENTIONALLY BLANK

•					
				•	
	•				
	·				
					,
				,	
		•			
	4				
		1			
		` '	*		

TABLE OF CONTENTS

<u>Secti</u>	<u>on 1 - In</u>	troduc	ti	<u>on</u>	•	•		•	•	•	•	•	•	•	•	•	•	•	1-1
1.1	Document SEL Datab	Organi ase Ov	za zer	tio vie	n W			•											1-1 1-1
1.3	SEL Data	Source	es.	•	•	•		•	•	•	•	•	•	•	•	•	•	•	1-2
<u>Secti</u>	on 2 - Ge	neral	Us	er	•	•			•	•	•	•	•	•	•	•	•	•	2-1
2.1	Introduct	ion.								•									2-1
2.2	Menu Syst	em .																	2-1
2.3	Menu Syst Viewing D	ata.		•	•	•		•	•	•	•	•	•	•	•	•	•	•	2-17
	2.3.1	Subsys	ste	m V	ie	w					•								2-21
	2.3.2	Compor	nen	t O	ri	gi	nat	io	n	Fo	rm	Vi	ew	•	•	•		•	2-22
	2.3.3	Change	e R	epo	rt	F	orn	ı V	ie	w.		•	•	•	•	•	•	•	2-25
	2.3.4	Person	ne	1 R	es	ou	rce	s	Fo	rm	Vi	ew	7.			•		•	2-27
	2.3.5	Servi	ces	/Pr	od	uc	ts	Fo	rm	V	iev	7 .						•	2-30
	2.3.6	Projec	7+	Est	im	at	es	Fo	rm	V	iev	J .						•	2-32
	2.3.7	Subjec	-+ i	ve	Εv	a 1	uat	io	n	Fo	rm	Vi	ew						2-33
	2.3.8	Projec	7+	Com	n l	et	ior	. S	tа	+ i :	sti	CS	F	or	m				
		Viev	v .								•		•	•	•		•	•	2-34
	2.3.9	Clean																	0 05
		Viev	₹.	•	•	•		•		•	•	•	•	•	•	•	•	•	2-35
	2.3.10	Weekly	M	ain	te	na	nce	E	ff	or.	t I	or	m	Vi	ew	•	•	•	2-38
	2.3.11	Mainte	ena	nce	C	:ha	nge	R	ep	or	t E	OI	m	Vi	ew	•	•	٠	2-41
	2.3.12	Devel	pm	ent	S	lta	tus	F	or	m '	Vie	W	•	•	•	•	•	•	2-42
	2.3.13	Projec	ct	Mes	sa	ge	Fo	rn	V	ie	₩.	•	•	•	•	•	•	•	2-44
2.4	Generatin	g Repo	ort	s.	•	•		•	•		•	•	•	•	•	•	•	•	2-45
		Report																	2-46
	2.4.2	Report	t D	esc	ri	pt	ior	ıs.	•	•	•	•	•	•	•	•	•	•	2-96
<u>Secti</u>	on 3 - Da	ta Eni	try	·		•		•	•		•	•		•	•	•	•	•	3-1
2 1	Introduct																		3-1
3.1 3.2	Introduct																		3-1
	3.2.1	Subsy	ste	m T	'ns	er	ŧ.												3-7
	3.2.2	Compo																	3-9
	3.2.3	Change																	3-12
	3.2.4	Person																	3-23
		Servi																	3-26
	3.2.5																		3-28
	3.2.6	Projec	. L	LST	Д., Т.	id C		 - : .	'TIII	다 그. 다수	~~ 1196	シャレ		. ~ +		•	•	•	3-20
	3.2.7 3.2.8	Subje	ctı ct	ve Con	rp]	et	ior	1 8	in Sta	ti	st:	ics	F	,01	m	•	•	•	
		Ins	ert						•		•		•	•	•	•	•	•	3-32
	3.2.9	Compo	nen	it S	Sta	ıti	sti	cs	I	ns	ert	t.	•	•	•	•	•	•	3-35

TABLE OF CONTENTS (Cont'd)

Section 3 (Cont'd)

	3.2.10	Cleanroom Personnel Resources Form	
	3.2.11	Insert	3-37
	3.2.12	Maintenance Change Description Insert.	3-40
	3.2.13	Maintenance Change Report Form Insert.	3-43
		Development Status Form Insert	
3.3	Updatin	ig Data	3-48
	3.3.1	Subsystem Update	3-54
	3.3.2	Component Origination Form Undata	2 5
	3.3.3	Change Report Form Hadata	2 - 2
	3.3.4	rersonner kesources form Undate	2 61
	3.3.5	Services/Products Form Undate	2 64
	3.3.6	Project Estimates Form Update.	3_66
	3.3.7	Subjective Evaluation Form Update	3-67
	3.3.8	Project Completion Statistics Form Update	
	3.3.9	Cleanroom Personnel Resources Form	
	2 2 22	Update	3-72
	3.3.10	Meekly Maintenance Effort Form Undate	2 74
	3.3.11	Maintenance Change Report Form Undate	276
	3.3.12	Development Status Form Update	3-78
3.4	Deleting	g Data	3-80
	3.4.1	Subsystem Delete	3-84
	3.4.2	Component Origination Form Delete	2 0 5
	3.4.3	Change Report Form Delete	2 07
	3.4.4	Personnel Resources Form Delete.	3-87
	3.4.5	Services/Products Form Delete.	3-88
	3.4.6	Project Estimates Form Delete.	3-89
	3.4.7	Subjective Evaluation Form Delete	3-90
	3.4.8	Project Completion Statistics Form	
	3.4.9	Delete	
	2 4 10	Delete	3-93
	3.4.10	Meekly Maintenance Effort Form Deleta	2 0 4
	3.4.11 3.4.12	Maintenance Change Report Form Delete	3-95
	3.4.12	Development Status Form Delete	3-96
3.5	Quality A	Assuring Data	3-98
	3.5.1	Component Origination Form QA	3-102
	3.5.2	Change Report Form OA.	2 102
	3.5.3	Personnel Resources Form Oa	3-105
	3.5.4	Services/Products Form QA	3-105
			2-100

TABLE OF CONTENTS (Cont'd)

<u>Secti</u>	ion 3 (Cor	<u>nt'd)</u>													
	3.5.5 3.5.6 3.5.7 3.5.8 3.5.9 3.5.10 3.5.11	Project Subject Project Cleanro Weekly Mainter Develor	ive Com oom H Mair	Eval nplet Perso ntena e Cha	uati ion nnei nce nge	ion St R Ef Re	Fo ati eso for por	rm st: urc t l	QA ics ces For For	Fo Fo m (orm orm QA. QA.	QA QA		•	3-108 3-109 3-110 3-111 3-112
3.6	General I	Database	e Sur	pport	Fui	nct	ion		•	•		•	•	•	3-115
	3.6.1	Generat	e Di	istri	but	ion	Тa	рe	•	•		•	•	•	3-117
3.7	DAMSEL PO	C System	n			•		•	•	•			•	•	3-118
	3.7.1 3.7.2 3.7.3 3.7.4	DAMSEL DAMSEL DAMSEL DAMSEL	PC (Jploa	ad/Do	own	loa	d 1	Fun	ct	ion			•	3-126
Sect	ion 4 - Da	atabase	Adm:	inist	rate	or		•	•			•			4-1
4.1 4.2	Introduct DBA Funct	tion tion Sci	 reens					•	•			•	•	•	4-1 4-1
	4.2.1 4.2.2 4.2.3 4.2.4 4.2.5	Program Compute	ng Da mmer er Da	ata. Data ata.	 a	•		•	•	•	• •	•	•	•	4-9 4-11 4-13
Apper	ndix A - S	Sample :	Sess	<u>ions</u>											
Glos	sary														
Refe	rences												,		
Stand	dard Bibl	iograph	y of	SEL	Lit	era	tur	<u>:e</u>			,				

LIST OF ILLUSTRATIONS

<u>Figure</u>		
2-1	Menu System	22
2-2		2-4
2-3		2-4
2-4	Menu System Keypad	2-4
2-5	Second-Level Menus.	2-5
2-6	Sample Third-Level Menu	2-7
2-7	Subsystem Data Screen	2-/
2-8		2-8
2-9		2-0
2-10		2-9 2-1]
2-11		
2-12	PEF Screen.	2-11
2-13		2-12
2-14	PCSF Screen	2-12
2-15		2-13
2-16	WMEF Screen	2-14
2-17	WMEF Screen	2-14
2-18	MCRF Screen	2-15
2-19	DSF Screen	2-15
2-20	Project Message Screen.	2-16
2-21	Component Statistics Data Screen.	2-16
2-22	View Keypad	2-19
2-23	Report Function Screen Structure.	2-47
2-24	Report Functions Keypad	2-52
2-25	Main Report Menu.	2-55
2-26	Run Current Script.	つードフ
2-27	Current Script Viewing/Editing Screen	2-58
2-28	Report Categories Menu	2-62
2-29	Multiple Plojects Report Menu	2-63
2-23	Multiple Projects Actual Statistics at	
2-30	Completion Report Screen	2-65
2-30	Multiple Projects Actual Statistics to	
2 21	Date Report Screen	2-66
2-31	Multiple Projects Estimated Statistics	
2 22	Report Screen	-67
2-32	Multiple Projects Maintenance Information	
	Summary Report Screen	-68
2-33	Multiple Projects Criterion Selection Menu 2	-70
2-34	Multiple Projects List of Projects Selec-	
	tion Screen	-71
2-35	Single Project Reports Menu	-73
2-36	Single Project Activity Hours Report	
	Screen	-76
2-37	Single Project Component Names Report	, 0
	Screen	-77
2-38	Single Project Estimated Statistics Report	, ,
	Screen.	

LIST OF ILLUSTRATIONS (Cont'd)

<u>Figure</u>		
2-39	Single Project Form Counts Report Screen	2-78
2-40	Single Project Growth History Report	
	Screen	2-79
2-41	Single Project GSFC Manpower Hours Report	
	Screen	2-81
2-42	Single Project Maintenance Activity Hours	
	Report Screen	2-82
2-43	Single Project Manpower Hours Report	
2 .0	Screen	2-83
2-44	Single Project SEL Forms Report Screen	2-84
2-45	Single Project SEL Maintenance Forms	
	Report Screen	2-85
2-46	Single Project Services Hours Report	
2 10	Screen	2-86
2-47	Miscellaneous Reports Menu	2-87
2-48	Miscellaneous Encoded Values Report Screen	2-88
2-49	Save Script Screen	2-89
2-50	Report Routing Menu	
2-50	Report Script Menu	
	Viewing Scripts Selection Menu	
2-52	Deleting a Script Selection Menu	
2-53	Multiple Projects Actual Statistics at	
2-54	Completion	2-97
۰	Multiple Projects Actual Statistics to	_ ,,
2-55	Multiple Projects Actual Statistics to	2-99
	Date	2-102
2-56	Multiple Projects Estimated Statistics	2-103
2-57	Multiple Projects Form Counts	2-100
2-58	Multiple Projects Maintenance Information	2-103
	Summary	
2-59	Multiple Projects Subjective Evaluation	
2-60	Single Project Activity Hours	
2-61	Single Project Component Names	
2-62	Single Project Estimated Statistics	
2-63	Single Project Form Counts	
2-64	Single Project General Project Information	
2-65	Single Project Growth History	2-118
2-66	Single Project Maintenance Activity Hours	2-120
2-67	Single Project Manpower Hours	2-122
2-68	Single Project SEL Forms	2-126
2-69	Single Project SEL Maintenance Forms	2-13]
2-70	Single Project Services Hours	2-133
2-71	Miscellaneous Encoded Values	2-137
3-1	Insert Keypad	3-3
3-2	Sample Update Screen	3-49

LIST OF ILLUSTRATIONS (Cont'd)

<u>Figure</u>		
3-3	Update Keypad)
3-4	Sample Delete Screen	
3-5	Delete keypad	
3-6	QA keypad	•
3-7	Database Support Function Keypad	
3-8	Generate Distribution Tape Screen	
3-9	DAMSEL PC Menu System	
3-10	ORACLE User Name and Password	
3-11	DAMSEL PC Main Menu	
3-12	Second-Level Menus	
3-13	Sample Third-Level Menu	
3-14	DAMSEL PC Keyboard	
3-15	DAMSEL PC Keystrokes	
4-1	DBA Keypad	
4-2	New Project Data Screen	
4-3		
4-4		
4-5		
4-6	Status Flag Screen	

SECTION 1 - INTRODUCTION

1.1 DOCUMENT ORGANIZATION

This document is a guide for using the Database Access Manager for the Software Engineering Laboratory (DAMSEL). The DAMSEL system provides access to the Software Engineering Laboratory (SEL) database via various screen interfaces. The functions available to the user in the DAMSEL system are described in the four sections of this document. Section 1 provides an overview of the SEL database. Section 2 discusses the view screens and report generation functions that are available to all DAMSEL users. Section 3 concerns data entry procedures for librarians. Finally, Section 4 describes the functions available to the database administrator (DBA).

1.2 SEL DATABASE OVERVIEW

The SEL database stores data collected by the SEL on numerous software development projects. These data are obtained from forms completed by the various projects' personnel. (See Section 1.3 for a further discussion of these forms.) The data from these forms are stored in relational databases, implemented using the ORACLE database management system on a DEC VAX 11/780 under the VMS operating system and on a personal computer (PC) under the MS-DOS operating system. The data are used for research and by managers to monitor current projects and predict resource needs for future projects. For further information on the data being collected and stored by the SEL, refer to Reference 1.

The SEL DBA monitors the data in the SEL database. This person is referred to numerous times in this document as a point of contact for verifying data, correcting bad data, and enrolling new users in the SEL database.

1.3 SEL DATA SOURCES

Various types of data are stored in the SEL database. Thirteen forms, completed by personnel involved with the monitored projects, provide a source for SEL data. Each of the forms represents a logical grouping of a specific type of data. The data entry screens and some of the reports are designed to correspond to these forms. The names of these forms, how often they are collected, and what types of data they contain are listed below. Reference 2 contains a more detailed explanation of the various SEL forms.

SEL DATA (BY FORMS)

Project Estimates Form (PEF)

- Submitted: At the initial entry of the project into the database and every 6 to 8 weeks thereafter through the development life cycle.
- Types of Data
 - Project phase dates
 - Estimated staff resource data
 - Estimated project size data
 - Estimated source lines of code

Personnel Resource Form (PRF)

- Submitted: Every Friday for duration of the project development life cycle.
- Types of Data: The number of hours spent by each project team member on various types of activities for each given week.

Cleanroom Personnel Resource Form (Cleanroom PRF)

Submitted: Every Friday for duration of the project development life cycle. Some projects use the Cleanroom PRF instead of the regular PRF to record

their personnel resources hours. The Cleanroom PRF contains activities specific to the Cleanroom Methodology. For any given project, either the PRF or Cleanroom PRF will be used. No project will use both forms.

• Types of Data: The number of hours spent by each of the project's personnel on various types of activities for each given week.

Services/Products Form (SPF)

- Submitted: Every week in which support services or computer resources are used or in which product growth data are available.
- Types of Data
 - Computer hours and runs used by the project during the week
 - Number of modules in controlled library
 - Number of changes to modules in controlled library
 - Lines of code
 - Services personnel hours

Subsystem Information Form (SIF)

- Submitted: At the time of the preliminary design review (PDR) and any time a new subsystem is introduced into the design of the system.
- Types of data
 - Subsystem prefix
 - Subsystem name
 - Subsystem function

Component Origination Form (COF)

- Submitted: For each component at the time the component is ready to be moved into the controlled source library.
- Types of data
 - Component name and subsystem prefix
 - Difficulty of developing the component
 - Origin of the component
 - Type of component
 - Purpose(s) of executable component

Change Report Form (CRF)

- Submitted: For each change to the system at the time the component is updated in the library.
- Types of data
 - Description of change
 - Name of component(s) changed
 - Date of change
 - Effort involved in change
 - Type of change
 - Effects of change
 - Source of error
 - Class of error
 - Error characteristics
 - Ada information

Development Status Form (DSF)

- Submitted: Biweekly during the development phase.
- Types of data
 - Design status of modules
 - Code status of modules
 - System and acceptance testing status

- Discrepancy tracking status
- Specification modifications status
- Questions status

Component Change Form (CCF)

- Submitted: Whenever the name of a component in the project controlled source library is changed or a component is deleted.
- Types of data
 - Old component name
 - New component name

Project Completion Statistics Form (PCSF)

- Submitted: When the final system products have been delivered.
- Types of data
 - Actual project phase dates
 - Actual staff resource data
 - Actual computer hours and runs
 - Actual source lines of code
 - Actual number of executable modules
 - Actual number of executable statements
 - Actual number of subsystems, actual number of components
 - Actual number of changes, actual number of pages of documentation

Subjective Evaluation Form (SEF)

- Submitted: When final products have been delivered.
- Types of data
 - Subjective assessment of problems encountered

- Subjective assessment of technical staff
- Subjective assessment of technical/management staff
- Subjective assessment of process characteristics
- Subjective assessment of environmental characteristics
- Subjective assessment of product characteristics

Maintenance Change Report Form (MCRF)

- Submitted: For each change to the system during the maintenance phase.
- Types of data
 - Description of change
 - Type of modification
 - Cause of change
 - Name of components changed, added, deleted
 - Effort involved in change
 - Related changes to documents, etc.
 - Class of error
 - Estimated size
 - Component change statistics

Weekly Maintenance Effort Form (WMEF)

- Submitted: Every week during the maintenance phase.
- Types of data: The number of hours spent by each project team member on various types of activities for each given week.

SECTION 2 - GENERAL USER

2.1 INTRODUCTION

This section is intended for the user who is interested in examining data in the SEL database. All the functions described in this section are also available to data entry and DBA personnel. Three main topics are discussed in this section.

- Section 2.2 describes the menu screens available in the DAMSEL system.
- Section 2.3 describes the DAMSEL view screens.
- Section 2.4 describes the DAMSEL report generation subsystem.

The view screens and the reports provide a method for displaying information from the database. The view screens allow the user to interactively view data in the database one form at a time. The reports provide a formatted output of various database information. The resulting reports may be output directly to the printer or output to a file.

2.2 MENU SYSTEM

The DAMSEL menu system provides access to the various data access functions on the VAX. Figure 2-1 shows the structure of the menu system." The following three steps are necessary to allow the user access to the menu system:

- A VAX account must be set up for the user. If the user does not currently have a VAX account, contact the Systems Technology Laboratory (STL) manager to establish an account.
- 2. The user's LOGIN.COM file must be updated to include a reference to a command file that defines various ORACLE and DAMSEL symbols. Use the VAX editor to edit an existing




Figure 2-1. Menu System

LOGIN.COM file or create a new LOGIN.COM file if one does not currently exist. The following line must be inserted into the LOGIN.COM file:

\$ @[TOOLS]SELINIT.COM

3. The user must be given an ORACLE account and enrolled in the SEL database. Each user is enrolled in the database at a specific user class level. Contact the SEL DBA to create an ORACLE account and enroll the user.

After the above steps have been performed, the user will have access to the DAMSEL menu system. To access the menu, do the following:

- 1. Logon to the VAX.
- 2. Run the DAMSEL system: \$ DAMSEL
- 3. Enter ORACLE user name and password (Figure 2-2) and press the <Next Field> key to bring up the Main Function menu. Figure 2-3 shows a picture of the Main Function Menu as it will be displayed on the terminal screen. The menu system function keys are shown in Figure 2-4.
- 4. Enter the number associated with the desired operation and press the <Next Field> key to display the selected menu.
- 5. Figures 2-5 and 2-6 show the second- and third-level menu screens. The third-level menu screens (view, insert, update, delete, and QA) are similar; therefore, only one is shown in Figure 2-6. Figures 2-7 through 2-20 show the generic screen layout for all of the SEL data entry forms. These screens are explained in more detail in the sections that follow.

SQL*Forms (Run Form): Version 2.0.18 - Production on Tue Jan 19 18:21:05 1988 Copyright (c) 1986, Oracle Corporation, California, USA. All rights reserved.

SECURE DATABASE: ENTER NAME AND PASSWORD

Name : The Password :

Press Escape k at any time to show function keys

Figure 2-2. ORACLE User Name and Password

MAIN FUNCTION MENU

What type of function do you want to perform?

1 - Form function

2 - Report function

3 - Query support function

4 - DBA function

5 - General database support function

<PF4> - Exit

Please enter your selection number:

Char Mode: Replace Page 1

Count: *0

Figure 2-3. Main Function Menu




Figure 2-4. Menu System Keypad

FORM FUNCTIONS MENU

What type of operation do you want to perform?

- 1 View existing data
- 2 Insert new data
- 3 Update existing data 4 Delete existing data
- . 5 Quality assure data
- <PF1>- Top menu <PF4>- Previous menu

Please enter your selection number:

Figure 2-5. Second-Level Menus (1 of 4)

Count: *0

ORIGINAL PAGE IS OF POOR QUALITY

Char Mode: Replace Page 1

REPORT FUNCTION MENU

What type of report operation do you want to perform?

- 1 Create a report script
- 2 Retrieve an existing report script to run or modify
- 3 View or delete existing report scripts

<PF1>- Top menu <PF4>- Previous menu

Please enter your selection number:

Please enter script name to be retreived or <ESC V> to list:

Char Mode: Replace Page 1

Count: *0

Figure 2-5. Second-Level Menus (2 of 4)

DBA FUNCTIONS MENU

What type of data do you want to operate on?

- 1 New project data
- 2 Encoding data
- 3 Programmer data
- 4 Computer data
- 5 Status flags
- 6 General project description
- 7 Supervisory percentages

<PF1> - Top menu <PF4> - Previous menu

Please enter your selection number:

Char Mode: Replace Page 1

Count: *0

Figure 2-5. Second-Level Menus (3 of 4)

What type of function do you want to perform?

1 - Generate distribution tape

<PF4> - Previous menu

Please enter your selection number:

Char Mode: Replace Page 1 Count: *0

Figure 2-5. Second-Level Menus (4 of 4)

MENU FOR VIEW OPERATIONS

What type of data do you want to operate on?

1 - Subsystem data
2 - COF data
3 - CRF data
4 - PRF data
5 - SPF data
6 - PEF data
7 - SEF data
8 - PCSF data
9 - Component Statistics data
10 - Cleanroom PRF data
11 - WMEF data
12 - MCRF data
13 - General Project data
14 - DSF data

<PF1> - Top menu
<PF4> - Previous menu
Please enter your selection number:

Char Mode: Replace Page 2 Count: *0

Figure 2-6. Sample Third-Level Menu



Project Name:

Press <nxtrec> to scroll forward or c> to scroll backward.

Subsystem	Subsystem	Subsystem	Submission
Prefix	Name	Function	Date

Char Mode: Replace Page 1

Count: *0

Figure 2-7. Subsystem Data Screen




Figure 2-8. COF Screen (1 of 2)

COMPONENT ORIGINATION FORM SCREEN (Two of two) Press <enter> for first page

Form No.: Programmer:

Form Date (DD-MMM-YY):

Purpose of executable component:

Project Name Subsystem Prefix:

Component Name:

(Put an 'X' by each purpose that applies)

I/O processing

Algorithmic/computational Data transfer Logic/ decision

Control module Interface to operating system Ada process abstraction Ada data abstraction

Char Mode: Insert Page 2

Figure 2-8. COF Screen (2 of 2)

CHANGE REPORT FORM SCREEN

(One of three) Press <enter> for next page

Count: *0

Project Name: Programmer: Components being changed:

Date (DD-MMM-YY): Form No:

> Press <nxtrec> to scroll forward or to scroll backward.

Number of additional components examined: Need for changed determined on (DD-MMM-YY): Change completed on (DD-MMM-YY):

Effort to isolate the change: Effort to implement the change:

Type of change:

Effects of change: (Y or N)

was the change or correction to one and only one component?

Did you look at any other component? Did you have to be aware of parameters passed explicitly or

implicitly to or from the changed component?

Char Mode: Replace . Page 1

Count: *0

Figure 2-9. CRF Screen (1 of 3)

CHANGE REPORT FORM SCREEN (Two of three) Press <enter> for next page Project Name: Date (DD-MMM-YY): Programmer: Form No: Source of error: (Put an 'X' by the appropriate column) Requirements Code Functional specifications Previous change Design Class of error: (Put an 'X' by the appropriate column) ■ Initialization Interface (external)
Data
Computational Logic/control structure Interface (internal) Characteristics: (Y or N) Momission error Comission error Error was created by transcription Char Mode: Replace Page 2 Count: *0

Figure 2-9. CRF Screen (2 of 3)

CHANGE REPORT FORM SCREEN (Three of three) Press <enter> for first page Project Name: Date (DD-MMM-YY): Programmer: Form No: 1. Did the use of Ada as a design and implementation language contribute to this change (Y OR N) ?

If so, which feature(s) were involved?

2. For an error involving Ada: a. Does the compiler documentation or the language reference manual explain this feature clearly (Y OR N) ? Which of the following resources provided the information needed to correct the error? (Put an 'X' by each column that applies) Class Notes Own memory Ada reference manual Someone not on the team Own project team member Other d. Which, if any, tools aided in the detection and correction of this error? Char Mode: Replace Page 3 Count: *0

Figure 2-9. CRF Screen (3 of 3)





Figure 2-10. PRF Screen



Char Mode: Replace Page 1 Count: *0

Figure 2-11. SPF Screen




Figure 2-12. PEF Screen






Figure 2-13. SEF Screen



Char Mode: Replace Page 1

Count: *0

Figure 2-14. PCSF Screen (1 of 2)



Char Mode: Replace, Page 2

Count: *0

Figure 2-14. PCSF Screen (2 of 2)

PERSONNEL RESOURCE DATA INPUT SCREEN

Activity	Hours
Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other	
Rework Enhancing/Refining /Optimizing Documenting Reuse	

Project Name:

Date(Friday):

Programmer:

Form No: 🕨 🔠

Char Mode: Replace Page 1

Count: *0

Figure 2-15. Cleanroom PRF Screen

WEEKLY MAINTENANCE EFFORT FORM VIEWING SCREEN

Class	Hours
Correction Enhancement Adaptation Other	
Activity	Hours
Isolation Change Design Implementation Unit Test/ System Test Acceptance/ Benchmark Test Other	

Project Name:

Date(Friday):

Programmer:

Form No:

Char Mode: Replace Page 1

Count: *0

Figure 2-16. WMEF Screen

MAINTENANCE CHANGE REPORT FORM VIEW SCREEN

Form No.: OSMR No.: Programmer: Date (DD-MON-YY): Project Name: What caused the change? What was the type of modification? 4 - Previous change 1 - Requirements 1 - Correction 2 - Software design 5 - Other 2 - Enhancement 3 - Adaptation 3 - Code 1wk-1mon >1 mon Effort to isolate change: <1 hr 1hr-1dy ldy-lwk 5 2 Effort to implement change: 1 Characterize the change: Put an 'X' by all changed objects: 5 - Data 6 - Computational 1 - Initialization 💹 Requirements Doc. 🎆 User's Guide Other 2 - Logic/control Design Doc. 7 - Other 3 - Interface (int) Code 4 - Interface (ext) System Desc. Number of lines of code: added land changed deleted deleted Number of components: added changed deleted Number of added components: new reused modified Count: *0 Char Mode: Replace Page 1

Figure 2-17. MCRF Screen

DEVELOPMENT STATUS FORM VIEWING SCREEN Name: Form No.: Project: Date: DESIGN STATUS Estimated total number of modules to be designed Number of modules designed Estimated total number of modules to be coded CODE STATUS Number of modules completed ACCEPTANCE TEST SYSTEM TEST TESTING STATUS Total number of separate tests planned Number of tests executed at least one time Number of tests passed Total test runs, including re-runs DISCREPANCY TRACKING STATUS Total number of discrepancies reported Total number of discrepancies resolved Spec. modifications received Questions submitted to analysts Questions answered by analysts Spec. modifications completed

Char Mode: Replace Page 1 Count: *0

Figure 2-18. DSF Screen





Figure 2-19. Project Message Screen



Press $\langle PF3 \rangle$ to add component statistics from input file. $\langle PF4 \rangle$ to exit.

Char Mode: Replace Page 1

Count: *0

Figure 2-20. Component Statistics Data Screen

<u>Messages</u>

A number of messages may be displayed while at the menu level. Messages without a solution are informational. These messages and an explanation of each are provided as follows:

Message: You do not have access to xxxx

Cause: The user selected an option (specified in place of the xxx) for which he/she does not have the required privilege.

Message: The xxx functions are not available at this time

Cause: This function (specified in place of the xxx) is not currently available but will be available in a later release.

Message: Unrecognized command

<u>Cause</u>: The user pressed a key that is not valid on this menu screen.

Solution: This will not cause any problems; simply press a valid key. (Refer to Figure 2-4 to see the valid menu function keys.)

Message: Invalid selection. Must be between xx and yy

Cause: The user selected an option number that is less than the first available option number (xx) or greater than the last option number (yy).

<u>Solution</u>: Enter a valid option number, or use the <Previous Menu> or <Top Menu> keys to exit from the menu screen.

2.3 VIEWING DATA

The view screens are intended to be used for looking at data. No data can be added, deleted, or changed in the database by using the view screens. A view screen is shown in Figure 2-10. A sample viewing session is shown in

Appendix A. The general procedure to be followed when viewing data is as follows:

- 1. From the Main menu, select option 1 (Form function).
- 2. Select option 1 (View existing data) from the Form Functions menu.
- 3. Select the option number associated with the type of data you would like to view.
- 4. Enter the key field(s) as specified for the particular screen. In all cases, except Subsystem view, the form number can be used as the key for viewing the data. In addition, some forms can be viewed by key field information that make that form unique. These key fields are identified in the description for each form.
- 5. Press the <Next Field> key to retrieve data.
- 6. After data have been viewed, press the <Clear Block> key to clear the screen and ready the screen for viewing another form.
- 7. You may exit from the view screen at any point in the viewing process by pressing the <Exit/Cancel> key.

The keypad diagram shown in Figure 2-21 highlights the keys that are available during the view screens. Keys that are used on all the view screens are described as follows. Some view screens allow the use of additional keys. These special cases will be described in the section associated with the specific view screen.

General View Keys

<Next Field>

After the key field has been entered, the user should press the <Next Field> key. This will cause the form data to be retrieved and displayed on the screen.

ORIGINAL PAGE IS OF POOR QUALITY




Figure 2-21. View Keypad

<cle< th=""><th>ar</th><th>Bl</th><th>ock></th></cle<>	ar	Bl	ock>
---	----	----	------

This key clears the screen in preparation for viewing another form.

<Clear Field>

This key may be used to clear the key field(s) in preparation for entering a new key.

<List Field Values>

This key will cause all the values that are valid for the current field to be displayed. The values are displayed one at a time. A message is displayed instructing the user how to move through the list of values and select one. This key is only available on certain fields on each screen. These specific field names will be listed in the section that describes the particular screen.

<Exit/Cancel>

This key causes the user to exit from the screen and return to the View menu.

General Messages

A number of messages may be displayed while running the view screens. Messages without a solution are informational. The

messages that may be displayed during any of the screens are listed below. Messages that are specific to a given screen are described in the section associated with that screen.

Message: Unrecognized Command

Cause: The user has pressed an invalid key.

Solution: This key does not have any effect on this screen. Simply select one of the keys described above.

Message: Form number not found in database

<u>Cause</u>: This means that the form number does not exist in the database.

Solution: Verify that the correct form number was entered. The cursor will remain positioned on the form number field. The user may either reenter the form number or press the <Exit/Cancel> key to exit and return to the View menu.

Message: Project name not found in database

<u>Cause</u>: This means that a project name was entered that does not exist in the database.

Solution: The cursor will be positioned on the project name field. The user can either press the <Exit/Cancel> key to return to the View menu or enter another project name.

Each of the following sections describes a different view screen. The key field(s) required to view the data is described as well as the screen-specific keys that may be used while in the screen. Screen-specific error and information messages and the appropriate responses to them are discussed.

2.3.1 SUBSYSTEM VIEW

The data displayed on this screen were entered using data from a SEL SIF. To select this screen,

- 1. Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 1 (Subsystem data).

Figure 2-7 shows the Subsystem screen as it appears on the terminal screen. (Refer to Section 2.3, steps 4 through 7, for an explanation of running a view screen.) The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

<u>Project Name</u>--Upon entry to this screen, the cursor will be positioned at the Project Name field. The user should enter a valid project name that currently exists in the database. If an invalid name is entered, the user will be prompted to enter a valid name.

Keys

Refer to Section 2.3 for a list of keys that are available on all views. Following are additional keys that may be used for this screen:

<next record=""></next>	This key allows the user to scroll down to see more subsystem information. Some projects have more subsystems than can fit on the screen. In this case, the user will have to scroll to see the rest of the subsystems.	
<previous record=""></previous>	This key allows the user to scroll up to see previous subsystem information that has scrolled off the page.	
<list field="" values=""></list>	This key is available on Project Name.	

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following are additional messages that may appear on this screen:

Message: At last subsystem. Cannot scroll forward

<u>Cause</u>: There are no more subsystem names for this project, so the user cannot scroll any further.

<u>Solution</u>: The user may want to try scrolling back (<Previous Record> key).

Message: At first subsystem name. Cannot scroll backward

<u>Cause</u>: The first scrolling area is displayed. There are no previous names.

Solution: If the scrolling area is full, the user may want to try scrolling forward to see if more subsystems exist for this project (<Next Record> key).

2.3.2 COMPONENT ORIGINATION FORM VIEW

The data displayed on this screen were entered using data from a SEL COF. To select this screen,

- Perform steps 1 and 2 from Section 2.3 to display the View menu.
- Enter option number 2 (COF data).

Figure 2-8 shows the COF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

Form Number -- Upon entry to the screen the cursor will be positioned on the Form Number field. If the user wants to view COF data based on the form number, a valid form number

should be entered. A message will be displayed, and the user will be reprompted if an invalid form number is entered. If a user would like to view COF data based on a component specification, the user should press the <Next Field> key to move to the next field to enter component specification information.

OR

<u>Project-Subsystem-Component--</u>Upon entry to the screen, the cursor will be placed on the Form Number field. To enter a component specification as a key, press the <Next Field> key to move to the Project Name field (the first part of this three-part key).

<u>Project Name</u>—Enter a valid project name. If the user enters an invalid name, a message will be displayed, and the user will be reprompted.

<u>Subsystem Prefix</u>--Enter a valid subsystem prefix. If ar invalid prefix is entered, a message will be displayed, and the user will be reprompted.

<u>Component Name</u>—Enter a valid component name. If an invalid component name is entered, a message will be displayed, and the user will be reprompted.

Keys

Refer to Section 2.3 for a list of keys that are available on all views. Following are additional keys that may be used for this screen:

<Pre><Previous Field>

This key allows the user to move between key fields. Specifically, the user may move between the Component Name, Subsystem Prefix, Project Name, and Form Number fields. The current field is cleared before the cursor is moved to the previous field.

<Next Page>

This key allows the user to move between pages. The COF view screen

has two pages of data. This key goes circularly between pages, from page 1 to page 2, from page 2 back to page 1.

<List Field Values>

This key is available on Project Name.

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following are additional messages that may appear on this screen:

Message: Subsystem prefix not found in database for this
project

<u>Cause</u>: The subsystem prefix that was entered does not exist in the database for this project name.

Solution: The cursor will remain positioned at the subsystem field. The user may either press the <Exit/Cancel> key to return to the menu or enter another subsystem prefix.

Cause: The component name that was entered does not exist in the database under this project name and subsystem prefix.

Solution: The cursor will remain positioned at the component field. The user may either press the <Exit/Cancel> key to return to the menu or enter another component name.

Message: Data must first be retrieved

<u>Cause</u>: The user pressed the <Next Page> key to go the second page of the COF screen before retrieving data.

Solution: Enter the key field(s) and press <Next Field> to retrieve data. Once the data have been retrieved from the database and displayed to the terminal, the user may move to the second page.

2.3.3 CHANGE REPORT FORM VIEW

The data displayed on this screen were entered using data from a SEL CRF. To select this screen

- 1. Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 3 (CRF data).

Figure 2-9 shows the CRF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation on running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

Change Number--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid change number (the change number is the form number on the CRF). If the change number does not exist in the database, the user will be prompted to enter a valid change number.

Keys

Refer to Section 2.3 for a list of keys that are available on all views. Following are additional keys that may be used for this screen:

<Next Page>

This key allows the user to move between pages. The CRF view screen has three pages of data. This key goes circularly between pages, from page 1 to page 2, from page 2 to page 3, and from page 3 back to page 1.

<Next Record>

This key allows the user to scroll down to see more subsystem/component names. Some CRFs have so many component names associated with them that all the names cannot be displayed on the screen. Only three names will be displayed at a time. If the three slots for names are filled, the user may want to try

scrolling down to see if there are more subsystem/component names associated with this CRF.

<Previous Record>

This key allows the user to scroll up to see previous subsystem/component names that have scrolled out of the component name scroll area.

<u>Messages</u>

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following are additional messages that may appear on this screen:

Message: At last component name. Cannot scroll forward

<u>Cause</u>: The last component name has been displayed. A maximum of 21 component names can be viewed.

Solution: If all 21 viewing slots are filled, the user should contact the SEL DBA for any component names after the 21st one. If 21 component names have not been displayed, all the component names associated with the component have been displayed. The user may use the <Previous Record> key to scroll backwards to see component names that may have been scrolled off the screen.

Message: At first component name. Cannot scroll backward

Cause: The first group of three component names is currently being displayed. There are no previous component names to be viewed.

<u>Solution</u>: The user may try to scroll down to check for additional subsystem/component names.

Message: Must be on first page to scroll through component names

Cause: The user pressed one of the scroll keys (<Next Record> or <Previous Record>) while on the second or third page. The scroll keys are only active for the subsystem/component name fields on page 1.

Solution: Use the <Next Page> key to go to page 1 and scroll through the names.

Message: Data must first be retrieved

Cause: The user pressed the <Next Page> key to move to the second page before retrieving data.

Solution: Enter a key field and press the <Next Field> key to retrieve data before moving to the second page.

2.3.4 PERSONNEL RESOURCES FORM VIEW

The data displayed on this screen were entered using data from a SEL PRF. To select this screen,

- Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 4 (PRF data).

Figure 2-10 shows the PRF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

<u>Form Number</u>--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid PRF number. If the form number does not exist in the database, the user will be prompted to enter a valid form number.

OR

<u>Project-Date-Programmer</u>--Upon entry to the screen, the cursor will be placed on the Form Number field. To enter a personnel resource specification as the key, press the <Next Field> key to move to the Project Name field (the first part of this three-part key).

<u>Project Name</u>--The user should enter a valid project name. If the project name does not exist in the database, the user will be prompted to enter a valid project name.

<u>Date</u>--The user should enter a valid submission date, a Friday. If the date is not a Friday, the user will be prompted to enter a valid date.

<u>Programmer</u>—The user should enter a valid programmer name. If the programmer name does not exist in the database, the user will be prompted to enter a valid programmer name.

Keys

Refer to Section 2.3 for a list of keys that are available on all views.

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following are additional messages that may appear on this screen:

Message: Data is not displayed for this form - it has subsystem activity hours

<u>Cause</u>: The form being retrieved has associated subsystem activity hours.

Solution: Contact the DBA for assistance in retrieving these data.

Message: Please enter a project name

Cause: A value of NULL was entered for the project name.

<u>Solution</u>: Enter a valid project name or use the <Previous Field> key to retrieve form by personnel resource specification.

Message: Date is not a Friday - Please reenter

Cause: The date entered was not a Friday date.

Solution: Reenter a Friday date.

Message: Must supply a date or use <Previous Field> key

two times to retrieve by form number

Cause: A value of NULL was enter for the date.

Solution: Enter a valid date or use the <Previous Field>

key twice to retrieve by personnel resource spec-

ification.

Message: Please enter a programmer

Cause: A value of NULL was entered for the programmer.

Solution: Enter a valid programmer or use the <Previous

Field> key three times to retrieve by personnel

resource specification.

Message: Programmer not found in database. Please re-enter

Cause: The programmer name that was entered does not exist

in the database for a PRF form.

Solution: Verify that the correct programmer name was entered. The cursor will remain positioned on the

programmer name field. To reenter the programmer name, the user may type over the current programmer name or use the <Clear Field> key to clear the field before entering a new programmer. To exit and return to the main menu, the user should

press the <Exit/Cancel> key.

Message: No form found associated with this project, date,

and programmer

Cause: The project, date, and programmer combination en-

tered does not have an associated form existing in

the database.

Solution: Verify that the correct project, date, and programmer were entered. To reenter the fields, the user may use the <Clear Block> key to clear the fields before entering new values. To exit and return to the main menu, the user should press the <Exit/Cancel> key.

Message: First character of form number must be 'P' or NULL

<u>Cause</u>: A value other than 'P' or NULL was entered as the first character of the form number.

Solution: Enter a value of 'P' or NULL as the first character of the form number.

2.3.5 SERVICES/PRODUCTS FORM VIEW

The data displayed on this screen were entered using data from a SEL SPF. To select this screen,

- Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 5 (SPF data).

Figure 2-11 shows the SPF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

Form Number--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid SPF number. If the form number does not exist in the database, the user will be prompted to enter a valid form number.

<u>Project-Date</u>--Upon entry to the screen, the cursor will be placed on the Form Number field. To enter a services/ products specification as the key, press the <Next Field> key to move to the Project Name field (the first part of this two-part key).

<u>Project Name</u>--The user should enter a valid project name. If the project name does not exist in the database, the user will be prompted to enter a valid project name.

<u>Date</u>--The user should enter a valid submission date, a Friday. If the date is not a Friday, the user will be prompted to enter a valid date.

Keys

Refer to Section 2.3 for a list of keys that are available on all views. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project Name.

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following are additional messages that may appear on this screen:

<u>Cause</u>: The user entered <Next Field> without supplying a project name when the form number was NULL.

Solution: Enter a valid project name, use the <List Field Values> key or use the <Previous Field> key to retrieve form by number.

Message: Date is not a Friday - please reenter.

Cause: The user enter a date that was not a Friday.

Solution: Enter a valid Friday date.

<u>Message</u>: Form for this project and date not found

<u>Cause</u>: The user entered a project name and date combination that does not have an SPF associated with it.

<u>Solution</u>: Enter a valid project name and date combination, retrieve the form by form number, or exit.

Message: Must supply a date or use <Previous Field> two
times to retrieve by form number

<u>Cause</u>: The user entered <Next Field> without supplying a Friday date after entering a valid project name.

<u>Solution</u>: Enter a valid Friday date or retrieve form by form number.

Message: First character of form number must be an 'S' or
NULL

Cause: The user entered a character that is invalid.

Solution: Clear field, enter an S or space; clear block; or exit the form.

2.3.6 PROJECT ESTIMATES FORM VIEW

The data displayed on this screen were entered using data from a SEL PEF. To select this screen,

- Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 6 (PEF data).

Figure 2-12 shows the PEF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

Form Number--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid PEF number. If the form number does not exist in the database, the user will be prompted to enter a valid form number.

<u>Keys</u>

Refer to Section 2.3 for a list of keys that are available on all views.

<u>Messages</u>

Refer to Section 2.3 for a list of messages that may appear while viewing data.

2.3.7 SUBJECTIVE EVALUATION FORM VIEW

The data displayed on this screen were entered using data from a SEL SEF. To select this screen,

- Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 7 (SEF data).

Figure 2-13 shows the SEF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

<u>Form Number</u>--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid SEF number. If the form number does not exist in the database, the user will be prompted to enter a valid form number.

<u>Keys</u>

Refer to Section 2.3 for a list of keys that are available on all views.

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed.

2.3.8 PROJECT COMPLETION STATISTICS FORM VIEW

The data displayed on this screen were entered using data from a SEL PCSF. To select this screen,

- 1. Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 8 (PCSF data).

Figure 2-14 shows the PCSF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

Form Number--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid PCSF number. If the form number does not exist in the database, the user will be prompted to enter a valid form number.

Keys

Refer to Section 2.3 for a list of keys that are available on all views. Following is an additional key that may be used for this screen:

<Next Page>

This key allows the user to move between pages. The PCSF view screen has two pages of data. This key goes circularly between pages, from page 1 to page 2, and from page 2 back to page 1.

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed.

2.3.9 CLEANROOM PERSONNEL RESOURCES FORM VIEW

The data that are displayed on this screen were entered using data from a SEL Cleanroom PRF. To select this screen,

- Perform steps 1 and 2 of Section 2.3 to display View menu.
- 2. Enter option number 10 (Cleanroom PRF data).

Figure 2-15 shows the Cleanroom PRF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Fields to View Data

Form Number -- Upon entry to the screen, the cursor will be positioned on the Form Number field. If the user wants to view Cleanroom PRF data based on the form number, a valid form number should be entered. Note that the Form Number field already contains an 'R'. If the user wants to enter a form number, he/she must either type the 'R' again or press the right arrow key to avoid erasing the 'R'. If an invalid form number is entered, a message will be displayed, and the user will be reprompted.

OR

<u>Project-Date-Programmer</u>--Upon entry to the screen, the cursor will be placed in the Form Number field. To enter a personnel resources specification as a key, press the <Next Field> key to move to the Project Name field (the first part of this three-part key).

<u>Date</u>--Enter a valid Friday date. If the user enters an invalid Friday date, a message will be displayed, and the user will be reprompted.

<u>Programmer</u>--Enter a valid programmer. If the user enters an invalid programmer, a message will be displayed, and the user will be reprompted.

<u>Keys</u>

Refer to Section 2.3 for a list of keys that are available on all views. Following is an additional key available on the Cleanroom PRF View screen.

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following are additional messages that may appear on this screen.

Message: Invalid FRIDAY date. Please reenter.

Cause: The date that was entered is not a valid Friday date.

Solution: Verify that the correct Friday date was entered. The cursor will remain positioned on the Date field. To reenter the date, the user may type over the current date or use the <Clear Field> key to clear the field before entering a new date, or the user may press the <Previous Field> to return the cursor to the form number so that the form can be viewed by the form number specification.

Message: Please enter a date

<u>Cause</u>: The cursor was on the Date field. The user pressed the <Next Field> key before entering a date.

Solution: If a user is viewing a form by the project-date-programmer specification, all three of these fields must be entered. Enter a valid Friday date or press <Previous Field> to return the cursor to the form number so that the form can be viewed by the form number specification.

Message: Date format is DD-MON-YY

Cause: An invalid date format was entered.

Solution: Reenter the date using the 'DD-MON-YY' format.

Message: Programmer not in database. Please reenter

<u>Cause</u>: The programmer name entered is not a valid programmer.

Solution: Verify that the name was typed in as it appears on the form. The name should consist of a first initial and a last name. A maximum of 15 characters can be entered. If the name was typed in as it appears on the form, the DBA should be contacted. It is possible that the name was not spelled correctly on the form or the writing was not legible. Another possibility is that the name is a new programmer's name and has not yet been added to the database.

Message: Please enter a programmer

Cause: The cursor was on the Programmer field. The user pressed the <Next Field> key before entering a programmer name.

Solution: If a user is viewing a form by the project-dateprogrammer specification, all three fields must be entered. Enter a valid programmer name or press <Clear Block> to view the form by the form number.

Message: No form found associated with this project, date, and programmer

<u>Cause</u>: The user tried to view a form by the project-dateprogrammer specification, but no form was found in the database with the project, date, and programmer values entered.

<u>Solution</u>: Verify that the project, date, and programmer were typed just as they appear on the form. If the values were entered correctly but this message

still appears, the user can press the <Clear Block> key and try viewing the form by the form number specification.

2.3.10 WEEKLY MAINTENANCE EFFORT FORM VIEW

The data on the screen correspond to a SEL WMEF. To select this screen,

- Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 11 (WMEF data).

Figure 2-16 shows the WMEF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key fields for the screen, screen-specific keys, and screen-specific messages are listed below.

Key Fields to View Data

<u>Form Number</u>--Upon entry to the screen, the cursor will be positioned on the Form Number field. To view WMEF data based on the form number, enter a valid form number.

OR

<u>Project-Date-Programmer</u>--Upon entry to the screen, the cursor will be placed in the Form Number field. To enter a personnel specification as the key, press the <Next Field> to move to the Project Name field (the first part of this three-part key).

<u>Project Name</u>--The user should enter a valid project name. If the project name does not exist in the database, the user will be prompted to enter a valid project name.

<u>Date</u>--The user should enter a valid submission date, a Friday. If the date is not a Friday, the user will be prompted to enter a valid date.

<u>Programmer</u>—The user should enter a valid programmer name. If the programmer name does not exist in the database, the user will be prompted to enter a valid programmer name.

Keys

Refer to Section 2.3 for a list of keys that are available on all view screens. Following is an additional key that may be used for this screen:

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following are additional messages that may appear on this screen.

Message: Please enter a project name

<u>Cause</u>: The cursor was on the Project name field. The user pressed the <Next Field> key before entering a project name.

Solution: The Project name must be entered. Enter a valid project name.

Message: Invalid FRIDAY date. Please reenter

Cause: The date that was entered is not a valid Friday date.

Solution: Verify that the correct Friday date was entered. The cursor will remain positioned on the date field. To reenter the date, the user may type over the current date or use the <Clear Field> key to clear the field before entering a new date.

Message: Please enter a date

<u>Cause</u>: The cursor was on the Date field. The user pressed the <Next Field> key before entering a date.

Solution: If viewing a form by the project-date-programmer specification, all three of these fields must be entered. Enter a valid Friday date.

Message: Please enter a programmer

<u>Cause</u>: The cursor was on the Programmer field. The user pressed the <Next Field> key before entering a programmer name.

<u>Solution</u>: If viewing a form by the project-date-programmer specification, all three fields must be entered. Enter a valid programmer name.

Message: Programmer not in database

Cause: The programmer name entered is not a valid name.

Solution: Verify that the name was typed in as it appears on the form. If the name was typed in as it appears on the form, the DBA should be contacted.

Message: Date format is DD-MON-YY

Cause: An invalid date format was entered.

Solution: Reenter the date using the 'DD-MON-YY' format.

Message: No form found associated with this project, date, and programmer

<u>Cause</u>: The key fields that were entered do not exist in the database for a WMEF.

Solution: Verify that the correct number was entered. The cursor will remain positioned on the Form Number field. To reenter the form number, the user may type over the current form number or use the <Clear Field> key to clear the field before entering a new form number. Or the user may view a form by the project-date-programmer specification by clearing the Form Number field and then pressing <Next Field> to place the cursor on the Date field.

2.3.11 MAINTENANCE CHANGE REPORT FORM VIEW

The data displayed on this screen were entered using data from a SEL MCRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 12 (MCRF data).

Figure 2-17 shows the MCRF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

<u>Form Number</u>--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid MCRF number. If the form number does not exist in the database, the user will be prompted to enter a valid form number.

<u>Keys</u>

Refer to Section 2.3 for a list of keys that are available on all views.

Messages

Message: Form number not found in database; please reenter

<u>Cause</u>: The form number that was entered does not exist in the database for a MCRF.

Solution: Verify that the correct form number was entered. The cursor will remain positioned on the form number field. To reenter the form number, the user may type over the current form number or use the <Clear Field> key to clear the field before entering a new form number. To exit and return to the main menu, the user should press the <Exit/Cancel> key.

2.3.12 DEVELOPMENT STATUS FORM VIEW

The data displayed on this screen were entered using data from a SEL DSF. To select this screen,

- 1. Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 14 (DSF data).

Figure 2-18 shows the DSF screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field to View Data

Form Number--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid DSF number. If the form number does not exist in the database, the user will be prompted to enter a valid form number.

OR

<u>Project-Date</u>--Upon entry to the screen, the cursor will be placed on the Form Number field. To enter a development status specification as the key, press the <Next Field> key to move to the Project Name field (the first part of this two-part key).

<u>Project Name</u>—The user should enter a valid project name. If the project name does not exist in the database, the user will be prompted to enter a valid project name.

<u>Date</u>--The user should enter a valid submission date, a Friday. If the date is not a Friday, the user will be prompted to enter a valid date.

Keys

Refer to Section 2.3 for a list of keys that are available on all views.

Messages

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following are additional messages that may appear on this screen:

<u>Cause</u>: The user entered <Next Field> without supplying a project name when the form number was null.

<u>Solution</u>: Enter a valid project name, use the <List Field Values> key, or use the <Previous Field> key to retrieve by form number.

Message: Date is not a Friday - Please reenter

Cause: The user entered a date that was not a Friday.

Solution: Enter a valid Friday date.

Message: No form found associated with this project and date

<u>Cause</u>: The user entered a project name and date combination that does not have a DSF associated with it.

Solution: Enter a valid project name and date combination, retrieve the form by form number, or exit.

Message: Must supply a date or use <Previous Field> two times to retrieve by form number

<u>Cause</u>: The user entered <Next Field> without supplying a Friday date after entering a valid project name.

Solution: Enter a Friday date or retrieve form by form number.

2.3.13 PROJECT MESSAGE FORM VIEW

The data displayed on this screen were entered by the DBA using the SEL Project Message form. To select this screen,

- Perform steps 1 and 2 of Section 2.3 to display the View menu.
- 2. Enter option number 13 (General Project data).

Figure 2-19 shows the Project Message screen as it will appear on the terminal screen. Section 2.3, steps 4 through 7, contains an explanation of running a view screen. The key field(s) for the screens, screen-specific keys, the screen-specific messages are listed below.

Key Field to View Data

<u>Project Name</u>--Upon entry to the screen, the user will be positioned at this field. The user should enter a valid project name. If the project name is invalid, the user will be prompted to enter a valid form number.

<u>Keys</u>

Refer to Section 2.3 for a list of keys that are available on all views. The following are additional keys that may be used for this screen:

| <list field="" values=""></list> | This key is available on |
|----------------------------------|---|
| | Project Name
Message Type |
| <next record=""></next> | This key is available for scrolling to the next record in the message area of the screen. |
| <previous record=""></previous> | This key is available for scrolling to previous record in the message area of the screen. |

<u>Messages</u>

Refer to Section 2.3 for a list of messages that may appear while data are viewed. Following is an additional message that may appear on this screen:

<u>Cause</u>: The user entered a message type that is not in the database.

Solution: Enter a valid message type, use the <List Field Values> function, or exit.

2.4 GENERATING REPORTS

This section describes the procedures for generating reports of the SEL data. The user may want to generate a report to easily view a large amount of data. The reports are divided into three major categories: multiple project, single project, and miscellaneous. The multiple project reports, as the name suggests, provide information on one or more proj-The user must specify a list of project names or select a project criterion (such as ALL projects) that will be used to select the projects on which the report will be These types of reports tend to give a general overview of the data. For more detailed information, such as weekly data, the single project reports should be used. The single project reports make up the majority of the reports. project name must be specified for a single project report. The miscellaneous reports are for data not associated with a specific project.

Section 2.4.1 describes the report function screens, which are used to select and generate reports. Section 2.4.2 describes the types of reports that are available and the options available for each report, and provides a sample output.

2.4.1 REPORT FUNCTION SCREENS

This section contains descriptions of the operation of the report screens. Figure 2-22 shows the structure of the report function screen system. The report function screens allow the user to create a new report script (a sequence of one or more report selections and their corresponding options), make changes to an existing script, run a script, and perform various other operations on a script. Initially, the user must create a report script. This script may contain information on one or more reports. Each entry in a script will specify a report name, any report options that were selected, and any report-specific information, such as the project name for single project reports. A report script should be organized to contain related information that is to be output at the same time. For example, the user may want to create a script that will output various information for a given project, such as manpower hours, services hours, components, growth history, and computer resources. script could be saved and run at regular intervals to monitor the project. A script may be saved after it is created or it may be run once and deleted. A saved script may be updated, deleted, or viewed. (Section 2.2 describes the menu system). A sample report script session is shown in Appendix A. eral procedures to create, update, and delete report script are as follows:

Creating a new report script

- From the Main menu, select option 2 (Report Function).
- 2. Select option 1 (Create a report script) from the Report Function menu.
- 3. Select option 3 (Add report to the current report script).




Figure 2-22. Report Function Screen Structure (1 of 3)




Figure 2-22. Report Function Screen Structure (2 of 3)




Figure 2-22. Report Function Screen Structure (3 of 3)

- 4. Select the type of report you would like to add. Refer to Section 2.4.2 for a description of the available reports.
- 5. Select the report to be added and enter the project name. Press <Commit> to save the report.
- 6. Some reports require that the user select specific options. Place an X next to desired options.
- 7. At this point the user has three options:
 - Select another single project report
 - Exit to the Report Categories menu and select another report type to add to the script
 - Exit to the Main Report menu and save or run the script

Updating a saved script

- 1. From the Main menu, select option 2 (Report Function).
- 2. Select option 2 (Retrieve an existing report script...) from the Report Function menu.
- 3. Various operations can be performed on a saved script; for example, add a report to an existing script by selecting option 3 (Add report to the current report script).
- 4. Select the type of report to be added. Refer to Section 2.4.2 for a description of the available reports.
- 5. Select the report to be added. Press <Commit> to save the report.
- 6. Some reports require that the user select specific options. Place an X next to desired options.

- 7. At this point the user has three options:
 - Select another report of the same type
 - Exit to the Report Categories menu and select another report type to add to the script
 - Exit to the Main Report menu and save or run the script

Deleting a saved script

- 1. From the Main menu, select option 2 (Report Function).
- 2. Select option 3 (View or delete existing ...) from the Report Function menu.
- 3. Select option 2 (Delete report scripts) from the Report Script menu.
- 4. Enter the name of the script to be deleted. Press <Commit> to delete the script from the database.
- 5. At any point the user may exit from this screen.

The keypad diagram shown in Figure 2-23 highlights the keys that are available for the report screens. Some keys are used by all the report screens. These keys are listed and explained below. Keys that are specific to a given report screen will be explained in the section describing the individual screen.

General Keys

<Exit/Cancel>

This key causes the user to exit from the screen and return to the previous screen.

<Next Field>

This key is used to move among fields on a screen and to select options on a menu screen. When the key is pressed, the cursor is moved to the next field on the screen. If the screen is a menu screen, then the screen specified by the selected option is displayed.




Figure 2-23. Report Functions Keypad

<Previous Field>

<Clear Field>

<Clear Block>

<List Field Values>

This key moves the cursor to the previous field on the screen.

This key is used to clear the current field.

This key clears the entire screen. This is useful if the user wants to erase the data currently on the screen and reenter different data.

This key will cause all the values that are valid for the current field to be displayed. The values are displayed one at a time. A message is displayed instructing the user how to move through the list of values and select one. This key is only available on certain fields on a screen. These specified field names will be listed in the section that describes the particular screen.

General Messages

A number of messages may be displayed while running the Report Functions screens. Messages without a solution are informational. General messages that may be displayed while selecting reports are listed below. Messages that are specific to a given screen are described in the section associated with that screen.

Message: Transaction completed -- x records processed

Cause: Data have been successfully stored in the database.

Message: Press RETURN to retrieve next value, PF4 to stop

Solution: Do as the message suggests. If the requested value is currently displayed, press the <Exit/Cancel> key; otherwise, press the <Next Field> key to display the next valid value.

Message: Last value retrieved

<u>Cause</u>: This message is displayed while using the <List Field Values> key. There are no more values to be displayed.

Solution: To see the values again, press the <List Field Values> key.

Message: Unrecognized command

Cause: The user has pressed an invalid key.

Solution: This key does not have any effect on this screen. Simply select one of the keys described above or in the specific report section.

Each of the following sections describes a different report screen. The screen-specific keys that can be used with each screen are listed along with the actions they cause. The screen-specific error and information messages will be discussed, along with the appropriate responses to them.

2.4.1.1 Report Function Menu

This screen is the menu screen for the top level of the report interface system. This screen is selected by choosing option 2 of the Main Function menu.

Figure 2-5 shows the Report Function menu as it will appear on the terminal screen. The screen-specific key and messages are listed below.

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens. Following are additional keys that may be used for this screen:

<List Field Values> This key is available on Script Name.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Selection must be between 1 and 3

Cause: The user selected an option number that is less than the first available number (xx) or greater than the last option number (yy).

<u>Solution</u>: Enter a valid option number, or use the <Previous Menu> or <Top Menu> keys to exit from the menu screen.

Message: Specified report script does not exist--Please
 reenter .

Cause: The user entered a script name that does not belong
to him/her.

Solution: Reenter a valid script name or use the <List Field Values> to list the available script names.

2.4.1.2 Main Report Menu

This screen is used to select the type of activity the user would like to perform on the current script. This screen is selected by choosing either option 1 or option 2 from the Report Function menu.

Figure 2-24 shows the Main Report menu screen that will appear on the terminal screen. The screen-specific key and messages are listed below.

MAIN REPORT MENU

What would you like to do to a script?

- 1 Run current report script (script will be deleted upon completion of report if it has not been saved)
- 2 View/Edit current report script
- 3 Add report to the current report script
- 4 Save current report script
- 5 Change routing of report script (current routing: STL GREENTSC)

<PF4>- Previous menu

Please enter your selection number:

NOTE: For creating a new script use option 3 to populate.

The current script will no longer be available if <PF4> is is pressed prior to saving script

Figure 2-24. Main Report Menu

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Selection must be between 1 and 5

Cause: The user selected an option number that is less than the first available number (xx) or greater than the last option number (yy).

Solution: Enter a valid option number, or use the <Previous Menu> or <Top Menu> keys to
 exit from the menu
 screen.

Message: There are no reports in the current script to run

<u>Cause</u>: The user selected option 1, and there are no reports in the current script.

Solution: Select option 3 to create reports before running, or exit to the previous menu.

Message: There are no reports in the current script to save

<u>Cause</u>: The user selected option 4, and there are no reports in the current script.

<u>Solution</u>: Select option 3 to create reports before saving, or exit to the previous menu.

Message: There are no reports in the current script to view

Cause: The user selected option 2, and there are no reports
in the current script.

<u>Solution</u>: Select option 3 to create reports before viewing, or exit to the previous menu.

Message: Do you want to save this script?

Cause: The user is trying to exit the main menu without

first running or saving the current script.

Solution: Enter Y to save script, N to delete script.

2.4.1.3 Run Current Script Selection Screen

This screen is used to run the current report script. This screen is selected by choosing option 1 from the Main Report menu.

Figure 2-25 shows the Run Current Script selection screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

RUN CURRENT SCRIPT

Please enter your Oracle password:

Please enter desired processing:

(B-Batch Processing or I-Interactive Processing)

Please change desired batch processing options.

Batch processing name:

Date to submit report: (DD-MON-YY)

Time to submit report: (HH:MM:SS)

(Please do not submit jobs before 6:30 A.M.)

Press <PF3> when selection is complete.

<PF4>- Previous menu

Figure 2-25. Run Current Script

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Entry must be B or I

Cause: The user entered a invalid key for the processing

type.

Solution: Enter an B or I to select either batch or inter-

active processing.

2.4.1.4 Current Script Viewing/Editing Screen

This screem is used to view the current report script. This screen is selected by choosing option 2 from the Main Report menu.

Figure 2-26 shows the Current Script Viewing/Editing screen as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

CURRENT SCRIPT VIEWING/EDITING SCREEN The following report sequence is in the current script: Press <DELETE RECORD KEY> to remove this report from the current script. Press < CREATE RECORD KEY> to commit report updates. Press next block to view ROUTING next report in this script REPORT TYPE Press previous block to view previous report. Press <Enter> to view List of Projects. REPORT OPTIONS FOR MULTIPLE PROJECTS ONLY CRITERIA = LIST Press <Enter> to return. Use up arrow or down arrow to scroll.

Use <DELETE RECORD> to delete projects.
Use <CREATE RECORD> to add projects.

Char Mode: Replace Page 7 Count: *0

<PF4>- Previous menu

Figure 2-26. Current Script Viewing/Editing Screen

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

<Next Record> Allows scrolling of the list of

project names for when the project type is multiple. It will retrieve

the next project name.

<Previous Record> Allows scrolling of the list of

project names for when the project type is multiple. It will retrieve

the previous project name.

<Delete Record> Deletes the current record from the

list of projects and the current report sequence from the current

script.

<Create Record> Adds the current record to the list

of projects and updates the current report sequence with any changes made

by the user.

of projects.

<Next Block> Retrieves the next report sequence in

the specified script.

<Previous Block> Retrieves the previous report se-

quence in the specified script.

<Key Enter> Allows the user to view/edit a list

of projects when the current report type is multiple projects and the criterion is list. Pressing this key again will allow the user to return to editing the rest of this report

and script.

<List Field Values> This key is available on

Criteria Phase Code

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: At the last report in this script

<u>Cause</u>: The user is at the last report sequence in the specified script.

Solution: Press <Previous Block> to retrieve the previous report in the script, or select a new script name to view, or exit this screen.

Message: At the first report in this script

<u>Cause</u>: The user is at the first report sequence in the specified script.

<u>Solution</u>: Press <Next Block> to retrieve the previous report in the script, or select a new script name to view or exit this screen.

Message: Error deleting report from this script

<u>Cause</u>: There are several causes for this error, none of which the user can correct.

Solution: Contact the DBA about this specific problem. Select next or previous report, or exit this screen.

Message: Error updating report from this script

<u>Cause</u>: There are several causes for this error, none of which the user can correct.

Solution: Contact the DBA about this specific problem.

Message: Must select one report. Select report, delete report, or exit screen

<u>Cause</u>: The user did not select any of the possible reports for the current script.

Solution: Select one report, delete the report or exit the screen.

Message: Phase code must be provided when report 2 is selected

<u>Cause</u>: The user has selected report option 2 of the growth history report and has not entered an applicable phase code.

Solution: Enter a valid phase code or remove selection of report 2.

Message: Cannot delete the last report in a script

<u>Cause</u>: The user is trying to delete the last report sequence in the current script.

Solution: Edit the last report and update record or exit the screen.

2.4.1.5 Report Categories Menu

This screen is used to select the exact type of report that is to be added to the current script. This screen is selected by choosing option 3 from the Main Report menu.

Figure 2-27 shows the Report Categories menu screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

REPORT CATEGORIES MENU

What type of report would you like to add?

- 1 Multiple Project
- 2 Single Project
- 3 Miscellaneous

<PF4>- Previous menu

Please enter your selection number:

Char Mode: Replace Page 8

Count: *0

Figure 2-27. Report Categories Menu

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following is an additional message that may appear on this screen:

Message: Selection must be between 1 and 3

Cause: The user selected an option number that is less than the first available number (xx), or greater than the last option number (yy).

Solution: Enter a valid option number, or use the <Previous Menu> to exit from the menu screen.

2.4.1.6 Multiple Projects Report Menu

This screen is the menu screen for the multiple project type reports. This screen is selected by choosing option 1 on the Report Categories menu.

Figure 2-28 shows the Multiple Projects Report menu as it will appear on the terminal screen. If either option 4 or 6 is selected, the project criterion selection menu is dis-The screen-specific keys and messages are listed below.

MULTIPLE PROJECTS REPORT MENU

Which multiple project report would you like to run?

- 1 Actual Statistics at Completion
 2 Actual Statistics to Date
- 3 Estimated Statistics
- 4 Form Counts
- 5 Maintenance Information Summary
- 6 Subjective Evaluation

<PF1> - Report Categories Menu <PF4> - Previous Menu

Please enter your selection number:

Char Mode: Replace Page 1

Count: *0

Figure 2-28. Multiple Projects Report Menu

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report screens. An additional key that may be used on this screen is listed below:

<Next Field> This key should be pressed after the selection number has been entered.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during all report screens. Following is an additional message that may appear on this screen:

Message: Invalid selection number. Please enter a number
 between 1 and 6

Cause: The user selected an invalid option number.

Solution: The user should either enter a number between 1 and 6, or exit from the screen.

2.4.1.7 <u>Multiple Projects Report Selection Screen General</u> <u>Messages</u>

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on any of the multiple projects report selection screens, Sections 2.4.1.8 through 2.4.1.11:

Message: Report code was NOT saved

<u>Cause</u>: The user pressed the <Clear Block> key before pressing the <Commit> key. Any selected report options will not be entered into the current report script.

Message: Entry must be X or NULL

<u>Cause</u>: The user entered an incorrect key to either select or bypass the current report options.

Solution: Enter an X to select the current report option or enter a space or <Clear Field> to indicate the report is not being selected.

Message: No report options were selected -- select options
 or exit

<u>Cause</u>: The user pressed the <Commit> key without selecting any of the possible report options.

Solution: Select any of the available report options and press <Commit> again or press the <Exit/Cancel> key to leave the current form.

2.4.1.8 <u>Actual Statistics At Completion Report Selection Screen</u>

This screen is used to select a multiple projects actual statistics at completion report. The user must select one or more options from the screen or exit. This screen is selected by choosing option 1 from the Multiple Projects Report menu.

Figure 2-29 shows the Multiple Projects Actual Statistics at Completion Report Selection Screen as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

ACTUAL STATISTICS AT COMPLETION REPORT SELECTION SCREEN

Please place an X beside all desired reports. Press <PF3> when selection is complete.

- Executable Modules and Lines of Code
- Size and Resource Statistics
- **22** Phase Information

<PF4> - Previous Menu

Figure 2-29. Multiple Projects Actual Statistics at Completion Report Screen

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report screens. Following is an additional key that may be used for this screen:

<Commit> This key causes the actual statistics at completion report to be added to the current
script with the specified options.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.7 for a list of messages that may appear during all multiple projects report selection screens.

2.4.1.9 Actual Statistics To Date Report Selection Screen

This screen is used to select a multiple projects actual statistics to date report. The user must select one or more options from the screen or exit. This screen is selected by choosing option 2 from the Multiple Projects Report menu.

Figure 2-30 shows the Multiple Projects Actual Statistics To Date Report Selection Screen as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

ACTUAL STATISTICS TO DATE REPORT SELECTION SCREEN

Please place an X beside all desired reports. Press <PF3> when selection is complete.

- 🧱 Project Statistics
- Resource Statistics
- SAP Data

<PF4> - Previous Menu

Figure 2-30. Multiple Projects Actual Statistics to Date Report Screen

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report screens. Following is an additional key that may be used for this screen:

<Commit> This key causes the actual statistics to date
report to be added to the current script with
the specified options.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.7 for a list of messages that may appear during all multiple projects report selection screens.

2.4.1.10 Estimated Statistics Report Selection Screen

This screen is used to select a multiple projects estimated statistics report. The user must select one or more options from the screen, or exit. This screen is selected by choosing option 3 from the Multiple Projects Report menu.

Figure 2-31 shows the Multiple Projects Estimated Statistics Report Selection Screen as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

ESTIMATED STATISTICS REPORT SELECTION SCREEN

Please place an X beside all desired reports.. Press <PF3> when selection is complete.

🎬 - Size and Resource Information

- Phase Information

<PF4> - Previous Menu

Figure 2-31. Multiple Projects Estimated Statistics Report Screen

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report screens. Following is an additional key that may be used for this screen:

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.7 for a list of messages that may appear during all multiple projects report selection screens.

2.4.1.11 <u>Maintenance Information Summary Report Selection</u> Screen

This screen is used to select a multiple projects maintenance information summary report. The user must select one or more options from the screen. This screen is selected by choosing option 5 from the Multiple Projects Report menu.

Figure 2-32 shows the Multiple Projects Maintenance Information Summary Report Selection Screen as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

MAINTENANCE INFORMATION SUMMARY REPORT SELECTION SCREEN

- Please place an X beside all desired reports. Press <PF3> when selection is complete.
 - Resource Statistics
 - Component Statistics
 - Change Statistics (1 of 2)
 - Change Statistics (2 of 2)

<FF4> - Previous Menu

Figure 2-32. Multiple Projects Maintenance Information Summary Report Screen

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens. Following is an additional key that may be used for this screen.

<Commit> This key causes the maintenance information
summary report to be added to the current
script with the specified options.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.7 for a list of messages that may appear during all multiple projects report selection screens.

2.4.1.12 Project Criterion Selection Menu

This screen is used to select the type of criterion to be used when selecting projects for a multiple projects report. The user must select one or more options from the screen, or exit. This screen is displayed after a multiple projects report has been selected.

Figure 2-33 shows the Project Criterion Selection menu as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report screens. Following is an additional key that may be used for this screen:

PROJECT CRITERION SELECTION MENU

Which project criterion would you like to use for your multiple project report?

Press <PF3> when selection is complete.

1 - All projects

2 - Active projects in development

3 - Active projects in maintenance

4 - Inactive projects
5 - List of projects

<PF4> - Previous Menu

Please enter your selection number:

Char Mode: Replace Page 5

Count: *0

Figure 2-33. Multiple Projects Criterion Selection Menu

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Project criterion was NOT saved

Cause: The user pressed the <Clear Block> key.

Solution: The user may select a new project criterion; press

<Commit> to save, or the user may exit from this
screen. A project criterion must be selected for a
multiple projects report to be added to the script.

Message: Invalid selection. Please select a number between

1 and 5

Cause: The user selected an invalid project criterion.

Solution: The user may select a new project criterion or

exit from the screen.

Message: No project criterion was selected -- select a cri-

terion or exit

Cause: The user attempted to <Commit> the report infor-

mation, but no project criterion was specified.

Solution: A project criterion must be selected before

committing.


2.4.1.13 List of Projects Selection Screen

This screen is used to enter a list of projects to be used for a multiple projects report. The user must enter one or more project names up to a maximum of 10, or exit. This screen is displayed by selecting option 5 from the Project Criterion Selection menu.

Figure 2-34 shows the List of Projects Selection Screen as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

LIST OF PROJECTS SELECTION SCREEN

Press <PF3> when selection is complete. Enter project name(s) or <Esc-V> to list.



<PF4> - Previous Menu

Char Mode: Replace Page 6 Count: *0

Figure 2-34. Multiple Projects List of Projects Selection Screen

Refer to Section 2.4.1 for a list of keys that are available on all report screens. Following is an additional key that may be used for this screen:

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Project names were NOT saved

Cause: The user pressed the <Clear Block> key.

Solution: The user may enter new project names and press <Commit> to save, or the user may exit from this screen. In order for the multiple projects report to be saved with the current script, a project criterion must be entered. If the user does not want to enter any project names, another criterion should be selected from the Project Criterion Selection menu.

Message: Invalid project name. Please reenter

Cause: The user entered an invalid project name.

Solution: The user should enter a correct project name, or use the <List Field Values> key to display a list of valid project names. The <Clear Field> key can be used to blank out the project name, if it is not needed.

Message\ ERROR -- please enter at least one project name, or
<PF4> to exit

Cause: The user attempted to <Commit> the report information, but no project names were entered.

Solution: At least one project name must be entered, if the Project List selection is chosen.

Message: Error--duplicate project name on screen

The user attempted to <Commit> the project names, Cause: but a duplicate project name was found on the screen.

Blank out the duplicate project name field.

2.4.1.14 Single Project Reports Menu

This screen is the menu screen for the single project reports. This screen is selected by choosing option 2 on the Report Categories menu.

Figure 2-35 shows the Single Project Reports menu as it will appear on the terminal screen. The screen-specific key and messages are listed below.

SINGLE PROJECT REPORTS MENU

Which Single Project Report would you like to run? Press <PF3> to save your selection.

- 1 Activity Hours 9 - GSFC Form Counts 2 - Actual Statistics to Date 10 - GSFC Manpower Hours
- 3 Component Names 11 - Maintenance Activity Hours
- 4 Computer Resources 12 - Manpower Hours
- 5 Estimated Statistics 13 - SEL Forms (COF, CRF, PRF, SPF, DSF)
- 14 SEL Maintenance Forms (MCRF and WMEF 15 Services Hours 6 - Form Counts 7 - General Project Data
- 8 Growth History

<PF4>- Previous menu

Please enter your selection number Please enter project name or <ESC-V> to list:

Char Mode: Replace Page 1

Count: *0

Figure 2-35. Single Project Reports Menu

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project
Name.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Report selection must be between 1 and 15

Cause: The user selected an option number that is less than the first available number (xx) or greater than the last option number (yy).

Solution: Enter a valid option number, or use the <Exit/Cancel> or <Report Categories Menu> keys to exit from the menu screen.

Message: Invalid project name--please reenter

<u>Cause</u>: The user entered a project name that is not in the SEL database.

Solution: Reenter a valid project name or use the <List Field Values> to list the valid project names.

2.4.1.15 Single Project Report Selection Screen General

Messages

Refer to Section 2.4.1 for a list of messages that may appear during all report screens. Following are additional messages that may appear on any single project report selection screens, Sections 2.4.1.16 through 2.4.1.28.

Message: Report code was NOT saved

Cause: The user pressed the <Clear Block> key.

<u>Solution</u>: The user may select new options for the encoded values report and press <Commit> to save, or the user may exit from this screen.

Cause: The user attempted to <Commit> the report information, but no options were specified.

Solution: At least one report option must be selected before exiting. Refer to Section 2.4.2.1.1 for additional information on this report, and some sample output.

Message: Invalid character. Enter an X or a blank

<u>Cause</u>: The user entered a character other than an X or a blank in one or the option selection fields.

Solution: To select a specific option, place an X before the option. If the option is not selected, it should be blanked out.

2.4.1.16 Activity Hours Report Selection Screen

This screen is used to select an activity hours report. The user must select one or more options from the screen. This screen is selected by choosing option 1 from the Single Project Reports menu.

Figure 2-36 shows the Activity Hours Report Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of

ACTIVITY HOURS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

- Summary of Hours

- Totals by Phase

- Averages by Phase

2 - Detailed Weekly

<PF4>- Previous menu

Char Mode: Replace Page 2

Count: *0

Figure 2-36. Single Project Activity Hours Report Screen

messages that may appear during all single project report selection screens.

2.4.1.17 Component Names Report Selection Screen

This screen is used to select a component names report. The user must select one or more options from the screen. This screen is selected by choosing option 3 from the Single Project Reports menu.

Figure 2-37 shows the Component Names Report Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

COMPONENT NAMES REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

- Component Names Only
- Component Names and Codes

<PF4>- Previous menu

Char Mode: Replace Page 4

Count: *0

Figure 2-37. Single Project Component Names Report Screen

2.4.1.18 Estimated Statistics Report Selection Screen

This screen is used to select an estimated statistics report. The user must select one or more options from the screen. This screen is selected by choosing option 5 from the Single Project Reports menu.

Figure 2-38 shows the Estimated Statistics Report Selection Screen as it will appear on the terminal screen. The screenspecific key and messages are listed below.

ESTIMATED STATISTICS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

- Size and Resource Information
- Phase Information

<PF4>- Previous menu

Figure 2-38. Single Project Estimated Statistics Report Screen

Refer to Section 2.4.1 for a list of keys that are available on report selection screens.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during all report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

2.4.1.19 Form Counts Report Selection Screen

This screen is used to select a form counts report. The user must select one or more options from the screen. This screen is selected by choosing option 6 from the Single Project Reports menu.

Figure 2-39 shows the Form Counts Report Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

FORM COUNTS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project. Press <PF3> when selection is complete.

- Summary of Forms

- Form Counts by Phase

- Detailed Programmer Counts

<PF4>- Previous menu

Char Mode: Replace Page 7

Count: *0

Figure 2-39. Single Project Form Counts Report Screen

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

2.4.1.20 Growth History Report Selection Screen

This screen is used to select a growth history report. The user must select one or more options from the screen. This screen is selected by choosing option 8 from the Single Project Reports menu.

Figure 2-40 shows the Growth History Report Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

GROWTH HISTORY REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

- Summary

- Detailed Values by Phase

<PF4>- Previous menu

Please enter the desired phase or <ESC V> to list:

Char Mode: Replace Page 9

Count: *0

Figure 2-40. Single Project Growth History Report Screen

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Phase Code.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

Message: Must supply a valid phase code

<u>Cause</u>: The user selected report option 2, Growth History By Phase, and did not enter a valid phase code.

Solution: Enter a valid phase code, or use <List Field Values> key to list the valid phases, or enter a space in the option 2 selection field.

Message: Invalid phase name--please reenter

<u>Cause</u>: The user selected a phase code that is not in the SEL database.

<u>Solution</u>: Enter a valid phase code, or use <List Field Values> key to list the valid phases.

2.4.1.21 GSFC Manpower Hours Report Selection Screen

This screen is used to select a GSFC Manpower Hours report. The user must select one or more options from the screen. This screen is selected by choosing option 10 from the Single Project Reports menu.

Figure 2-41 shows the GSFC Manpower Hours Report Selection Screen as it will appear on the terminal screen. The screenspecific key and messages are listed below.

GSFC MANPOWER HOURS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

- Summary of Hours

- Totals by Phase

🌉 - Averages by Phase

- Detailed Weekly

Figure 2-41. Single Project GSFC Manpower Hours Report Screen

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

2.4.1.22 Maintenance Activity Hours Report Selection Screen

This screen is used to select a Maintenance Activity Hours report. The user must select one or more options from the screen. This screen is located by choosing option 11 from the Single Project Reports menu.

Figure 2-42 shows the Maintenance Activity Hours Report Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

MAINTENANCE ACTIVITY HOURS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the Press (PF3) when selection is complete.

- Summary of Hours
- Detailed Weekly by Class
- Detailed Weekly by Activity

<PF4>- Previous menu

Figure 2-42. Single Project Maintenance Activity Hours Report Screen

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

2.4.1.23 Manpower Hours Report Selection Screen

This screen is used to select a Manpower Hours report. The user must select one or more options from the screen. This screen is selected by choosing option 11 from the Single Project Reports menu.

Figure 2-43 shows the Manpower Hours Report Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

MANPOWER HOURS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

3 - Summary of Hours

- Totals by Phase

- Averages by Phase

羅 - Detailed Weekly

<PF4>- Previous menu

Char Mode: Replace Page 12

Count: *0

Figure 2-43. Single Project Manpower Hours Report Screen

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

2.4.1.24 SEL Forms Selection Screen

This screen is used to select the SEL forms reports. The user must select one or more options from the screen. This screen is selected by choosing option 12 from the Single Project Report menu.

Figure 2-44 shows the SEL Forms Selection Screen as it will appear on the terminal screen. The PRF option will generate a report on either the PRFs or the Cleanroom PRFs submitted, depending on which form the current project uses. The screen-specific key and messages are listed below.

SEL FORMS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

- Component Origination Forms (COF)

- Change Report Forms (CRF)

- Personnel Resources Forms (PRF)

- Services Products Forms (SPF)

- Development Status Forms (DSF)

<PF4>- Previous menu

Form: SINGLE F Block: SF12 Page: 13 SELECT: Char Mode: Replace

Figure 2-44. Single Project SEL Forms Report Screen

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

2.4.1.25 SEL Maintenance Forms Report Selection Screen

This screen is used to select a SEL maintenance form report. The user must select one or more options from the screen. This screen is selected by choosing option 14 from the Single Project Report menu.

Figure 2-45 shows the SEL Maintenance Forms Report Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

SEL MAINTENANCE FORMS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

- Maintenance Change Report Forms (MCRF)

- Weekly Maintenance Effort Forms (WMEF)

<PF4>- Previous menu

Figure 2-45. Single Project SEL Maintenance Forms Report Screen

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

2.4.1.26 Services Hours Report Selection Screen

This screen is used to select a services hours report. The user must select one or more options from the screen. This screen is selected by choosing option 13 from the Single Project Reports menu.

Figure 2-46 shows the Services Hours Report Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

SERVICES HOURS REPORT SELECTION SCREEN

Please place an X beside all desired reports for the project.

Press <PF3> when selection is complete.

- Summary of Hours
- Totals by Phase
- Averages by Phase
- Detailed Weekly

<PF4>- Previous menu

Char Mode: Replace Page 14 Count: *0

Figure 2-46. Single Project Services Hours Report Screen

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during report screens and Section 2.4.1.15 for a list of messages that may appear during all single project report selection screens.

2.4.1.27 <u>Miscellaneous Reports Menu</u>

This screen is the menu screen for the miscellaneous type reports. This screen is selected by choosing option 3 on the Report Categories menu.

Figure 2-47 shows the Miscellaneous Reports menu as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

MISCELLANEOUS REPORTS MENU

Which miscellaneous report would you like to run?

1 - Encoded Values

<PF1> - Report Categories Menu <PF4> - Previous Menu

Please enter your selection number:

Char Mode: Replace Page 1

Count: *0

Figure 2-47. Miscellaneous Reports Menu

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report screens.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following is an additional message that may appear on this screen:

Message: Invalid selection number. Enter 1, or exit

Cause: The user selected an option that is not available.

Solution: Currently, there is only one miscellaneous report available. Either select option 1, or exit the screen.

2.4.1.28 Encoded Values Report Selection Screen

This screen is used to select an encoded values report. The user must select one or more options from the screen. This screen is selected by choosing option 1 from the Miscellaneous Reports menu.

Figure 2-48 shows the Encoded Values Report Selection Screen as it will appear on the terminal screen. The screen-specific keys and messages are listed below.

ENCODED VALUES REPORT SELECTION SCREEN

Please place an X beside all desired reports. Press <PF3> when selection is complete.

- Personnel Summary
- Computer Summary
- Validation Fields

<PF4> - Previous Menu

Char Mode: Replace Page 2

Count: *0

Figure 2-48. Miscellaneous Encoded Values Report Screen

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report screens. Following is an additional key that may be used for this screen:

<Commit> This key causes the encoded values report to be
added to the current script with the specified
options.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Report code was NOT saved

<u>Cause</u>: The user pressed the <Clear Block> key.

Solution: The user may select new options for the encoded values report and press <Commit> to save, or the user may exit from this screen.

<u>Cause</u>: The user attempted to <Commit> the report information, but no options were specified.

Solution: At least one report option must be selected before exiting. Refer to Section 2.4.2.3.1 for additional information on this report and some sample output.

Message: Invalid character. Enter an X or a blank

<u>Cause</u>: The user entered a character other than an X or a blank in one of the option selection fields.

Solution: To select a specific option, place an X before the option. If the option is not selected, it should be blanked out.

2.4.1.29 Save Script Screen

This screen is used to permanently save the current report script. The user must specify a report script name. This screen is selected by choosing option 4 from the Main Report menu.

Figure 2-49 shows the Save Script Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

SAVE SCRIPT SCREEN

Please enter script name: Press <PF3> when complete

Script name can be up to 20 characters

<PF4>-Previous menu

Char Mode: Replace Page 9

Count: *0

Figure 2-49. Save Script Screen

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on report selection screens.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during all report screens. Following are additional messages that may appear on this screen:

Message: Script with this name already exists -- Do you want
to replace it (Y/N)?

Cause: The user entered a duplicate script name.

Solution: Enter Y to replace the old script or enter a new script name.

Message: Entry must be Y or N

<u>Cause</u>: The user entered an incorrect key to answer the replacement question.

Solution: Enter an N to enter a new script name or a Y to replace the old script.

2.4.1.30 Report Routing Menu

This screen is used to select a new output destination for the current report script. This screen is selected by choosing option 5 from the Main Report menu.

Figure 2-50 shows the Report Routing Menu Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

REPORT ROUTING MENU

Where would you like the report to be sent? The current routing is: STA GREENTEC Press <PF3> when complete.

- 1 GSFC Bldg. 23 printer
- 2 GreenTec II printer
- 3 External File

Please enter your selection number:

<PF4>- Previous menu

Please enter your external filename and extension:

Char Mode: Replace Page 10

Count: *0

Figure 2-50. Report Routing Menu

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following is an additional message that may appear on this screen:

Message: Selection must be between 1 and 3

Cause: The user selected an option number that is less than the first available number (xx), or greater than the last option number (yy).

Solution: Enter a valid option number, or use the <Previous Menu> to exit from the menu screen.

2.4.1.31 Report Script Menu

This screen is used to select functions that are to be performed on permanent report scripts that are stored in the database. This screen is selected by choosing option 3 from the Report Function menu.

Figure 2-51 shows the Report Script menu screen as it will appear on the terminal screen. The screen-specific key and message's are listed below.

REPORT SCRIPT MENU

What would you like to do to scripts?

1 - View report scripts

2 - Delete report scripts

<PF4>- Previous menu

Please enter your selection number:

Char Mode: Replace Page 3

Count: *0

Figure 2-51. Report Script Menu

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following is an additional message that may appear on this screen:

Message: Selection must be between 1 and 2

Cause: The user selected an option number that is less than the first available number (xx) or greater than the last option number (yy).

Solution: Enter a valid option number, or use the <Exit/Cancel> or <Report Categories Menu> keys to exit from the menu screen.

2.4.1.32 <u>Viewing Script Selection Screen</u>

This screen is used to view permanent report scripts currently stored in the database for the current user. This screen is selected by choosing option 1 from the Report Script menu.

Figure 2-52 shows the Viewing Scripts Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

VIEWING SCRIPTS SELECTION SCREEN Please enter the script name you would like to view or <ESC V> to list: Press <PF3> to view desired script. Press next block to view the next report in this script. ROUTING Press previous block REPORT TYPE to view the previous REPORT NAME report. Press <Enter> to view list of Projects. REPORT OPTIONS FOR MULTIPLE PROJECTS ONLY CRITERIA = LIST Press (Enter) to return. Use up arrow or down arrow

<PF4>- Previous menu

Char Mode: Replace Page 4

to scroll.



Count: *0

Figure 2-52. Viewing Scripts Selection Menu

Keys

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

| <next record=""></next> | Allows scrolling of the list of Project names for when the project type is multiple. It will retrieve the next project name. |
|---------------------------------|---|
| <previous record=""></previous> | Allows scrolling of the list of Project names for when the project type is multiple. It will retrieve the previous project name. |
| <next block=""></next> | Retrieves the next report sequence in the specified script. |
| <previous block=""></previous> | Retrieves the previous report sequence in the specified script. |
| <enter></enter> | Allows the user to view/edit a list of projects when the current report type is multiple projects and the criteria is list. Pressing this key |

again will allow the user to return to editing the rest of this report and script.

<List Field Values>

This field is available on Screen Name.

<u>Messages</u>

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Script with the specified name does not exist-Please reenter

<u>Cause</u>: The user entered a script name that does not belong to him/her.

Solution: Reenter a valid script name or use the <List Field Values> to list the available script names.

Message: At the last report in this script

<u>Cause</u>: The user is at the last report sequence in the specified script.

<u>Solution</u>: Press <Previous Block> to retrieve the previous report in the script, or select a new script name to view, or exit this screen.

Message: At the first report in this script

<u>Cause</u>: The user is at the first report sequence in the specified script.

<u>Solution</u>: Press <Next Block> to retrieve the previous report in the script, or select a new script name to view, or exit this screen.

Message: At the last project in this report

<u>Cause</u>: The user is at the last project name in the specified report.

<u>Solution</u>: Press <Previous Record> to scroll to the previous project in the report, or select a new script name to view, select the next or previous report, or exit this screen.

Message: At the first project in this report

Cause: The user is at the first project name in the specified report.

Solution: Press <Next Record> to scroll to the previous project in the report, or select a new script name to view, select the next or previous report, or exit this screen.

2.4.1.33 Deleting a Script Selection Screen

This screen is used to delete permanent report scripts currently stored in the database for the current user. This screen is selected by choosing option 2 from the Report Script menu.

Figure 2-53 shows the Deleting a Scripts Selection Screen as it will appear on the terminal screen. The screen-specific key and messages are listed below.

DELETING A SCRIPT SELECTION SCREEN

Please enter script name you would like to delete or <ESC V> to list: Press <PF3> to delete selected script.

<PF4>- Previous menu

Char Mode: Replace Page 5

Count: *0

Figure 2-53. Deleting a Script Selection Menu

<u>Keys</u>

Refer to Section 2.4.1 for a list of keys that are available on all report selection screens.

<List Field Values> This key is available on Script Name.

Messages

Refer to Section 2.4.1 for a list of messages that may appear during report screens. Following are additional messages that may appear on this screen:

Message: Script with the specified name does not exist-Please reenter

<u>Cause</u>: The user entered a script name that does not belong to him/her.

Solution: Reenter a valid script name or use the <List Field Values> to list the available script names.

Message: Error deleting report entries from this script name

<u>Cause</u>: There could be several causes for this error, none of which the user can correct.

Solution: Contact the DBA about this specific problem.

2.4.2 REPORT DESCRIPTIONS

This section provides a description of each of the available reports. The reports are grouped into multiple projects reports, single project reports, and miscellaneous reports. For each report there is a short description of the report, a list of any available options that may be selected for the report, sample output of the report, and any error messages that may appear on the report output.

2.4.2.1 Multiple Projects Reports

Multiple projects reports are reports that contain data on one or more projects. Refer to Section 2.4.1.6 for information on generating a multiple project report.

2-96

2.4.2.1.1 Multiple Projects Actual Statistics at Completion Report

This report outputs a summary of the actual statistics at the completion of a project, as entered on the PCSF. This information is supplied by the project personnel via the PCSF and may not be obtained by performing calculations on actual values in the database.

| Option
Number | Description | Sample Output |
|------------------|--|-------------------------|
| 1 | Statistics on the modules, lines of code, and executable statements for each project | Figure 2-54
(Part 1) |
| 2 | Statistics on the project size and the resources used by each project | Figure 2-54
(Part 2) |
| 3 | Phase dates for each project | Figure 2-54
(Part 3) |

Possible Message

Message: No data for this project

Meltiple Project Actual Statistics at Completion Report (Part 1) (From Project Completion Statistics Form)

| 09/08/88 | 10:53:2 | 2 | | | | | | | | | | Projects: | LIST |
|----------|--------------------|-----|------|-----|---------------|-------|-------|-------|-----------|----------------------|------|-----------|------------|
| Project | Executable Modules | | | | Lines of Code | | | Exe | cutable S | No. of
Cat. Lines | | | |
| | Total | Old | Hod. | Nev | Total | 014 | Hod. | Nev | Total | 014 | Nod. | Xev | GBI. LINES |
| PROJECT1 | 132 | 24 | | 108 | 15500 | 3700 | | 11800 | 5600 | 600 | | 5000 | 1000 |
| PROJECT2 | 219 | 27 | | 192 | 16000 | 1900 | | 14100 | 9280 | 1030 | | 8250 | |
| PROJECT3 | 201 | 10 | 19 | 172 | 50911 | 893 | 4673 | 45345 | 19759 | 273 | 1321 | 18165 | 8056 |
| PROJECT4 | 397 | 18 | 75 | 304 | 61178 | 1102 | 10364 | 49712 | 16316 | 306 | 3793 | 12217 | |
| PROJECT5 | 54 | 1 | . 3 | 50 | 8547 | 60 | 446 | 8041 | 1615 | 6 | 80 | 1529 | 12345 |
| PROJECT6 | 323 | 93 | | 230 | 81434 | 10483 | | 70951 | 34750 | 4474 | | 30276 | 999 |

Figure 2-54. Multiple Projects Actual Statistics at Completion (1 of 3)

Multiple Project Actual Statistics at Completion Report (Part 2) (From Project Completion Statistics Form)

09/08/88 11:26:47 Criteria: LIST No. of · Project No. of Pages of No. of Tech/Hgat. Services Computer Resources Subsys Capats. Changes Documt Hours CPU_Id Hours Hours Runs PROJECT1 14 132 2670 574 17715.0 1774.0 OTHER 172.0 PROJECT2 5 224 213 130 5498.0 11.0 OTHER 69.0 PROJECT3 292 1255 1613 12588.0 1109.0 360-75 159.5 360-95 222.8 OTHER 4604 PROJECT4 20 397 221 1341 17039.0 3056.0 PROJECTS 1 76 307 100 2285.0 .0 PROJECT6 ' 11 494 1776 1609 17057.0 1875.0 OTHER 56.1 15950

Figure 2-54. Multiple Projects Actual Statistics at Completion (2 of 3)

Multiple Project Actual Statistics at Completion Report (Part 3) (From Project Completion Statistics Form)

| 09/08/88 | 11:32:18 | | | | | | Criteria : L | IST |
|----------|--------------------------|----------|-----------------------|----------------|--------------------|----------|--------------|-------------|
| Project | | | | Phase Start | Dates | | | Project |
| | Requirements
Analysis | Design | Code and
Unit Test | Systee
Test | Acceptance
Test | Cleanup | Maintenance | End
Date |
| PROJECT1 | 80/06/27 | 81/05/30 | 81/09/05 | 82/01/30 | 82/04/03 | 82/06/26 | 82/10/02 | 82/10/02 |
| PROJECT2 | 81/02/28 | 81/07/04 | 81/08/29 | 82/02/13 | 82/03/20 | 82/05/01 | 82/11/06 | 82/11/06 |
| PROJECT3 | | 77/02/12 | 77/06/04 | 77/12/03 | 78/02/04 | 78/03/18 | | 78/04/29 |
| PROJECT4 | 80/03/01 | 80/05/31 | 90/12/13 | 81/10/03 | 82/02/27 | 82/07/03 | | 82/08/14 |
| PROJECTS | 80/04/05 | 81/01/31 | 81/06/20 | 81/11/07 | 82/02/27 | 82/07/03 | | 82/08/14 |
| PROJECT6 | | 85/01/26 | 85/07/27 | 86/02/01 | 86/05/03 | 86/09/27 | | 86/10/11 |

Figure 2-54. Multiple Projects Actual Statistics at Completion (3 of 3)

2.4.2.1.2 Multiple Projects Actual Statistics To Date Report This report outputs a summary of the actual statistics as of the current date for the projects specified.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|--|-------------------------|
| 1 | Statistics on the modules and lines of code for each project | Figure 2-55
(Part 1) |
| 2 | Statistics on the resources used by each project | Figure 2-55
(Part 2) |
| 3 | Summary of SAP information on the modules in each project | Figure 2-55
(Part 3) |

Possible Message

Message: No SAP data for this project

Explanation: The Source Code Analyzer Program (SAP) output data for this project have not been stored in

the database. These data are only available

for projects that have been closed out.

2.4.2.1.3 Multiple Projects Estimated Statistics Report

This report outputs a summary of the estimated statistics data as recorded on the most recently submitted PEF for each of the projects specified.

Hultiple Projects Actual Statistics to Date Part 1 - Project Statistics

| 09/15/88 | 00: 23: 36 | | | | | Project Criteria : LIST | | | | |
|----------|--------------------------------|--------------------------------|----------------|--------|-------------------|-------------------------|----------------------------------|-------------------|-----------------------------|--|
| Project | No. of
Components
(COFs) | No. of
Components
(SPFs) | Exec.
Total | Mod (f | ron COF):
Hod. | s
Nev | Total Lines
of code
(SPFs) | No. of
subsys. | No. of
changes
(SPFs) | No. of changed
components
(CRFs) |
| PROJECT1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| PROJECT2 | 899 | 913 | 855 | 88 | 647 | 120 | 178682 | 979 | 4069 | 2819 |
| PROJECT3 | 369 | 379 | 300 | 100 | 170 | 28 | 50920 | 369 | 471 | 24 |

Figure 2-55. Multiple Projects Actual Statistics to Date (1 of 3)

Hultiple Projects Actual Statistics to Bate Part 2 - Resource Statistics

| 09/15/88 | 14:59:41 | | | | | Projec | t Criteria : LIST |
|----------|----------|--------------------|-------------------|---------|----------------------|--------|-------------------|
| | Project | Tech/Hgat
Hours | Services
Hours | Comput | ers Resources (SPFs) | | |
| | | (PRFs) | (SPFs) | CPU_ID | Hours | Runs | |
| | PROJECT1 | 450.0 | 0.0 | NAS9040 | 0.00 | 0 | |
| | | | | TSO | 0.00 | 4 | |
| | PROJECT2 | 12205.8 | 1655.2 | VA1780 | 233.60 | 4235 | |
| | PROJECT3 | 4094.5 | 53.2 | 360-75 | 34.30 | 0 | |
| | | | | 360-95 | 84.20 | 1843 | |
| | PROJECT4 | 2675.0 | 162.0 | VAX8600 | 8.55 | 3163 | |

Figure 2-55. Multiple Projects Actual Statistics to Date (2 of 3)

Hultiple Projects Actual Statistics to Date Part 3 - SAP Data

| 09/14/88 | 09:59:56 | | | | | Project | Criteria: LIS | T | |
|----------|-------------------|--------------|------|-------|-----------------------|---------|---------------|------|--|
| Project | | Lines of co | xde | | Executable Statements | | | | |
| | Total | 014 | Nod. | Nev | Total | 01d | Hod. | Nev | |
| ACHE | No SAP data for | this project | | | | | | | |
| COBEDS | 36905 | 2556 | 7363 | 24480 | 8183 | 674 | 1913 | 5304 | |
| DECAP | 16538 | 219 | | 16319 | 4468 | | | 4468 | |
| UARSTELS | No SAP data for t | this project | | | | | | | |

Figure 2-55. Multiple Projects Actual Statistics to Date (3 of 3)

| Option
Number | Description | Sample Output |
|------------------|--|-------------------------|
| 1 | Estimated project size and resource expenditure for each project | Figure 2-56
(Part 1) |
| 2 | Estimated phase dates for each project | Figure 2-56
(Part 2) |

Possible Message

Message: No data for this project

Explanation: A PEF is not in the database for this project.

2.4.2.1.4 Multiple Projects Form Counts Report

This report outputs a summary of the number of forms submitted for each project that is specified. The PRF Count for a given project is either the number of regular PRFs submitted or the number of Cleanroom PRFs submitted, depending on which form the project uses.

| Option | | |
|---------------|---------------|---------------|
| <u>Number</u> | Description | Sample Output |
| 1 | Entire report | Figure 2-57 |

2.4.2.1.5 Multiple Projects Maintenance Information Summary Report

This report outputs a summary of maintenance information submitted during the maintenance phase of a project. Four sections make up this report.

| Option
Number | Description | Sample Output |
|------------------|---|-------------------------|
| 1 | Maintenance summary information for resource statistics | Figure 2-58
(Part 1) |
| 2 | Maintenance summary information for change statistics | Figure 2-58
(Part 2) |
| 3 | Maintenance summary information component statistics part 1 | Figure 2-58
(Part 3) |
| 4 | Maintenance summary information component statistics part 2 | Figure 2-58
(Part 4) |

Multiple Project Estimated Statistics Report (Part 1)

09/08/88 10:38:07 Projects : LIST Lines of Code Project No. of No. of Programmer Management Services Subsys. Total 01**d** Compats. Nod. Nev Hours Hours Hours PROJECT1 18750 5000.0 1000.0 PROJECT2 413 37000 2900 1570 32530 25800.0 4000.0 3100.0 PROJECT3 913 28 175691 18878 156813 51388.0 7708.0 5139.0 PROJECT4 440 62400 20700 6500.0 40500 700.0 300.0 **PROJECTS** 100000 10000 80000 10000 6400.0 400.0 20.0 PROJECT6 750 7 150000 27250 27250 105000 16000.0 3100.0 1000.0

Figure 2-56. Multiple Projects Estimated Statistics (1 of 2)

Multiple Project Estimated Statistics Report (Part 2)

09/08/88 10:39:49 Projects : LIST Phase Start Dates Project End Project Requirements Design Code and System Acceptance Cleanup Maintenance Date Analysis Unit Test Test Test PROJECT1 B7/01/31 88/06/04 88/10/08 88/10/15 89/03/04 90/06/02 PROJECT2 84/04/28 85/05/04 87/07/04 88/10/01 88/10/01 PROJECT3 86/06/28 87/03/07 87/11/07 88/02/20 88/09/17 PROJECT4 88/01/02 88/02/20 88/07/23 88/11/05 88/12/31 89/02/04 89/02/18 PROJECT5 87/06/06 87/10/03 88/08/06 89/07/01 89/10/07 89/11/04 PROJECTS 87/05/30 88/03/19 88/12/03 89/03/04 89/05/13 89/05/27

Figure 2-56. Multiple Projects Estimated Statistics (2 of 2)

Form Counts

| 09/15/88 | 15:11:23 | | | | | | | | Projects : LIST |
|----------|----------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| | Project | PEF | SPF | PRF | COF | CRF | DSF | Total | |
| | | Count | Count | Count | Count | Count | Count | | |
| | PROJECT1 | 3 | 1 | 38 | 0 | 0 | 7 | 49 | |
| | PROJECT2 | 3 | 128 | 1833 | 899 | 1477 | 32 | 4372 | |
| | PROJECT3 | 4 | 45 | 294 | 369 | 14 | 0 | 726 | |
| | Totale | 10 | 174 | 2165 | 1269 | 1491 | 79 | 5147 | |

Figure 2-57. Multiple Projects Form Counts

Hultiple Project Maintenance-Information Summary Report Part 1 - Resource Statistics

| 04/11/89 | 15:44:31 | | | | | | | |] | Projects : | LIST | |
|----------|-----------------|--------------|---------------|------------|--------|-----------|-------------------------|-----------|------------------|----------------|-------|--|
| | | | Total Boars I | y Class | · | | Total Hours by Activity | | | | | |
| Project | Total
"Nours | Correction | Enhancement | Adaptation | Ot her | Iselation | Change
Bes i gn | Implement | Unit/Sys
Test | Accept
Test | Other | |
| PROJECTI | 1563.2 | 284.8 | 308.2 | 488.8 | 480.8 | 201.3 | 342.3 | 346.4 | 254.0 | 315.0 | 11.0 | |
| PROJECT2 | NO DATA FOR | TRIS PROJECT | | | | | | | | | | |
| PROJECT: | NO DATA FOR | THIS PROJECT | | | | | | | | | | |
| PROJECT4 | 8.0 | 2.6 | 2.0 | 2.4 | 2.0 | 4.0 | .• | 4.0 | .• | .1 | .• | |
| PROJECTS | NO DATA FOR | TEIS PROJECT | | | | | | | | | | |
| PROJECTS | NO DATA FOR | TRIS PROJECT | | | | | | | | | | |

Figure 2-58. Multiple Projects Maintenance Information Summary (1 of 4)

Heltiple Project Maintenance Information Summary Part 2 - Component Statistics

| 04/11/89 | 15:45:01 | | | | | | | Pre | jects : L | IST | | |
|----------|-------------------|-------------|---------------|---------|-------|-------------|---------|-----|---------------------------|----------|--|--|
| Preject | He. Of
Changes | L | Lines of Code | | | er of Compo | est: | | Added Components That Are | | | |
| rregect | (ICRP) | 14444 | Changed | Deleted | Midei | Changed | Deleted | Xev | Reused | Modified | | |
| PROJECTI | Io data for | this projec | et | | | | | | | | | |
| PEOJECT2 | 15 | 14 | 268 | 323 | 124 | 149 | 220 | 23 | 35 | 51 | | |
| PROJECTS | 1 | 1 | • | • | 12 | • | • | • | 3 | 3 | | |
| PROJECT4 | 1 | 300 | 50 | 30 | 1 | 3 | | 1 | 1 | 1 | | |
| PROJECTS | So data for | this projec | :t | | | | | | | | | |
| PROJECTS | 1 | 111 | 199 | 6778 | 11 | • | • | 78 | 5 | \$ | | |

Figure 2-58. Multiple Projects Maintenance Information Summary (2 of 4)

Builtiple Project Maintenance Information Sunmary Part 3 - Change Statistics (1 of 2)

| 04/11/89 | 15:45:26 | | | | | | | | | | | Proje | ets : Li | ST | |
|----------|-------------|-----------------------------|---------|-----------------|---------------|--------------|------|-------|----------------------------|------|------|-------|----------|-----------|--------|
| Project | No. Of | No. Of Type of Modification | | Cause of Change | | | | | Number of Changes Sade to: | | | | | | |
| 11.44444 | (BCRF) | Correct | Enhance | idapt | Req/
Spec. | S/V
Dagn. | Code | Prev. | Other | Req. | kçı. | Code | Sys. | User | Ot ber |
| PROJECT1 | No data for | this pro | ject | | spec. | solu. | | Chg. | | Jec. | Doc. | | PESC. | Guide | |
| PROJECT2 | 15 | 4 | 5 | • | 4 | 2 | 2 | 4 | 3 | 11 | 7 | 1 | 1 | 2 | 1 |
| PROJECTS | i | • | 1 | • | • | • | 1 | • | • | 1 | • | • | • | • | • |
| PROJECT4 | 1 | • | 1 | • | • | 1 | • | • | • | 1 | • | • | 1 | 1 | 1 |
| PROJECTS | No data for | this pro | ject | | | | | | | | | | | | |
| PROJECTS | 1 | 1 | • | • | • | • | • | 1 | • | • | • | 1 | 1 | • | • |

Figure 2-58. Multiple Projects Maintenance Information Summary (3 of 4)

Heltiple Project Haintwasses information Summary Part 3 - Change Statistics (2 of 2)

| 04/11/89 | 15:40 | : 19 | | | | | | | | | | | | | "Pro | elects | : L157 | | |
|----------|-------------------|-------|-------|-------|--------------|---------|----|------|------|--------------|-------|-------|-------|----------|-----------------|---------|--------------------|-------|--|
| Project | No. Of
Changes | | Time | 70 I | selate | | | Tine | To 0 | emplet | e | | X | taber of | Changes i | Related | to: | | |
| LLASSOT | (ECEF) | 1 22 | 187 | 148 | 1 EON | >111011 | iR | 101 | 148 | 1 EON | >1MON | leit. | Legic | | Est.
Intric. | Data | Computa-
tional | Other | |
| PROJECTI | fo data | (or t | bls p | rejec | t | | | | | | | | | 181110. | 1861144 | | | | |
| PROJECT2 | 15 | \$ | 2 | 2 | 2 | 4 | 4 | 4 | 4 | 1 | 2 | 2 | 1 | 1 | 2 | 4 | 2 | 3 | |
| PROJECTS | t | 0 | • | • | • | 1 | • | • | • | 1 | • | • | • | • | 1 | • | • | 0 | |
| PROJECT4 | 1 | • | • | 1 | • | • | • | • | i | • | • | • | 1 | • | • | • | • | • | |
| PROJECTS | lo data | (or t | his p | rejec | t | | | | | | | | | | | | | | |
| PROJECTE | 1 | ı | • | i | • | • | • | • | • | 1 | • | • | • | • | • | • | • | i | |

Figure 2-58. Multiple Projects Maintenance Information Summary (4 of 4)

Possible Messages

Message: No data for this project

Explanation: If this message is received in Part 1, there is

WMEF data for this project. If this message is received in parts 2, 3, or 4, there is no MCRF

data for this project.

2.4.2.1.6 Multiple Projects Subjective Evaluation Report

This report outputs a summary of the Subject Evaluation data for each project that is specified. The data originally were obtained from the SEF submitted by the project personnel.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|---------------|---------------|
| 1 | Entire report | Figure 2-59 |

2.4.2.2 <u>Single Project Reports</u>

Single project reports are reports that contain data on a specific project. Refer to Section 2.4.1.12 for information on generating a single project report.

Sebjective Evaluation Data

10/19/88 09:42:04 Projects : LIST

| Hea | surements | | | | | Project | : s | • | | |
|-----|--|---------------------------------------|----------|---------------------------------------|----------|----------|------------|----------|----------|---------------------------------------|
| | | PROJECT1 | PROJECT2 | PROJECT3 | PROJECT4 | | PROJECT6 | PRGJECT7 | PROJECT8 | PROJECTS |
| Pro | blem Characteistics | | | | | | | | | |
| 1. | Problem Difficulity | 1 | 4 | 1 | 2 | N/A | 3 | 4 | N/A | 5 |
| 2. | | 2 | 3 | 1 | 2 | N/A | 3 | 4 | N/A | 5 |
| 3. | Requirements Stability | 3 | 4 | 1 | 2 | N/A | 3 | 4 | N/A | .5 |
| 4. | Quality of specs. doc. | 4 | 3 | 1 | 2 | N/A | 3 | 4 | N/A | N/A |
| 5. | Requis. documentation | N/A | 3 | 1 | 2 | N/A | 3 | 4 | N/A | N/A |
| 6. | Rigor of formal reviews | 1 | 3 | 1 | 2 | N/A | 3 | 4 | 1 | N/A |
| Tec | h. Personnel Characteristics | | | | | | | | | |
| 7. | | 2 | N/A | 2 | N/A | 3 | 3 | 4 | 1 | • |
| 8. | Devipent. team appl. exp. | 3 | 3 | 2 | N/A | | 3 | 7 | i | 5
5 |
| 9. | Devipont. team env. exp. | Ĭ | 3 | 2 | N/A | 4 | 3 | I | 1 | |
| | Devipost. team stability | 5 | 4 | 2 | N/A | - 7 | 3 | - 7 | i | 5
5 |
| Man | t Barragan Characteristics | | | | | | | | | |
| | t. Personnel Characteristics Proj. mgmt. performance | | | _ | *** | _ | _ | _ | | _ |
| | | 1 | 4 | 3 | N/A | 2 | 3 | 4 | 1 | 5 |
| 12. | | 2 | 2 | 3 | N/A | 3 | 3 | 4 | 1 | 5 |
| 13. | | 3 | 3 | 3 | N/A | 2 | 3 | 4 | 1 | 5 |
| 14. | | 4 | 5 | 3 | N/A | 3 | 3 | 4 | 1 | 5
5 |
| 15. | Degree plans followed | 1 | M/A | 3 | N/A | 3 | 3 | 4 | 1 | 5 |
| Pro | cess Characteristics | | | | | | | | | |
| 16. | Modern proj. practices | 2 | 5 | 3 | 2 | 1 | N/A | 4 | 1 | 5 |
| 17. | The state of the s | 3 | 4 | N/A | 2 | 1 | N/A | 4 | 1 | 5 |
| 18. | | 4 | 3 | 4 | 2 | 2 | N/A | 4 | 1 | 5 |
| 19. | Disciplined design method | 5 | 4 | 4 | 2 | 1 | N/A | 4 | ī | 5 |
| 20. | Disciplined testing method | 1 | 3 | N/A | 2 | 1 | N/A | 4 | i | 5 |
| 21. | Tools used: | | | | | | | | • | _ |
| | CAT | N | | × | × | N | Y | × | N | Y |
| | Configuration aget. tool | N | N | N | N | × | Ý | H | ï | Ä |
| | Compiler | N | N | Y | N | N | Ÿ | * | Ÿ | |
| | Editor | X | X | N | H | N | Ý | × | Ň | N |
| | Graphics display builder | N | N | N | N | N. | Ý | , i | , i |
M |
| | Interface checker (RXVP80) | M | × | N | X | ¥ | Ý | | Ÿ |
H |
| | ISPF | N | li | Y | N. | , i | Ý | | | |
| | Linker | Y | N | H | ï | × | Ý | ï | | |
| | Language sensitive editor | N | H | N. | N | ï | Ÿ | | Ä | Ÿ |
| | Other tools | Y | X |
X | Ÿ | | Ý | ï | , i | |
| | PANVALET | N | N | N N | , | Ä | Ý | | ï | |
| | PDL processor | 1 | Ÿ | , i | , , , | | Ý | ï | ï | W M |
| | Regents. language processor | , i | | | | Ä | · | ä | | , , , , , , , , , , , , , , , , , , , |
| | Source code analysis program | ¥ | M | , , , , , , , , , , , , , , , , , , , | , a | H 44 | Ÿ | X | Ä | 77
14 |
| | Structured analysis tool | ¥ | ¥ | H M | y
N | 71
M | Ý | Ÿ | #
| R
M |
| | Symbolic debugger | , , , , , , , , , , , , , , , , , , , | #
| 71
14 | 11
12 | 71
14 | Y | Y | N
M | #
 |
| | Test coverage tool | | ٧ | #1
M | M
M | FI
M | Y | ľ | W | . R |
| 22. | Use of test plan | N/A | | , | 2 | FI 1 | N/A | 1 | | 7 |
| 23. | • | 3 | 7 | 3 | 2 | 1 | N/A
N/A | 7 | į. | 5 |
| | Use of conf. agat. proc. | 4 | 5 | 5 | 2 | 2 | N/A | 7 | 1 | 5 |
| | tonii mymii pioti | • | , | J | 4 | 2 | M/A | • | ı | 5 |

Figure 2-59. Multiple Projects Subjective Evaluation (1 of 2)

Sebjective Evaluation Data

| | | PROJECT1 | PROJECT2 | PROJECT3 | PROJECT4 | PROJECT5 | PROJECT6 | PROJECT7 | PROJECTS | PROJECT9 |
|------|----------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Eavi | ronment Characteristics | | | | | | | | | |
| 25. | Access to devipent. system | 5 | 3 | 5 | 2 | 3 | 3 | N/A | 1 | 5 |
| 26. | Programmers per terminal | 2 | 2 | 5 | 2 | 2 | 3 | N/A | 1 | 5 |
| 27. | . | 3 | 4 | 3 | 2 | 2 | 3 | N/A | i | 5 |
| 28. | System response time | 3 | 2 | 1 | 2 | 2 | 3 | N/A | 1 | 5 |
| | H/W and S/W stability | 4 | 3 | 1 | 2 | 1 | 3 | N/A | 1 | 5 |
| | S/W tools effectiveness | 5 | 4 | 4 | 2 | N/A | 3 | N/A | l | 5 |
| Proc | luct Characteristics | | | | | | | | | |
| 31. | Software supports roats. | 1 | 5 | 4 | 2 | N/A | 3 | 4 | 1 | 5 |
| | Quality of delivered s/w | 2 | 5 | 4 | 2 | X/A | 3 | 4 | 1 | 5 |
| 33. | | 3 | 4 | 4 | 2 | N/A | 3 | 4 | 1 | 5 |
| 34. | Qual./completeness of doc. | 4 | 4 | 3 | 2 | N/A | 3 | 4 | 1 | 5 |
| 35. | Timeliness of delivery | 1 | 3 | 3 | 2 | N/A | 3 | 4 | 1 | 5 |
| | Smoothness of acc. testing | 1 | 2 | 3 | 2 | N/A | 3 | 4 | 1 | 5 |

Figure 2-59. Multiple Projects Subjective Evaluation (2 of 2)

2.4.2.2.1 Single Project Detailed Weekly Activity Hours Report

This report produces output detailing the hours that were spent on different activities during a given timeframe for a given project. The data come from either the PRFs or the Cleanroom PRFs completed for the current project, depending on which form the project uses.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|---|-------------------------|
| 1 | Total hours charged to the project, grouped by type of activity | Figure 2-60
(Part 1) |
| 2 | Total hours grouped by activity for each phase of the project | Figure 2-60
(Part 2) |
| 3 | Average hours grouped by activity for each phase of the project | Figure 2-60
(Part 3) |
| 4 | Activity hours by week grouped by type of activity | Figure 2-60
(Part 4) |

Activity Hours Report (Summary of Hours)

09/08/88 10:59:55 Project: EXAMPLE

| Estimates at | Completion | Phases | Start | End |
|--|--|---|--|--|
| No. of Components:
Lines of Code:
Activity hours:
Management hours:
Services hours:
Last Estimate Date: | 1677
234800
52000.0
700.0
3000.0
88/08/25 | Design
Code and Test (Imple
System Test
Acceptance Test
Cleanup | 85/08/10
86/06/07
87/10/03
88/06/04
88/11/05 | 86/06/07
87/10/03
88/06/04
88/11/05
88/12/03 |

| | Tetal Hours To Date | Average Neekly Hours To Date |
|--------------------|---------------------|------------------------------|
| Acceptance Test | 538.0 | 3.4 |
| Create Design | 8626.5 | 54.3 |
| Debugging | 1195.5 | 7.5 |
| Integration Test | 6662.3 | 41.9 |
| Other | 14526.6 | 91.4 |
| Pre Besign | 704.5 | 4.4 |
| Read/Review Code | 1623.6 | 10.2 |
| Read/Review Design | 1497.1 | 9.4 |
| Test Code Units | 4428.1 | . 27.8 |
| Write Code | 9199.4 | 57.9 |
| All activities | 48981.6 | 309.1 |

Figure 2-60. Single Project Activity Hours (1 of 4)

Total Activity Hours by Phase


09/08/88 11:05:10 Project : EXAMPLE Pre-Code and System Acceptance Post-Project Design Unit Test Test Cleanup Test Project Acceptance Test 527.0 11.0 .0 Create Design 5219.7 .0 2051.1 548.7 7.0 .0 .0 Debugging .0 736.7 .0 .0 448.8 .0 ٠٥ **Integration Test** .0 2.0 2698.2 3234.1 728.0 ٠. .0 Other 15.0 4216.9 6975.6 2881.1 438.0 .0 ٠. Pre Design 464.5 .0 .0 213.5 26.5 .0 .0 Read/Review Code .0 252.5 .0 1052.3 231.8 87.0 ٥. Read/Review Design .0 793.3 585.6 100.2 8.0 .0 .0 Test Code Units .0 134.0 3838.2 388.9 67.0 .0 Write Code .0 317.7 7**833.**1 835.1 213.5 ٠. .0 ALL ACTIVITIES 15.0 11400.6 26047.6 8994.1 2524.3 ٥. .0

Figure 2-60. Single Project Activity Hours (2 of 4)

Average Neekly Activity Hours by Phase

| 09/08/88 11 | :21:44 | | | | | Project : EXAMPLE |
|--------------------|---------|-----------|--------|------------|---------|-------------------|
| | | Code and | System | Acceptance | | |
| | Design | Unit Test | Test | Test | Cleanup | |
| Acceptance Test | .0 | .0 | .3 | 43.9 | .0 | |
| Create Design | 121.4 | 41.3 | 15.7 | .6 | .0 | |
| Debugging | .0 | .0 | 21.0 | 37.4 | .0 | |
| Integration Test | .0 | 39.1 | 92.4 | 60.7 | .0 | |
| Other | 90.1 | 101.1 | 82.3 | 36.5 | .0 | |
| Pre Design | 10.B | 3.1 | .8 | .0 | .0 | |
| Read/Review Code | 5.9 | 15.3 | 6.6 | 7.3 | .0 | |
| Read/Review Design | ja 18.4 | 8.5 | 2.9 | .7 | .0 | |
| Test Code Units | 3.1 | 55.6 | 11.1 | 5.6 | .0 | |
| Write Code | 7.4 | 113.5 | 23.9 | 17.8 | .0 | |
| ALL ACTIVITIES | 265.1 | 377.5 | 257.0 | 210.4 | .0 | |

Figure 2-60. Single Project Activity Hours (3 of 4)



| 09/08/88 11: | SV: | ~ |
|--------------|-----|---|
|--------------|-----|---|

| 0- | o ie: | • | EY. | 444 | Dt 1 | • |
|----|-------|---|-----|-----|------|---|
| | | | | | | |

| | 88-05-14 | 88-05-21 | 88-05-28 | 88-06-04 | 88-06-11 | 88-06-18 | 88-06-25 | 88 - 07 -02 | 88-07-09 | 88-07-16 | 88-07-23 | 88-07-30 |
|---|---|---|----------------------------|---|----------|----------|----------|--------------------|----------|----------|----------|----------|
| ACCTEST | .0 | 5.0 | 5.0 | 34.0 | 7.0 | 51.5 | 36.0 | 21.5 | 41.0 | 48.5 | 55.0 | 66.5 |
| CREDES | 3.0 | 1.0 | .0 | .0 | 5.0 | .0 | .0 | | - | | | .0 |
| DEBUG | 30.0 | 24.0 | 18.0 | 30.0 | 40.5 | 36.0 | 30.5 | | | | | 59.5 |
| INTTEST | 117.2 | 133.0 | 116.5 | 98.5 | 73.0 | 85.0 | 46.0 | | | | | 63.0 |
| OTHER | 80.5 | 93.5 | 70.5 | 64.5 | 31.5 | 55.0 | 30.0 | | | _ | | 27.5 |
| PREDES | .0 | .0 | .0 | .0 | .0 | .0 | .0 | | | | .0 | .0 |
| RDREVCOD | .0 | .0 | .0 | .0 | 9.5 | 7.5 | 6.0 | | | | | 12.0 |
| RDREVDES | .8 | .0 | ٠. | .0 | .0 | .0 | .0 | .0 | 1.0 | 4.0 | .0 | .0 |
| TSTCODUM | .0 | .0 | 11.0 | 4.0 | 1.0 | 4.0 | 7.0 | | | | 5.0 | 9.0 |
| NACODE | .0 | 9.5 | 18.5 | 12.0 | 20.5 | 19.5 | 12.5 | | 25.0 | 21.0 | 6.0 | 30.5 |
| Total | 231.5 | 266.0 | 239.5 | 243.0 | 188.0 | 258.5 | 168.0 | 180.5 | 219.0 | 280.8 | 278.5 | 268.0 |
| Cumulative Total | 45936.8 | 46202.8 | 46442.3 | 46685.3 | 46873.3 | 47131.8 | 47299.8 | | | | 48258.6 | 48526.6 |
| | 98-09-06 | 88-08-13 | 88-08-20 | Totals | | | | | | | | |
| | | | 00 00 10 | 104415 | | | | | | | | |
| ACCTEST | 94.5 | 71.5 | .0 | 538.0 | | | | | | | | |
| ACCTEST
CREBES | | | | | | | | | | | | |
| | 94.5 | 71.5 | .0 | 538.0 | | | | | | | | |
| CREBES | 94.5
.0 | 71.5
.0 | .0 | 538.0
8626.5 | | | | | | | | |
| CREBES
Debug | 94.5
.0
37.5 | 71.5
.0
5.0 | .0
.0
.0 | 538.0
8626.5
1185.5 | | | | | | | | |
| CREDES
DEBUG
INTTEST | 94.5
.0
37.5
75.5 | 71.5
.0
5.0
39.0 | .0 | 538.0
8626.5
1185.5
6662.3 | | | | | | | | |
| CREDES DEBUG INTTEST OTHER | 94.5
.0
37.5
75.5
29.5 | 71.5
.0
5.0
39.0
25.0 | .0
.0
.0 | 538.0
8626.5
1185.5
6662.3
14511.6 | | | | | | | | |
| CREDES DEBUG INTTEST OTHER PREDES | 94.5
.0
37.5
75.5
29.5 | 71.5
.0
5.0
39.0
25.0 | .0
.0
.0
.0 | 538.0
8626.5
1185.5
6662.3
14511.6
704.5 | | | | | | | | |
| CREDES DEBUG INTTEST OTHER PREDES RDREVCOO | 94.5
.0
37.5
75.5
29.5
.0 | 71.5
.0
5.0
39.0
25.0 | .0
.0
.0
.0 | 538.0
8626.5
1185.5
6662.3
14511.6
704.5
1623.6 | | | | | | | | |
| CREDES DEBUG INTTEST OTHER PREDES ROREVCOO ROREVDES | 94.5
.0
37.5
75.5
29.5
.0
3.0 | 71.5
.0
5.0
39.0
25.0
.0 | .0
.0
.0
.0
.0 | 538.0
8626.5
1185.5
6662.3
14511.6
704.5
1623.6
1487.1 | | | | | | | | |
| CREDES DEBUG INTEST OTHER PREDES ROREVCOO ROREVDES TSTCODUM | 94.5
.0
37.5
75.5
29.5
.0
3.0 | 71.5
.0
5.0
39.0
25.0
.0 | .0
.0
.0
.0
.0 | 538.0
8626.5
1185.5
6662.3
14511.6
704.5
1623.6
1487.1
4428.1
9199.4 | | | | | | | | |

Figure 2-60. Single Project Activity Hours (4 of 4)

2.4.2.2.2 Single Project Component Names Report

This report produces output detailing all the component names associated with a given project.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|---|-------------------------|
| 1 | Displays the subsystem prefixes and component names associated with the project | Figure 2-61
(Part 1) |
| 2 | Displays the subsystem prefixes, the component names, and the component codes associated with the project | Figure 2-61
(Part 2) |

09/07/88 08:51:54

Project : EXAMPLE

| lotal | Maber | of | Subsystaes: | 7 |
|-------|--------|----|-------------|-----|
| Total | Number | of | Components: | 246 |

| Sabsystee | Congonent | Comp. | Subsystem | Component | • | Comp. |
|-----------|---|------------------------|-----------|-----------------|---|---------------|
| Prefix | Nage | Code | Prefix | Nage | | Code |
| | *************************************** | 5526 | ****** | 71005 | | CODE |
| AC | AOCS | 22057 | CH | PROCON | | 12794 |
| | ATTCOM | 22055 | | PROCON | | 678 |
| | DKUPSK | 12069 | | PRODUT | | 12796 |
| | C2FLTR | 12077 | | PROTAB | | 12797 |
| | CONTRL | 22005 | | PRUDAT | | 12795 |
| | D2FLTR | 12076 | | RPYCHD | | 21990 |
| | DBAND | 12075 | | RTDPRN | | 21981 |
| | EARACO | 12074 | | SCBPRM | | 648 |
| | INFORM | 12073 | | SENCH O | | 12798 |
| | LINITR | 12070 | | SEMPRM | | 12799 |
| | HAGCOI | 22006 | | STAPRM | | 617 |
| | MCDIST | 22004 | | STKCHO | | 21992 |
| | HOMD ES | 22003 | | STKPRH | | 677 |
| | NI | 12071 | | STTPRM | | 647 |
| | NISTEP | 12072 | | SYSCON | | 616 |
| | CMORBT | 22002 | | SYSD DG | | 676 |
| | PITCTL | 22001 | | TAMPRH | | 646 |
| | PSEP199 | 22000 | | THRCHID | | 21984 |
| | PWPF | 12 083 | | THRPRM | | 615 |
| | RTBAMP | 12082 | | THOUT | | 12800 |
| | RYCTL | 21999 | | TORPRM | | 675 |
| | SENPRO | 12081 | | WHLPRH | • | 645 |
| | SKCNTL | 12080 | PG | AUTPLT | | 6143 |
| | SKTHOD | 12079 | | CHELIN | | 1055 |
| | SUNACE | 12078 | | CHGUNT | | 10430 |
| | ACOITS | 21998 | | INIGPH | | 6142 |
| | WHLCTL | 21996 | | MINIPL | | 1058 |
| CN | ACOPAN | 652 | | NEWTIN | | 1053 |
| | ANDATA | 6149 | | PLOTIT | | 1056 |
| | AOCS_TH | 21983 | | PLTGEN | | 6152 |
| | ATTPRN | 621 | | POSTRO | | 6144 |
| | CSSPRM | 681 | | PRINT | | 1054 |
| | DIRPRM | 651 | | SCALE | | 1057 |
| | DSSPRM | 620 | | TRIPLT | | 6150
6151 |
| | DYNEQU
EEDCHB | 1 2789
21982 | PP | USRFL6
PROID | | 614 |
| | ESAPRN | 680 | rr | PROINI | | 674 |
| | FILES | 650 | | PROINT | | 644 |
| | INTRPL | 12790 | | PRONT | | 7939 |
| | LERNEE | 12791 | | PROTL | | 79 3 7 |
| | MATCHD | 12792 | SD | ACGINT | | 640 |
| | HODES | 21996 | 30 | ADD | | 599 |
| | HOVCHO | 21994 | | ADDP | | 659 |
| | MOVPRM | 619 | | ATTINT | | 609 |
| | NTAPRM | 679 | | BOT | | 629 |
| | MTXCON | 12793 | | CAPS | | 598 |
| | HORPAN | 649 | | CHS | | 658 |
| | NURPRM | 21988 | | CHRINT | | 628 |
| | ORBPRM | 618 | | COMPL | | 597 |
| | | *** | | | | |

Figure 2-61. Single Project Component Names (1 of 2)

09/07/88 08:45:04

Project : EXAMPLE

Total Number of Subsystems: 7
Total Number of Components: 246

| SUBSYSTEM SUBSYSTEM SUBSYSTEM AC | CURCUCTEN | *************************************** | |
|--|------------|---|------------|
| COMPONENTS ACCS AUVERN ATTCOM HYAPPN PROID ATTCOM HYAPPN BCLIPSK HYACON HYAPPN BCLIPSK HYACON HYAPPN BCLIPSK HYACON HORPRN PROINT COMTRIL MURPRN DEATT DAWD PROCON SUBSYSTEN BRAND PROCON BODIT LINITR PROTAB ACQUINT ACQUINT ACQUINT ACQUINT ACQUINT HAGCOI PROTAB REYCRD AOB ACQUINT HI SEPRN ATTINT HI HI SEPRN ATTINT HI HI SEPRN ATTINT HI HI SEPRN ATTINT COMPONENTS ACQUINT | SUBSYSTEM | SUBSYSTEM | SUBSYSTEM |
| AUCS MILYPRH PROID ATTCOM HTAPRH PROID ATTCOM HTAPRH PROID ATTCOM HTAPRH PROID BRUPSK HTXCOM PROINT C2FLTR MORPRH PROID C2FLTR MORPRH DEAMO PROCOM SUBSYSTEM EARACG PROCOM SUBSYSTEM EARACG PROTAB INFORM PROMIT LIMITR PROTAB COMPONENTS MAGODI PRUBAT ACBINT MAGODI PRUBAT | ~ | CA . | PP |
| AUCS MILYPRH PROID ATTCOM HTAPRH PROID ATTCOM HTAPRH PROID ATTCOM HTAPRH PROID BRUPSK HTXCOM PROINT C2FLTR MORPRH PROID C2FLTR MORPRH DEAMO PROCOM SUBSYSTEM EARACG PROCOM SUBSYSTEM EARACG PROTAB INFORM PROMIT LIMITR PROTAB COMPONENTS MAGODI PRUBAT ACBINT MAGODI PRUBAT | COMPONENTS | CUMBUMENTS | COMBONENTO |
| ATTCOM HYAPRY PROINT BRUPSE HYXCON PROINT CZPETR NORPRY PROINT CZPETR NORPRY PROTIC CZPETR NORPRY PROTIC CZPETR NORPRY PROTIC CZPETR NORPRY PROTIC CZPETR ORPRY C | | | |
| BKUPSK | | | |
| C2FLTR | | *************************************** | |
| CONTRL | | | |
| DEFECT ORRPRIN DRAWD PROCON SUBSYSTEM DRAWD ACQUART DRAWD DRAWD ACQUART DRAWD ACQUART DRAWD ACQUART DRAWD ACQUART ACQ | | | |
| BBAND PROCON SUBSYSTEN EARACQ PROCON SD INFORM PROCON SD LINITRE PROCON SD LINITR PROTAB COMPONENTS MAGCOI PRUBAT ACRINT MACDIST RYPURD AOB NOMBIST RYPURD ADBP NI SCBPRH ATTINT NISTEP SEMCND BOT OWORBT SEMPRH CAPS PITCTI STAPRH CAPS PITCTI STAPRH CAPS PITCTI STAPRH COMPL RTBANP STERRH COMPL RYCTL SYSOBG DEL SKCHTI TAPPRH DEL SKCHTI TAPPRH DIRINT SUBNACE THERRH DEL SKINT THOUT EDIT SUBSYSTEN ETI EDIT WHLCTL TORPRH EDITSS SUBSYSTEN ETI EDIT | | | FRUIL |
| EARACG PROCON SO INFORM PROGUT LINTTR PROGUT LINTTR PROGUT LINTTR PROGUT LINTTR PROGUT LINTTR PROBAB COMPONENTS MACCOL PRUBAT ACCINT MACCOL PRUBAT | | | CHREVETEM |
| INFORM | | | |
| LIMITE | | | 30 |
| MAGCOI | **** | | CUMBUNERIE |
| NCDIST RPYCHD ADB | | | |
| NOMBIS | | | |
| NI | | ··· · -··- | |
| NISTEP | | | |
| CAPS | *** | | |
| PITCTL | | | |
| PSEPMB | | | |
| PWPF STKPRM COMPL RTDAMP STTPRM CSSINT RYCTL SYSCOM DECNUM SEMPRO SYSDBG DEL SKCHTL TAMPRH DELP SKCHTU TAMPRH DELP SKTHOD THERPH DSSINT SUBLACD THERPH DSSINT VCOILD THOUT EDIT WHLCTL TORPH EDIT WHLCTL TORPH EDIT SUBSYSTEM EDIT ESAINT CH SUBSYSTEM EXT CH SUBSYSTEM EXT PG GETCAS GETCAS GCOMPONENTS GETLIN ACQPRH AUTPLT GOFOR ACQPRH AUTPLT GOFOR ACCAPRH AUTPLT GOFOR ATTPRH CHOUNT INSCHO CSSPEN INIGEPH INSCHO CSSPEN HILL LST EECHINT LST LST | | | |
| RTDAMP SITPRN CSSINT RYCTL SYSCOM DECMUM SEMPRO SYSDBG DEL SKCNTL TAMPRN DELP SKTMOD THRCMD THRCMD DIRINT SUMACU THRPRN DSSINT VCOILD THOUT FULT TOAPRN EDITS SUBSYSTEM CM SUBSYSTEM CM SUBSYSTEM CM PG GETCAS COMPONENTS ACUPRN ACOS_TN ACOS_TN ACOS_TN CHOLUT CHOLUT CHOLUT CHOLUT CHOLUT CHOLUT COMPONENTS GETLIN ACOS_TN ACOS_TN CHOLUT | . 55 | | 4 |
| RYCTL SYSCOM BECMUM SEMPRO SYSDBG DEL SKCHTL TAMPRH DELP SKTHOD THACHD DIRINT SUMACD THRCHD DISINT VCOILD THOUT - EDIT MILCTL TOUPRH EDITSS WHLPRH ESAINT CH SUBSYSTEM EXT CH SUBSYSTEM EXT COMPONENTS GETLEN ACOPRH COMPONENTS GETLEN ANDATA AUTPLT GOFOR ANDATA AUTPLT GOFOR ANDATA CHGLIM INS ATTPRH CHGUNT INSCHD CSSPRH INLEPH DIRPRH INSCHD DIRPRH DITTH DITTH DITTH DIRPRH DITTH DIT | | 2 - 111 - 111 | |
| SEMPRO SYSBAG DEL SKCNTL TAMPRH DELP SKTHOD THRCHD DIRINT SURACO THAPPRH DSSINT VCOILB THOUT - EDIT WHLCTL TOAPRH EDITSS UBSYSTEM ESAINT CH SUBSYSTEM EST COMPONENTS GETCAS ACAPRH COMPONENTS GETLIM ANDATA AUTPLT GOFOR ATTEM CHGLIM INS ATTERM CHGLIM INS COSPRN CHGLIM INS DIRRATOR HINIPL KILL DSSPRN HINIPL KILL DSSPRN HENTIH LOC DYNEOU PLOTIT LSTP EEDCHB PTEEN LSTT ESAPRH POSTRB MOVE FILES PRINT MOVINT INTRPL SCALE NEIL HERP HATCHD USRFLE WORRINT NORINT HODES | | | |
| SKCNTL TAMPRN DELP SKTHOD THRCHD THRCHD DIRINT SUBACB THRPRH DSSINT VCOILD THOUT EDITS WHLCTL TOAPRN EDITS SUBSYSTEM CM SUBSYSTEM CM SUBSYSTEM CM SUBSYSTEM CM GETCAS COMPONENTS ACAPRN COMPONENTS GETLIN ANDATA AUTPLT GOFOR ADCS_TM CHGLIM INS ATTPRM CHGLIM INSCAD DIRPRN HINIPL KILL DSSPRN HINIPL KILL DSSPRN MENTIM LOC DYMEQU PLOTIT LSTP EEDCHB PLOEIN ESAPRN POSTRB MOVE FILES PRINT MOVINT INTEPL SCALE NEIF EARNER SCALE NEIF EARNER MEINT HODES MACH MENTIM NEIFL BERNER MOVE FILES PRINT MOVINT HINTPL SCALE BERNER MEINT HODES MACH MENTIM NEIFL BESPRH MOVE BERNER MOVE BERNER MEINT BERNER MOVE BERNER MEINT BERNER MOVE BERNER MOVE BERNER MEINT BERNER MOVE BERNER MOVE BERNER MEINT BERNER MEINT BERNER MEINT BERNER MOVE BERNER MOVE BERNER MEINT BERNER MEINT BERNER MOVE BERNER MEINT BER | | | |
| SKTMOD THRCHD DIRINT SUMACD THRPRH DSSINT VCOILD TMOUT EDIT WHLCTL TORPRH EDITSS WHLPRH ESAINT SUBSYSTEM ESAINT CH SUBSYSTEM EIT CH SUBSYSTEM EIT CH SUBSYSTEM EIT ACCOMPOMENTS GETLIN ANDATA AUTPLT GOFOR ADCS_TN CHGLIN INS ATTPRN CHGLIN INS ATTPRN CHGUNT INSCOM DIRPRN HINIPL KILL DSSPRN HEWITH LOC DYNEOU PLOTIT LSTP EEDCHB PLTGEN HOVE FILES PRINT MOVE FILES PRINT NOVINT INTRPL SCALE NEI LGRIGGE TRIPLT NEIP MATCHD USRFL6 NORINT HODES | | | |
| SUMACD THRPRY DSSINT VCOILD THOUT EDIT WHLCTL TORPRY EDITS WHLPRY ESAINT SUBSYSTEN CH SUBSYSTEN COMPONENTS COMPONENTS ACOPPR GETCAS COMPONENTS ACOPPR GETCAS CONFONENTS ACOPPR GETCAS CONFONENTS ACOPPR GETCAS CONFONENTS ACOPPR GETCAS GET DIR ACOPPR GET | SKTMOD | | |
| VCOILD THOUT - EDIT WHLCTL TORPRN EDITSS WHLPRN ESAINT SUBSYSTEM ESHINT CH SUBSYSTEM EXT PG GETCAS COMPONENTS GET | SUNACO | | |
| MHLCTL TORPH EDITSS WHLPRH ESAINT SUBSYSTEM SUBSYSTEM EXIT CH SUBSYSTEM EXIT PG GETCAS COMPONENTS GET | VCOILD | ****** | |
| SUBSYSTEM CH SUBSYSTEM CH SUBSYSTEM PG SUBSYSTEM PG GETCAS COMPONENTS GETDIR ACOPPN ACOPPN ACOPPN COMPONENTS GETLIN ANDATA AUTPLT GOFOR ACCS_TN CHGUNT CHGUNT CHGUNT CHGUNT CSSPRN INIEPH INSCOM DIRPRN NENTIM LOC DYNEGU PLOTIT EEDCHB PLTBEN LSTT ESAPRN POSTRB NOVE FILES PRINT NOVINT INTRPL LGRINGE TRMPLT MATCHD MOREN MORINT MODES | WILCTL | | |
| CH SUBSYSTEM EXT PS GETCAS COMPONENTS GETDIR ACOPPR COMPONENTS GETLIN ANDATA AUTPLT GOFOR ACCS_TN CHGLIN INS ATTPRN CHGUNT INSCHD CSSPRN INISPH INSCHD DIRPRN NINIPL KILL DSSPRN NEWTIN LOC DYNEGU PLOTIT LSTP EEDCHB PLTGEN LSTT ESAPRN POSTRB NOVE FILES PRINT NOVINT INTRPL SCALE NEI LGRINGE TRIPLT NEXP NATCHD USRFLG NORINT HODES | | WHLPRM | |
| PS GETCAS COMPONENTS ACOPPH ACOPPH ACOPPH COMPONENTS ACOPPH ACOPPH ACOPPH ACOPPH ANDATA AUTPLT GOFOR ACOS_TM CHGLIM INS ATTPRM CHGUNT CHGUNT INIBPH INSCOM DIRPRM NINIPL DSSPRN NENTIM LOC DYNEGU PLOTIT EEDCHB EEDCHB PLTGEN PLTGEN LSTT ESAPRM POSTRB NOVE FILES PRINT NOVINT INTRPL LGRMGE TRMPLT NORINT MODES | SUBSYSTEM | | |
| COMPONENTS ACOPRN ACOPRN COMPONENTS ACOPRN ANDATA AUTPLT GOFOR ACCS_TM CHGLIM INS ATTPRN CHGLIM INSCHD CSSPRN INIBPH INSCHD DIRPRN NENTIM LOC DYNEGU PLOTIT EEDCHB EEDCHB PLTGEN PLTGEN LSTT ESAPRN POSTRB NOVE FILES PRINT NOVINT INTRPL LGRMGE TRMPLT NORINT NORINT MODES | CM | SUBSYSTEM | EXT |
| ACOPRN COMPONENTS GETLIN ANDATA AUTPLT GOFOR ADCS_TM CHGLIN INS ATTPRN CHGUNT INSCHD CSSPRN INIBPH INSCON DIRPRN HINIPL KILL DSSPRN NENTIN LOC DYNEGU PLOTIT LSTP EEDCHB PLTBEN LSTT ESAPRN POSTRB NOVE FILES PRINT NOVINT INTRPL SCALE NEI LGRIGGE TRMPLT NEIP NATCHD USRFL6 NORINT HODES | | PS | GETCAS |
| ANDATA AUTPLT CHOLIN ACCS_TM CHOLIN ATTPRN CHOUNT CSSPRN INIBPH INSCOM DIRPRN DIRPRN NENTIM DSSPRN NENTIM LOC DYNEGU PLOTIT EEDCHB PLTGEN LSTT ESAPRN POSTRB NOVE FILES PRINT NOVINT INTRPL LGRMGE TRMPLT NORINT NORINT HODES | COMPONENTS | | GETDIR |
| ACCS_TM CHGLIM INS ATTPRN CHGUNT INSCHO CSSPRN INISPH INSCOM DIRPRN HINIPL KILL DSSPRN MENTIM LOC DYNEGU PLOTIT LSTP EEDCHB PLTBEN LSTT ESAPRN POSTRB NOVE FILES PRINT NOVINT INTRPL SCALE NEI LGRMGE TRMPLT NEXP NATCHD USRFL6 NORINT HODES | ACRERN | COMPONENTS | GETLIN |
| ATTPRM CHOUNT INSCHO CSSPRM INIGPH INSCOM DIRPRM MINIPL KILL DSSPRN MENTIM LOC DYNEGU PLOTIT LSTP EEDCHB PLTGEN LSTT ESAPRM POSTRB MOVE FILES PRINT MOVINT INTRPL SCALE NEI LGRMGE TRMPLT MEXP MATCHD USRFL6 MORINT MODES | ANDATA | AUTPLT | GOFOR |
| CSSPRN INIGPH INSCOM DIRPRN HINIPL KILL DSSPRH MENTIM LOC DYNEGU PLOTIT LSTP EEDCHB PLTGEN LSTT ESAPRM POSTRB MOVE FILES PRINT MOVINT INTRPL SCALE NEI LGRMGE TRMPLT MEXP NATCHD USRFL6 MORINT MODES | AOCS_TH | CHGLIN | INS |
| DIRPRM MINIPL KILL DSSPRH MENTIM LOC DYNEGU PLOTIT LSTP EEDCHB PLTBEN LSTT ESAPRM POSTRB MOVE FILES PRINT MOVINT INTRPL SCALE NEI LGRMGE TRMPLT MEXP NATCHD USRFL6 MORINT MODES | ATTPRN | CHEUNT | INSCHO |
| DSSPRN NENTIM LOC DYNEGU PLOTIT LSTP EEDCHB PLTGEN LSTT ESAPRN POSTRB NOVE FILES PRINT NOVINT INTRPL SCALE NEI LGRIGE TRMPLT NEXP NATCHD USRFL6 NORINT HODES | CSSPRN | INIGPH | INSCOM |
| DYNEGU PLOTIT LSTP EEDCHB PLTGEN LSTT ESAPRH POSTRB HOVE FILES PRINT HOVINT INTRPL SCALE NEI LGRNGE TRMPLT NEXP NATCHD USRFL6 NORINT HODES | DIRPRM | MINIPL | KILL |
| EEDCHB PLTGEN LSTT ESAPRH POSTRB MOVE FILES PRINT MOVINT INTRPL SCALE NEI LGRNGE TRMPLT NEXP NATCHO USRFL6 NORINT MODES | DSSPRN | NENTIN | LOC |
| ESAPRN POSTRB MOVE FILES PRINT MOVINT INTRPL SCALE NEI LGRNGE TRMPLT NEXP NATCHO USRFL6 NORINT MODES | | PLOTIT | LSTP |
| FILES PRINT MOVINT INTRPL SCALE NEX LGRAGE TRAPLT NEXP NATCHD USRFLG NORINT MODES OPENS | | | |
| INTRPL SCALE NEI LGRINGE TRMPLT NEXP MATCHD USRFL6 NOR INT NODES OPENS | | | |
| LGRINGE TRMPLT NEXP MATCHD USRFL6 NORINT MODES OPENS | | | MOVINT |
| NATCHD USRFL6 MORINT MODES OPENS | | | |
| MODES OPENS | | | |
| | | USRFLG | |
| HOVERD ORBINT | | | |
| | NOVCHB | • | ORBINT |

Figure 2-61. Single Project Component Names (2 of 2)

2.4.2.2.3 Single Project Estimated Statistics Report

This report produces output detailing the estimated statistics data for a given project.

| Option
Number | Description | Sample Output |
|------------------|---|-------------------------|
| 1 | Outputs the estimated size and resource information for a given project | Figure 2-62
(Part 1) |
| 2 | Outputs the estimated phase informa-
tion for a given project | Figure 2-62
(Part 2) |

Estimated Statistics Report (Part 1 of 2)

09/08/88 10:11:45 Project: EIAMPLE

Total Number of Project Estimates Fores : 3

| Gen in et | No. of | No. of | | Lines of C | ode | | 0 | ¥ | Carriana |
|-----------|----------|---------|--------|------------|-------|--------|---------------------|---------------------|-------------------|
| Project | Compats. | Sebsys. | Total | 014 | Hod. | Hev | Programmer
Hours | Management
Hours | Services
Hours |
| 88/03/28 | 890 | | 166250 | | 40050 | 147950 | 34966.0 | 5245.Q | 3497.0 |
| 88/06/13 | 913 | 28 | 175691 | | 18878 | 156813 | 51388.0 | 7708.0 | 5139.0 |
| 88/08/11 | 913 | 28 | 175691 | | 18878 | 156813 | 51380.0 | 7708.0 | 5139.0 |

Figure 2-62. Single Project Estimated Statistics (1 of 2)

Estimated Statistics Report (Part 2)

| 09/08/68 | 10:13:24 | | | | | | Project : EX | MPLE |
|------------------|-----------------------------|------------------|-----------------------|----------------|--------------------|---------|--------------|----------------|
| | | | | Phase Start | Dates | | _ | Project
End |
| Submissi
Date | on Requirements
Analysis | Design | Code and
Unit Test | Systee
Test | Acceptance
Test | Cleanup | Maintenance | Date |
| 88/03/28 | | 86/0 6/28 | 87/03/07 | 87/11/07 | 88/01/16 | | | 88/06/03 |
| B8/06/13 | | 86/06/28 | 87/03/07 | 87/11/07 | 88/02/20 | | | 88/08/13 |
| 88/08/11 | | 86/06/28 | 87/03/07 | 87/11/07 | 88/02/20 | | | 88/09/17 |

Figure 2-62. Single Project Estimated Statistics (2 of 2)

2.4.2.2.4 Single Project Form Count Report

This report produces output detailing the number of forms submitted during a given timeframe for a given project. The total count for the PRF is either the number of regular PRFs submitted or the number of Cleanroom PRFs submitted, depending on which form the project uses.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|---|-------------------------|
| 1 | Outputs the total count of PEFs, PRFs, SPFs, COFs, and CRFs submitted for the project | Figure 2-63
(Part 1) |
| 2 | Outputs the total counts of the PEFs, SPFs, PRFs, COFs, and CRFs submitted during each phase of the project | Figure 2-63
(Part 2) |
| 3 | Outputs the total counts of the PRFs, COFs, and CRFs submitted by each programmer during the project | Figure 2-63
(Part 3) |

Form Counts Report (Summary by Form)

| 09/07/88 | 07:13:35 |
|----------|----------|
|----------|----------|

| Project: | EXAMPLE |
|----------|---------|
|----------|---------|

| Estimates at Completion | | Phases | Start | End |
|--|---|--|--|--|
| No. of Components:
Lines of Code:
Programmer hours:
Hanagement hours:
Services hours:
Last Estimate Date: | 474
67000
9677.0
3000.0
962.0
88/08/22 | Design
Code and Test (Imple
System Test
Acceptance Test
Cleanup
Haintenance | 88/01/02
88/08/20
89/04/22
89/08/05
89/11/04
89/11/04 | 88/08/20
89/04/22
89/08/05
89/11/04
89/11/04 |

Form Counts Summary

| Fore Name | Total Counts |
|-----------|--------------|
| **** | ••••• |
| COF | 45 |
| CRF | 0 |
| PRF | 143 |
| PEF | 4 |
| SPF | 32 |

Figure 2-63. Single Project Form Counts (1 of 3)

Form Counts by Phase

| | Pre | | Code and | System | Acceptance | | • | Post |
|-----------|---------|--------|-----------|--------|------------|---------|-------------|---------|
| Fore Name | Project | Design | Unit Test | Test | Test | Cleanup | Maintenance | Project |
| | | | | | | | _ | |
| COF | ٥ | 7 | 38 | 0 | 0 | 0 | 0 | Q. |
| | Ă | ^ | ٨ | ٨ | ٥ | 0 | 0 | 0 |
| CRF | V | v | v | • | • | · | | |
| PRF | 0 | 143 | 0 | 0 | 0 | 0 | U | v |
| | A | 3 | 1 | ٥ | 0 | 0 | 0 | 0 |
| PEF | v | 3 | • | • | | | • | |
| SPF | 0 | 31 | i | 0 | 0 | 0 | v | V |

Figure 2-63. Single Project Form Counts (2 of 3)

Form Counts Report (Detailed Programmer Counts)

09/07/88 07:24:29 Project : EIAMPLE

| Programer | COF
Count | CRF
Count | PRF
Count | Total |
|-------------|--------------|--------------|--------------|-------|
| PROGRAMMER1 | 0 | 0 | 30 | 30 |
| PROGRAMKER2 | 45 | 0 | 32 | 77 |
| PROGRAMMER3 | 0 | 0 | 31 | 31 |
| PROGRAPMER4 | 0 | 0 | 30 | 30 |
| PROGRAMMER5 | 0 | 0 | 12 | 12 |
| PROGRAMMERS | 0 | 0 | 8 | 8 |
| l'otals | 45 | 0 | 143 | 188 |

Figure 2-63. Single Project Form Counts (3 of 3)

2.4.2.2.5 General Project Message Information Report

This report outputs a summary of all of the general information about the specified project.

| Option
Number | Description | Sample Output |
|------------------|---------------|---------------|
| 1 | Entire report | Figure 2-64 |

Possible Messages

Message: No information available for this message type

Explanation: The specified project does not contain any

information about this message.

2-115

OF PLAN CHIEF TO

General Project Information Report (Detailed Listing)

10/11/89 14:02:02

Project : PROJECT1

Note: This information is provided as a communication area between project personnel and the SEL.

Please contact SEL database personnel with updates as they occur.

Message type CLOSEOUT contains information about Project closeout status:
No information available for this message type.

Message type COMPACCTS contains information about Computer accounts to monitor : No information available for this message type.

Message type COMPSYS contains information about Development and operational computer system : No information available for this message type.

Message type CONTACTS contains information about Project contacts:

| Line
Number | Message | Submission
Date |
|----------------|------------------------|--------------------|
| 1 . | CSC MANAGER: XIX XXXXX | 01-SEP-89 |

Message type CONTRLLIB contains information about Names of controlled libraries :

| Line | | Submission |
|----------------|-----------|------------|
| Number Hessage | | Bate |
| i | LIBRARY 1 | 01-SEP-89 |

Hessage type DATAAVAIL contains information about Type of data available :

| Line
Number | Hessage | Submission
Date |
|----------------|---|---------------------|
| 1 | EST_SCH-Y, EST_STAT-N, EFF_PROJ-Y, EFF_SUB-N, EFF_SPEC-Y, | 21 - JUL -89 |
| 2 | EFF_SERV-N, SIF-Y, CON_NAME-Y, COF-N, CRF-N, GRH-Y, CPU-N, SEF-Y, | 21 - JUL - 89 |
| 3 | SAP-N, FIN_SCH-Y, FIN_STAT-N, FIN_CPU-Y | 21 - JUL -89 |
| 4 | See VIEW: VAL DATA AVAIL for explanation of data codes. | 21 - TH -89 |

Figure 2-64. Single Project General Project Information (1 of 2)

General Project Information Report (Detailed Listing)

10/11/89 14:02:02 Project: PROJECT1

Message type FORMSCOL contains information about SEL forms collected :

Line Submission Number Message Date

FIRST LINE OF SEL FORMS BEING COLLECTED 01-SEP-89

Message type SEMMESS contains information about General sessages :

Line Submission
Number Message Date

1 FIRST LIME OF GENERAL MESSAGES 01-SEP-89

Message type GHTOOL contains information about Growth history tool used:

Line Submission
Number Message Date

1 CMS VAX GROWTH HISTORY 01-SEP-89

Message type LAMGUAGES contains information about Languages used :

Line Submission Number Hessage Bate


1 FORTRAM 01-SEP-89

Message type PROJMANE contains information about Project full name : No information available for this message type.

Message type TASKNO contains information about Task numbers and corresponding years :

Line Submission Number Message Date

Figure 2-64. Single Project General Project Information (2 of 2)



2.4.2.2.6 Single Project Growth History Report

This report produces output detailing growth history statistics during a given timeframe for a given project.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|---|-------------------------|
| 1 | Displays the most recent growth history information for this project | Figure 2-65
(Part 1) |
| 2 | Displays the growth history informa-
tion by week for the selected phase | Figure 2-65
(Part 2) |

2.4.2.2.7 Single Project GSFC Manpower Hours Report

This report produces output detailing the number of hours logged by various personnel during a given timeframe for a given project. These data come from the PRF forms that have been completed for the project. The difference between this report and the regular Manpower Hours report is that only GSFC personnel names are displayed on the report. Section 2.4.2.2.9 contains more information.

Growth History Report (Summary)

| 09/08/88 | 10:18:23 | | | | Project: | EXAMPLE |
|----------------------|---|--|---|---|--|--|
| | Estimates at | * | | Phases | Start | End |
| Prog
Hand
Serv | of Components:
15 of Code:
grammer hours:
ngement hours:
rices hours:
t Estimate Date: | 230
36000
7500.0
1500.0
400.00
88/07/26 | Current Status | Requirements Definit
Design
Code and Test (Imple
System Test
Acceptance Test
Cleanup | 87/06/06
87/08/01
88/01/02
88/08/06
98/11/05
89/01/28 | 87/08/01
98/01/02
98/08/06
98/11/05
99/01/28
99/02/25 |
| | | | Number of Modules :
Lines of Code : 3085 | | | |

Figure 2-65. Single Project Growth History (1 of 2)

Number of Changes: 367

Growth History Report (Detailed Values by Phase)

| 09/08/88 | 10:20:37 | | | Project: E | XAMPLE |
|----------|------------------------|---------------------|---------------------|------------|--------|
| | | Phase : Code and Te | st (Implementation) | • | |
| | Week ending date | Modeles | lines of code | Changes | |
| | 88/02/19 | 52 | 4890 | 52 | |
| | 88/02/26 | 90 | 7921 | 90 | |
| | 88/03/04 | 93 | 8244 | 93 | |
| | 88/03/11 | 105 | 9608 | 105 | |
| | 80/03/18 | 128 | 12122 | 128 | |
| | 88/03/25 | 128 | 13122 | 128 | |
| | 88/04/01 | 136 | 14000 | 136 | |
| | 88/04/08 | 141 | 15555 | 144 | |
| | 88/04/15 | 141 | 15555 | 144 | |
| | 88/04/22 | 164 | 19189 | 167 | |
| | 88/04/29 | 168 | 19565 | 187 | |
| | 88/05/06 | 168 | 19565 | 187 | |
| | 89/05/13 | 183 | 21617 | 202 | |
| | 88/05/20 | 183 | 21617 | 202 | |
| | BB/05/27 | 183 | 21693 | 212 | |
| | 88/06/03 | 184 | 21865 | 216 | |
| | 88/06/10 | 202 | 24805 | 249 | |
| | 88/06/17 | 212 | 26501 | 292 | |
| | 80/06/24 | 224 | 27111 | 307 | |
| | 88/07/01 | 224 | 27121 | 312 | |
| | 88/07/08 | 224 | 27121 | 312 | |
| | 88/07/15 | 224 | 27121 | 312 | |
| | 88/07/22 | 224 | 27121 | 312 | |
| | Average weekly growth: | 7 / week | 967 / veek | 11 / veek | |

Figure 2-65. Single Project Growth History (2 of 2)

2.4.2.2.8 Single Project Maintenance Activity Hours Report This report produces output detailing the hours that were spent on different activities during the maintenance phase

spent on different activities during the maintenance phase for a given project. The data come from the WMEFs completed for the current project.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|--|-------------------------|
| 1 . | Total hours charged to the project, grouped by activity and by class | Figure 2-66
(Part 1) |
| 2 | Hours by week grouped by type of class | Figure 2-66
(Part 2) |
| 3 | Hours by week grouped by type of activity | Figure 2-66 (Part 3) |

Maintenance Activity Hours Report (Summary of Hours)

| 84/20/89 | HE:06:38 | Phase | Start | End | Preject: Prejecti |
|----------|-------------------------|-------------|---------|-----|------------------------------|
| | | BAINTERANCE | • | | • |
| | Maintenance Class | Total Bours | To Date | | Average Weekly Hours to Date |
| | Maptation | 524. | 1 | | 35.0 |
| | Correct ion | 131. | ı | | 22.1 |
| | Enhancement | 343. | ŧ | | 22.3 |
| | Other | \$13. | ı | | 34.3 |
| | All classes | 1714. | 2 | | 114.3 |
| | Laintenance Activity | Total loars | | | Average Veetly Sours To Bate |
| | Acceptance/Benchmark Te | | | | 22.1 |
| | Implementation | 180. | | | 25.4 |
| | isolation | 242. | | | 16.2 |
| | Ot her | 121. | | | 1.1 |
| | Change Design | 369. | | | 24.6 |
| | Unit Test/System Test | 269. | | | 17.9 |
| | All activities | 1714. | | | 114.3 |

Figure 2-66. Single Project Maintenance Activity Hours (1 of 3)

| | | Ma | i nten ance | a Activity | y Hoers A | eport (De | tailed No | ekly Hours | s by Clas | s) | | |
|------------------|------------|------------------|--------------------|-------------------|-----------|------------------|------------------|------------|-----------|------------|----------|-------------------|
| 04/20/89 | 08: 08: 29 | | | | | | | | | | Project | : Projecti |
| | 89-01-07 | 89- 01-14 | 89- 01-21 | 89 - 01-28 | R9-02-04 | 89- 02-11 | 89- 02-18 | 89-02-25 | 89-03-04 | 89-03-11 | 89-03-18 | 99 - 03-25 |
| Adaptation | 9.0 | 6.0 | 5.0 | 7.0 | 9.0 | .0 | 104.0 | 14.3 | 70.0 | 58.0 | 46.0 | 116.0 |
| Correction | 12.0 | 6.0 | 5.0 | 7.0 | 9.0 | .0 | 66.0 | 18.3 | 12.0 | 55.0 | 39.0 | 39.0 |
| Enhancement | 4.0 | 6.0 | 5.0 | 7.0 | 9.0 | .0 | 31.0 | 20.3 | 19.0 | 57.0 | 41.0 | 42.0 |
| Other | 6.0 | 6.0 | 5.0 | 7.0 | 9.0 | .0 | 19.0 | 17.3 | 68.0 | 59.0 | 55.0 | 194.0 |
| Total | 31.0 | 24.0 | 20.0 | 28.0 | 36.0 | .0 | 220.0 | 70.2 | 169.0 | 229.0 | 181.0 | 391.0 |
| Cusulative Tota | 31.0 | 55.0 | 75.0 | 103.0 | 139.0 | 139.0 | 359.0 | 429.2 | 598.2 | 827.2 | 1008.2 | 1399.2 |
| | 89-04-01 | 89-04-08 | 89-04-15 | Totals | | | | | | | | |
| Adaptation | 46.0 | 13.5 | 21.0 | 524.8 | | | | | | | | |
| Correction | 41.0 | 8.5 | 14.0 | 331.8 | | | | | | | | |
| Enhancement | 80.0 | 9.5 | 13.0 | 343.8 | | | | | | | | |
| Other | 31.0 | 20.5 | 17.0 | 513.0 | | | | | | | | |
| Total | 198.0 | 52.0 | 65.0 | 1714.2 | | | | | | | | |
| Cumulative Total | | 1649.2 | 1714.2 | | | | | | | | | |

Figure 2-66. Single Project Maintenance Activity Hours (2 of 3)

| 84/20/89 | 88:12:48 |
|----------|----------|

| | | | | | | | | | | • | | |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | 89-01-07 | 89-01-14 | 89-01-21 | 89-01-28 | 19-02-04 | 89-02-11 | 89-02-18 | 89-02-25 | 89-03-04 | 89-03-11 | 89-63-18 | 89-03-25 |
| Accept/Seach Tst | 1.0 | 1.4 | 3.4 | .• | 5.0 | .• | 33.0 | 1.0 | 30.0 | 1.1 | 59.0 | 97.0 |
| Implementation | 1.1 | 8.4 | 3.1 | 1.4 | 5.0 | | 35.0 | 13.6 | 37.0 | 101.0 | 34.0 | 83.0 |
| Isolation | 1.1 | 1.0 | 3.0 | 10.0 | 5.0 | .1 | 13.0 | 16.3 | 7.0 | 17.0 | 29.0 | 36.4 |
| Other | 1.0 | | 5.1 | .1 | 11.0 | . • | | 5.0 | 2.0 | 3.0 | 10.0 | .• |
| Change Design | 5.0 | | 3.0 | 10.0 | 5.4 | . 0 | 69.0 | 15.3 | 39.0 | 97.0 | 25.0 | 60.1 |
| Unit/System Tst | 3.0 | | 3.0 | .• | \$.0 | . 0 | .• | 13.0 | \$4.0 | 3.0 | 24.0 | 115.0 |
| Total - | 31.0 | 24.0 | 20.0 | 28.0 | 36.4 | .1 | 220.0 | 10.2 | 169.0 | 229.0 | 181.4 | 391.0 |
| Cumulative Total | 31.0 | 55.0 | 15.0 | 103.0 | 139.0 | 139.0 | 359.0 | 429.2 | 598.2 | \$27.2 | 1008.2 | 1399.2 |
| | 89-04-01 | 19-04-08 | 19-04-15 | Totals | | | | | | | | |
| Accept/Beach Tst | 65.0 | 10.0 | 6.1 | 332.0 | | | | | | | | |
| Implementation | 12.0 | 15.0 | 19.0 | 320.6 | | | | | | | | |
| Isolation | 1.0 | 1.0 | 2.0 | 242.3 | | | | | | | | |
| Other | 14.0 | 1.0 | 3.0 | 121.0 | | | | | | | | |
| Change Design | 19.8 | | | 369.3 | | | | | | | | |
| Unit/System Tat | 19.0 | 12.0 | 18.0 | 269.0 | | | | | | | | |

Figure 2-66. Single Project Maintenance Activity Hours (3 of 3)

Possible Message

Message: The project name xxxx is invalid

65.0 1714.2

Explanation: This project name does not exist in the

database.

2.4.2.2.9 Single Project Manpower Hours Report

This report produces output detailing the number of hours logged by various personnel during a given timeframe for a given project. These data come from the PRFs that have been completed for the project.

ORIGINAL PAGE IS OF POOR QUALITY

Project : Project1

Tetal

138.0

Campiative Total 1597.2 1649.2 1714.2

\$2.0

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|--|-------------------------|
| 1 | Total and average weekly manpower hours charged to the project, orga-nized by technical and management personnel charging to the project | Figure 2-67
(Part 1) |
| 2 | Total manpower hours for each phase of the project, grouped by technical and management personnel charging to the project | Figure 2-67
(Part 2) |
| 3 | Average weekly manpower hours for each phase of the project, grouped by technical and management personnel charging to the project | Figure 2-67
(Part 3) |
| 4 | Total weekly manpower hours for each of the technical and management personnel charging to the project | Figure 2-67
(Part 4) |

Possible Message

Message: Phase dates are not available for xxxx

Explanation: This message will appear on the hours by phase

sections of the report (Option 2) if there are

no phase dates for this project.

Manpower Hours Report (Semmary of Hours)

| /07/ 98 07 | :30:22 | | | | Project: | EXAMPLE |
|--|--|---|---------------------|---|----------|--|
| | Estimates at | Completion | | Phases | Start | End |
| Lines o
Program
Hanagem
Service | Components: of Code: mer hours: met hours: s hours: timate Nate: | 474
67000
9677.0
3000.0
962.0
88/08/22 | | Design Code and Test (Imple System Test Acceptance Test Cleanup Haintenance | 88/01/02 | 88/08/20
89/04/22
89/08/05
89/11/04
89/11/04 |
| | | | Total Hours To Bate | Average Meekly Hours To Date | | |
| PROGRAM | MER1 | | 1117.0 | 31.0 | | |
| PROGRAM | MER2 | | 1149.0 | 31.9 | | |
| PROBRAM | NER3 | | 111.0 | 3.1 | | |
| PROGRAM | NER4 | | 170.0 | 4.7 | | |
| PROGRAM | MERS | | 438.0 | 12.2 | | |
| PROGRAM | NERS | | 23.0 | .6 | | |
| | Programmers | | 3008.0 | 83.6 | | |

Figure 2-67. Single Project Manpower Hours (1 of 4)

Total Manpower Hours by Phase

| 09/07/88 | 07:31: 58 | | | | | | | Proje | ect : EXAMPLE |
|--------------|------------------|-----------------|--------|-----------------------|----------------|--------------------|---------|-------------|------------------|
| | | Fre-
Project | Design | Code and
Unit Test | System
Test | Acceptance
Test | Cleanup | Maintenance | Post-
Project |
| PROGRAMMER1 | | .0 | 1117.0 | .0 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMER2 | | .0 | 1149.0 | .0 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMER3 | | .0 | 111.0 | .0 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMER4 | | .0 | 170.0 | .0 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMERS | | .0 | 438.0 | .0 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMERS | | .0 | 23.0 | .0 | .0 | .0 | .0 | .0 | .0 |
| ALL MAMPOWER | | .0 | 3008.0 | .0 | .0 | .0 | .0 | .0 | .0 |

Figure 2-67. Single Project Manpower Hours (2 of 4)

Average Beekly Hanpover Hours by Phase

| 09/07/88 | 07:35:28 | | | | | | Project : EXAMPLE |
|--------------|----------|--------|-----------------------|----------------|--------------------|---------|-------------------|
| | | Design | Code and
Unit Test | System
Test | Acceptance
Test | Cleanup | Maintenance |
| PROGRAMMER 1 | | 33.8 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMER2 | | 34.8 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMER3 | | 3.4 | .0 | .0 | .0 | .0 | .0 |
| PROGRAZINER4 | | 5.2 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMERS | | 13.3 | .0 | .0 | .0 | .0 | .0 |
| PROGRAMMERS | | .7 | .0 | .0 | .0 | .0 | .0 |
| ALL HAMPONER | | 91.2 | .0 | .0 | .0 | .0 | .0 |

Figure 2-67. Single Project Manpower Hours (3 of 4)

ORIGINAL PAGE IS OF POOR QUALITY

| 09/07/88 | 07:3 8:39 | Project : EXAMPLE |
|----------|------------------|-------------------|
| | | |

| | 88-01-02 | 88 - 01 -09 | 88-01-16 | 88-01-23 | 88- 01-30 | 88-02-06 | RB-02-13 | 98-02-26 | RS -02-27 | R9-07-05 | 88-03-12 | 00_02_10 |
|------------------|----------|--------------------|----------|-----------------|------------------|------------------|-------------------|----------|------------------|-----------------|-----------------------|-------------------------|
| | | | | | | | | VO VL 10 | 00 VL 2/ | 55 75 75 | 00-03-12 | 06-07-13 |
| PR061 | 20.0 | 20.0 | 20.0 | 20.0 | 44.0 | 40.0 | 40.0 | 42.0 | 41.0 | 44.0 | 33.0 | 40.0 |
| PROG2
PROG3 | 18.0 | 28.0 | 40.0 | 42.0 | 38.0 | 32.0 | 32.0 | 37.5 | 40.0 | 32.0 | 40.0 | 39.0 |
| PROS4 | 2.0 | 2.0 | 2.0 | .0 | 6.0 | 7.0 | 6.0 | 4.0 | 4.0 | 1.0 | 3.0 | 2.0 |
| PROGS | 5.0 | 4.0 | 4.0 | 5.0 | 5.0 | 4.0 | 3.0 | 5.0 | 4.0 | 5.0 | 4.0 | .0 |
| PROS6 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | ۰. | .0 | .0 | .0 | .0 |
| riues | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 |
| Total | 45.0 | 54.0 | 66.0 | 67.0 | 93.0 | 83.0 | 81.0 | 88.5 | 89.0 | 82.0 | 80.0 | 81.0 |
| Cumulative Total | 45.0 | 99.0 | 165.0 | 232.0 | 325.0 | 408.0 | 489.0 | 577.5 | 666.5 | 748.5 | 828.5 | 909.5 |
| | 89-03-26 | 88-04-02 | 88-04-09 | 88-04-16 | 88- 04-23 | 88 -04 -30 | 88 -05 -07 | 88-05-14 | 88-05-21 | 88-05-28 | 88-06-04 | 88-06-11 |
| PR061 | 40.0 | 48.0 | 50.0 | 40.0 | .0 | 16.0 | 24.0 | 40.0 | 33.0 | 40.0 | .0 | 42.0 |
| PR062 | 40.0 | 32.0 | 38.5 | 30.0 | 36.0 | 36.0 | 19.0 | 40.0 | 40.0 | 31.0 | 40.0 | 32.0 |
| PROB3 | 2.0 | 4.0 | 4.0 | 8.0 | 8.0 | 6.0 | 4.0 | 3.0 | 2.0 | 4.0 | 2.0 | 1.0 |
| PR064 | 9.0 | 6.0 | 5.0 | 8.0 | 5.0 | 6.0 | 4.0 | | . 4.0 | 4.0 | 5.0 | .0 |
| PROS5 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 32.0 | 32.0 | 19.0 |
| PR066 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 |
| Total | 91.0 | 90.0 | 97.5 | 96.0 | 49.0 | 64.0 | 51.0 | 87.0 | 79.0 | 111.0 | 79.0 | |
| Cumulative Total | 1000.5 | 1090.5 | 1188.0 | 1274.0 | 1323.0 | 1387.0 | 1438.0 | 1525.0 | 1604.0 | 1715.0 | 1794.0 | 94.0
1 888. 0 |
| | 81-06-88 | 88-06-25 | 88-07-02 | 88-07-09 | 88-07-16 | 88- 07-23 | 88-07-30 | 88-08-06 | 88-06-13 | 88-08-20 | 88- 08-27 : | 88-09-03 |
| PR061 | 44.0 | 48.0 | 33.0 | 53.0 | 45.0 | 48.0 | 29.0 | .0 | 40.0 | .0 | .0 | |
| PR062 | 40.0 | .0 | 36.0 | 40.0 | 40.0 | 44.0 | 44.0 | 36.0 | 36.0 | .0 | 0 | .0 |
| PR083 | 3.0 | 1.0 | 3.0 | .0 | 2.0 | 2.0 | 1.0 | 2.0 | 10.0 | .0 | .0 | .0 |
| PR064 | .0 | 8.0 | 4.0 | 6.0 | 8.0 | 6.0 | 7.0 | 12.0 | 11.0 | .0 | .0 | .0 |
| PROGS | 34.0 | 52.0 | 32.0 | 40.0 | 37.5 | 40.0 | 40.0 | 39.5 | 40.0 | .0 | .0 | .0 |
| PR086 | 3.0 | 3.0 | 2.0 | 2.0 | 5.0 | 3.0 | .0 | 3.0 | 2.0 | .0 | .0 | .0
.0 |
| Total | 124.0 | 112.0 | 110.0 | 141.0 | 137.5 | 143.0 | 121.0 | 92.5 | 139.0 | ^ | | |
| Cumulative Total | 2012.0 | 2124.0 | 2234.0 | 2375.0 | 2512.5 | 2655.5 | 2776.5 | 2869.0 | 3008.0 | .0
3008.0 | .0
3 008. 0 | .0
300 0. 0 |
| | Totals | | | | | | | | | | | |
| PR061 | 1117.0 | | | | | | | | | | | |
| PR082 | 1149.0 | | | | | | | | | | | |
| PROG3 | 111.0 | | | | | | | | | | | |
| PRO64 | 170.0 | | | | | | | | | | | |
| PROBS | 438.0 | | | | | | | | | | | |
| PROSS | 23.0 | | | | | | | | | | | |
| Total | 3008.0 | | | | | | | | | | | |

Figure 2-67. Single Project Manpower Hours (4 of 4)

2.4.2.2.10 Single Project SEL Forms Report

This report produces output that details the contents of the COF, CRF, PRF, SPF, and DSF SEL forms submitted for the project.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|--|-------------------------|
| 1 | Produces output detailing all the COFs submitted for a given project | Figure 2-68 (Part 1) |
| 2 | Produces output detailing all the CRFs submitted for a given project | Figure 2-68
(Part 2) |
| 3 | Produces output detailing all the PRFs submitted for a given project | Figure 2-68 (Part 3) |
| 4 | Produces output detailing all the
Cleanroom PRFs submitted for a given
project | Figure 2-68
(Part 4) |
| 5 | Produces output detailing all the SPFs submitted for a given project | Figure 2-68
(Part 5) |
| 6 | Produces output detailing all the DSFs submitted for a given project | Figure 2-68
(Part 6) |

Possible Message

Message: No data for project: <Project Name>

Explanation: This will appear on the DSF report if there are

no DSF data for the project.

2.4.2.2.11 Single Project SEL Maintenance Forms Report

This report produces output detailing the contents of the WMEF and MCRF SEL Maintenance forms submitted for the project.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|--|-------------------------|
| 1 | Produces output detailing all the MCRFs submitted for a given project. | Figure 2-69
(Part 1) |
| 2 | Produces output detailing all the WMEFs submitted for a given project. | Figure 2-69
(Part 2) |

Component Origination Form Report (Detailed Listing)

09/07/88 09:02:42

Project: EXAMPLE

Total Number of COF Fores : 246

| | | Subsystee
Prefix | Cooponent
Name | Parpose(s) | Programmer | Component
Description | Dates | Status |
|----|------|---------------------|-------------------|------------|------------|---|---------------------------------|-----------|
| CO | 0001 | UT | UNVEC | ALCOMP | PROG1 | Orig: OLDUC
Diff: 2
Type: FORTRAM | Crt: 02/19/88
Form: 02/05/88 | HCCORRECT |
| CO | 0003 | CM | ACQPRH | | PR061 | Orig: NEW
Diff: 2
Type: INCL | Crt: 02/19/88
Form: 02/05/88 | HCCORRECT |
| CO | 0004 | CN | ATTPRM | | PROG1 | Orig: NEW
Diff: 2
Type: INCL | Crt: 02/19/88
Form: 02/05/88 | HCERROR |
| CO | 0005 | CH | CSSPRM | | | Orig: MEW
Diff: 2
Type: INCL | Crt: 02/19/88
Fora: 02/05/88 | HCCORRECT |
| CO | 0006 | CH | D I RPRM | | | Orig: MEN
Diff: 2
Type: INCL | Crt: 02/19/88
Form: 02/05/88 | HCCORRECT |
| CO | 0007 | CH | DSSPRM | | | Orig: NEW
Diff: 2
Type: INCL | Crt: 02/19/88
Form: 02/05/88 | HCCORRECT |

Figure 2-68. Single Project SEL Forms (1 of 6)

Change Report Form Report (Detailed Listing)

09/13/88

10:06:12

Project: EXAMPLE

Total Number of CRF Forms : 100

| Form
Information: | Components | Change
Statistics | Errors | Use of
Ada | Ada
Errors |
|---|--|---|---|--|---|
| No: H12280
Date: 05/09/88
Prog: WSHDAN
Stat: HCCORRECT | 1 changed
1 examined
SHEMADDING_UTILITIES_ | Detmd:04/25/88 Compl:04/25/88 Isol: 1HR Impl: 1HR Type: ERRCO One: Y Othrs:Y Pares:Y | Srce: DESIGN
Class:INTERI
Omis: Y
Comis:N
Typo: N | Contr: N
Features | Doc OK:
Cause:
Resources:
Tools: |
| No: M12784
Date: 06/23/88
Prog: FBRECHBIEL
Stat: HCCORRECT | 1 changed
3 examined
UTATTITUDE_MATH | Detad:06/23/88 Compl:06/23/88 Isol: 1DAY Impl: 1HR Type: ERRCO One: Y Othrs:Y Parms:Y | Srce: CODE
Class:INTERI
Omis: Y
Comis:N
Typo: N | Contr: Y
Features
OVERLDAD
PACK | Doc OK: Y
Cause: INCOF
Resources:
HENORY
Tools:
SYMDEB |

Figure 2-68. Single Project SEL Forms (2 of 6)

ORIGINAL PAGE IS OF POOR QUALITY

Personnel Resource Form Report (Detailed Listing)

09/07/88 09:23:45

Project: EXAMPLE

Total Number of PRF Forms : 38

| For a
Husber | | Prograeser | Pr Des
Hours | | R/R Des
Hours | Wrt Cod
Hours | R/R Cod
Hours | Tst Cod
Hours | Debug
Hours | | Acc Tst
Hours | Other
Hours | | Status |
|------------------------|--------------------------------------|------------|-----------------|-----|------------------|------------------|------------------|------------------|----------------|----|------------------|----------------|--------|-----------|
| P00001 | 12/25/87 | PRO61 | 2.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | | HCCORRECT |
| P00003 | 01/01/88 | PR062 | 14.0 | .0 | .0 | .0 | .0 | .0 | | | .0 | | | HCCORRECT |
| P00127 | 01/08/88 | PR063 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | | | HCCORRECT |
| P00128 | 01/08/88 | PROG2 | 8.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | | | HCCORRECT |
| P00355 | 12/25/87 | PROG2 | 10.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 10.0 | | HCCORRECT |
| P00420 | 12/11/87 | PR064 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 6.5 | | HCCORRECT |
| | 12/11/87 | | 2.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .5 | | HCCORRECT |
| | 12/11/87 | | 2.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 4.0 | | HCCORRECT |
| P00423 | 12/11/87 | PR065 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 2.0 | | HCCORRECT |
| | 12/18/87 | | 5.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 8.0 | | HCCORRECT |
| | 12/18/87 | | 2.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 10.0 | | HCCORRECT |
| | 12/18/87 | | 1.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 3.5 | | HCCORRECT |
| | 12/18/87 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 6.0 | | HCCORRECT |
| | 12/18/87 | | 2.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 3.5 | | HCCORRECT |
| | 12/19/87 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 5.0 | | HCCORRECT |
| | 01/15/88 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 20.0 | | HCCORRECT |
| | 01/15/88 | | 3.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | | HCCORRECT |
| | 01/15/88 | | 4.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 18.0 | | HCCORRECT |
| | 01/15/88 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 18.0 | | HCCORRECT |
| | 01/22/88 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 24.0 | | HCCORRECT |
| | 01/22/89 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 24.0 | | HCCORRECT |
| | 01/29/88 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 4.0 | | HCCORRECT |
| | 01/29/88 | | 4.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 8.0 | | HCCORRECT |
| | 01/29/88 | | 3.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 2.0 | | HCCORRECT |
| | 01/29/88 | | 3.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 2.0 | | HCCORRECT |
| P00675 | 01/29/88 | PR066 | 22.0 | 4.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | REUSE: | HCCORRECT |
| 844688 | A1 /00 /00 | | | | | | | _ | _ | _ | | | | 8.0 |
| | 01/22/88 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 24.0 | | HCCORRECT |
| | 01/15/88 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 16.0 | | HCCORRECT |
| | 01/22/98 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 16.0 | | HCCORRECT |
| | 01/22/88 | | 4.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | | 24.0 | | HCCORRECT |
| | 02/12/89 | | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 3.0 | | HCCORRECT |
| | 02/12/ 88
02/12/ 88 | | 3.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 1.0 | | HCCORRECT |
| | | | 6.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 18.0 | | HCCORRECT |
| | 02/12/88
02/12/88 | | 5.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 1.0 | | HCCORRECT |
| | 02/12/88 | | 6.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 4.0 | | HCCORRECT |
| | | | 14.0 | 1.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | | HCCORRECT |
| | 02/26/88 | | 1.5 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 6.5 | | UNCHK |
| rvv631 | 02/26/88 | TRUB6 | 18.0 | 2.0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | | UNCHK |

Figure 2-68. Single Project SEL Forms (3 of 6)

Cleanroom Personnel Resource Form Report (Betailed Listing)

04/27/89 09:05:01

Project: Project1

Total Number of Cleanroom PRF Forms : 38

| Form Form
Number Date | Programmer | | | | • | tv des
Lours | | | | | | | | Status |
|--------------------------|--------------|-----|-----|-----|-----|-----------------|-----|-----|------|------|-----|-----|--|--------|
| R00002 01/13/83 | Programmeri | 2.0 | 4.0 | 6.1 | 3.0 | 1.0 | 5.0 | 6.0 | 43.0 | 11.0 | .1 | |) | UNCEK |
| R00004 02/10/89 | Programmer? | 4.0 | 5.0 | 1.1 | 7.0 | 1.1 | . 5 | . 2 | 11.0 | 1.1 | . • | 1 |) | THERE |
| R00005 09/16/88 | Pregramer? | 1.0 | 2.0 | 3.0 | 4.0 | \$.• | 6.0 | 7.0 | 8.0 | 1.1 | 8.1 | 7.1 | DOCKT: 4.0
ENRCE: 5.0
REUSE: 3.0
REVRK: 6.0 | UNCER |
| R00006 03/03/89 | Pregramer3 | 4.0 | .1 | 6.1 | .• | 1.0 | . 0 | 1.0 | 2.0 | 3.0 | 4.1 | 5.0 | DOCET: 8.6
ENECE: 7.6
REUSE: 9.6
REURE: 6.6 | UNCER |
| R00007 02/17/83 | Programmer 4 | 1.0 | 1. | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | .1 | .1 | .0 | POCET: 1.0
PETEK: 1.0 | UNCER |
| R00008 02/24/89 | Programmer3 | 8.0 | 8.1 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 1.0 | . • | 8.1 | .0 | ENECE: 8.0 | ANCEE |

Figure 2-68. Single Project SEL Forms (4 of 6)

Services/Products Forms Report (Detailed Listing)

09/07/88 10:57:14

Project: EXAMPLE

Total Number of SPF Forms: 101

| Fora
Number | | Tech Pubs
Hours | Secretary
Hours | Librarian
Hours | Other
Hours | Proj Mget
Hoers | Compu
CPU ID | iter Data
Hrs | Rens | Module
Count | Changes
Count | Line
Count | Status |
|----------------|----------|--------------------|--------------------|--------------------|----------------|--------------------|-----------------|------------------|----------------------------|-----------------|------------------|---------------|-----------|
| 37 | 10/11/85 | .0 | .0 | .0 | 5.0 | .0 | IBN4341
TSO | .3
.4 | 125
125 | 303 | 471 | 33166 | UNCHK |
| 38 | 10/18/85 | 12.0 | .0 | .0 | 15.0 | .0 | 18M4341
TSO | .3
.4 | 12 5
12 5 | 321 | 518 | 37463 | HCERROR |
| 39 | 10/25/85 | 18.5 | .0 | .0 | 10.0 | 10.0 | IBN4341
TSO | .3
.4 | 125
125 | 331 | 539 | 39126 | UNCHK |
| 40 | 11/01/95 | 16.5 | 24.5 | .0 | 8.0 | 10.0 | IBM4341
TSO | .3
.4 | 125
125 | 377 | 622 | 44691 | HCCORRECT |
| 41 | 11/08/85 | 15.0 | .5 | .0 | 5.0 | .0 | IBM4341
TSO | .6
.4 | 191
1 8 0 | 394 | 665 | 48441 | HCCORRECT |

Figure 2-68. Single Project SEL Forms (5 of 6)

Development Status Form Report

| 02/02 | /90 | 4:43:0 | 5 | | | | | | Project: EUVEDSIN | | | | | | | | | |
|------------------------|----------|--------|----------------|-----|--------------|------------|---------|----------------|-------------------|---------|-----------------|----|-----------------|-----------------|-------------|-------------|------------|-------|
| | | Des | ign | Co | de |
System | Testing | 3 | Ac | ceptanc | e Testi | ng | Discre | pancies | Spec | Mod | Ques | tions |
| For a
Nuaber | | - | Desgn
Comp. | | Mod.
Comp | | | Test
I Runs | | | Tests
Passed | | Discr
Reprtd | Discr
Resolv | Spec
Sub | Spec
Imp | Qst
Sub | |
| D00042 | 04/14/89 | 573 | 382 | | | | | | | | | | | | | | | |
| 000054 | 04/28/89 | 573 | 471 | | | | | | | | | | | | | | | |
| 000075 | 05/12/89 | 573 | 572 | | | | | | | | | | | | | | | |
| D00074 | 05/26/89 | 573 | 573 | 573 | | | | | | | | | | | | | | |
| D00084 | 06/09/89 | 1 | | 591 | 117 | | | | | | | | | | | | | |
| 000107 | 06/23/89 | | | 591 | 123 | | | | | | | | | | | | | |
| D 00113 | 07/07/89 | | | 591 | 145 | | | | | | | | | | | | | |
| D00020 | 07/21/89 | | | 591 | 160 | | | | | | | | | | | | | |
| D00007 | 08/04/89 | | | 608 | 332 | | | | | | | | | | 4 | 4 | 134 | 112 |
| D00001 | 08/18/89 | | | 616 | 332 | | | | | | | | | | 4 | 4 | 144 | 122 |
| 000132 | 09/01/89 | | | 615 | 333 | | | | | | | | | | 4 | 4 | 148 | 122 |
| 000139 | 09/15/89 | | | 612 | 333 | | | | | | | | | | 4 | 4 | 150 | 122 |
| D00155 | 09/29/89 | | | 620 | 333 | | | | | | | | | | 4 | 4 | 171 | 136 |
| 000166 | 10/13/89 | | | 717 | 353 | | | | | | | | | | 4 | 4 | 171 | 137 |
| 000183 | 10/27/89 | | | 714 | 391 | | | | | | | | | | 5 | 4 | 177 | 141 |

Figure 2-68. Single Project SEL Forms (6 of 6)

Maintenance Change Report Form Report (Detailed Listing)

04/11/89 15:47:03

Project: EXAMPLE

Total Number of NCRF Forms: 15

| FORM
INFORMATION | CHANGE
CHARACTERISTICS | ESTIMATED
EFFORT | CHANGED
OBJECTS | TYPE OF CODE CHANGE | LINES OF CODE | | NUMBER (| | ADDED
Components | |
|---|--------------------------------------|---|---|---------------------|--------------------------------|----------------|--------------------------------|----------------|------------------------------|-------------|
| No: 809876
OSMR: 9876
Bate: 03/12/89
Prog: MSG
Stat: UNICHK | Type: ADAPTATION
Cause: DESIGN | Isolate: 1HR
Complete: 1HR | CODE
REGNTDOC
SYSDESC
USERGUID | DATAVAL | Added:
Changed:
Deleted: | 12 | Added:
Changed:
Deleted: | 12 | Nev:
Reused:
Kodified: | |
| No: B39833
OSMM: 3939
Date: 01/01/89
Prog: MSO
Stat: UMCHK | Type: ADAPTATION
Cause: OTHER | Isolate: 1HR
Complete: 1HR | REQUITOC | OTHER | | 12
13
14 | Added:
Changed:
Deleted: | 12
34
56 | Nev:
Reused:
Modified: | 12
3 |
| No: B44738
OSHR: 9876
Date: O4/12/88
Prog: MSD
Stat: UNCHK | Type: CORRECTION
Cause: PRECH | Isolate: 1MONTHMORE
Complete: 1MONTHMORE | | DATAVAL | Added:
Changed:
Deleted: | 67 | Added:
Changed:
Deleted: | 1
67 | Nev:
Reused:
Modified: | 1 |
| Ne: 84545
OSMR: 8383
Date: 03/12/88
Prog: MSO
Stat: UNCHK | Type: ADAPTATION
Cause: REGNTSPEC | Isolates INONTH
Complete: INEEK | REQUITOC
Sysdesc | INTÉRE | Added:
Changed:
Deleted: | 23 | Added:
Changed:
Deleted: | 3
23 | Nev:
Reused:
Hodified: | 3 |
| No: 846455
OSHR: 3876
Date: 12/01/88
Prog: MSO
Stat: UNCHK | Type: ENHANCEMNT
Cause: DESIGN | Isolate: 1MONTHMORE
Complete: IMEEK | CODE DESIGNDO OTHER REQUIDOC SYSDESC USERGUID | INTERE | Added:
Changed:
Deleted: | 12
56
78 | Added:
Changed:
Deleted: | 3 | Nev:
Reused:
Hodified: | 2 |
| No: B50000
OSMR: 1234
Date: 01/12/89
Prog: MSO
Stat: UMCHK | Type: CORRECTION
Cause: REGMTSPEC | | CODE | r oe ic | Added:
Changed:
Deleted: | 12
13
14 | Added:
Changed:
Deleted: | 15
16
17 | Neu:
Reused:
Hodified: | 3
2
1 |

Figure 2-69. Single Project SEL Maintenance Forms (1 of 2)

Weekly Maintenance Effort Form Report (Detailed Listing)

04/27/89 08:22:32 Project: Project:

Total Number of Weekly Maintenance Effort Forms : 68

| Form
Number | Form
Bate | Programmer | Correct | Enhance | Adapt | Other | Isolate | Change
Design | Impleant | | Accept/
Ben Test | 0t her | States |
|----------------|--------------|--------------|---------|---------|-------|-------|---------|------------------|----------|------|---------------------|--------|------------------|
| T00000 | 03/03/89 | Programmer1 | 1.0 | 3.0 | 1.1 | 3.0 | 2.0 | .1 | 2.0 | .0 | 2.0 | 2.0 | UNCEK |
| ¥00001 | 03/03/89 | Programmer? | 1.3 | 3.3 | 3.3 | 3.3 | 2.3 | 2.3 | 2.6 | 2.0 | 2.0 | 2.0 | ICCORRECT |
| | | Programmer3 | 2.0 | 2.0 | 2.0 | 2.0 | 2.1 | 2.0 | 1.0 | 1.0 | 1.0 | 1.0 | SCERROR |
| | | Programmer4 | .1 | 3.0 | 2.0 | 2.0 | .1 | 3.0 | 2.0 | 2.0 | .1 | .1 | UNCIL |
| ¥00010 | 43/17/89 | Programmer3 | | . 1 | 10.0 | 10.0 | .1 | 10.0 | \$.0 | . 8 | 5.4 | .1 | UNCIK |
| | | Programmer5 | 2.0 | 4.0 | 3.0 | 5.0 | 7.0 | | .• | 1.0 | .1 | .1 | DECEK |
| | | Programmer 6 | 9.0 | 3.1 | 3.1 | . • | .1 | 10.0 | \$.♦ | \$.0 | 5.0 | 2.0 | UNCEK |

Figure 2-69. Single Project SEL Maintenance Forms (2 of 2)

Possible Messages

Message: The project name xxxx is invalid

Explanation: This project name does not exist in the

database.

Message: No MCRF data for project xxx

Explanation: Option 1 was selected for a project without

maintenance change information.

Message: No WMEF data for project xxx

Explanation: Option 2 was selected for a project without

weekly maintenance effort data.

2.4.2.2.12 Single Project Services Hours Report

This report produces output detailing the number of hours logged by various support personnel during a given timeframe for a given project. These data come from the SPF forms that have been completed for the project.

| Option
Number | Description | Sample Output |
|------------------|--|-------------------------|
| 1 | Total and average weekly services hours charged to the project, organized by various support personnel charging to the project | Figure 2-70
(Part 1) |
| 2 | Total services hours for each phase of the project, grouped by the various support personnel charging to the project | Figure 2-70
(Part 2) |
| 3 | Average weekly services hours for each phase of the project, grouped by the various support personnel charging to the project | Figure 2-70
(Part 3) |
| 4 | Total weekly services hours for each of the various support personnel charging to the project | Figure 2-70
(Part 4) |

Services Hours Report (Summary of Hours)

| 09/07/88 07: | 52: | 25 |
|--------------|-----|----|
|--------------|-----|----|

| P | roj | ec | t: | EIN | IPLE |
|---|-----|----|----|-----|------|
| | | | | | |

| Estimates at | Completion | | Phases | Start | End |
|------------------------------|------------|---------------------|------------------------------|----------|----------|
| No. of Components: | 474 | | Design | BB/01/02 | 88/08/20 |
| Lines of Code: | 67000 | | Code and Test (Imple | 88/08/20 | 89/04/22 |
| Programmer hours: | 9677.0 | | System Test | 89/04/22 | 89/08/05 |
| Management hours: | 3000.0 | | Acceptance Test | 89/08/05 | 89/11/04 |
| Services hours: | 962.0 | | Cleanup | 89/11/04 | 89/11/04 |
| Last Estimate Date: 88/08/22 | | | Maintenance | 89/11/04 | 89/12/30 |
| | | Total Hours To Date | Average Neekly Hours To Date | | |
| OTHER SUPPORT | | 65.5 | 1.9 | | |
| PROGRAM MAMAGEMENT | | 102.0 | 2.8 | | |
| SECRETARY | | 42.0 | 1.2 | | |
| TECHPURS | | 189.0 | 5.3 | | |
| All services | | 398.5 | 11.1 | | |

Figure 2-70. Single Project Services Hours (1 of 4)

Total Services Hours by Phase

09/07/88 07:52:47 Project : EIAMPLE Pre-Code and System Acceptance Post-Project Design Unit Test Test Test Cleanup Maintenance Project OTHER SUPPORT 65.5 .0 .0 .0 .0 .0 .0 102.0 PROGRAM MANAGEMENT .0 .0 .0 ٥. .0 ٠٥. .0 42.0 SECRETARY .0 .0 .0 .0 .0 .0 .0 TECHPURS 189.0 .0 .0 ٠. ٠,٥ .0 ٠٥ .0 ALL SERVICES 398.5 .0 .0 .0 .0 .0

Figure 2-70. Single Project Services Hours (2 of 4)

Average Weekly Services Hours by Phase

09/07/88 07:53:17 Project : EXAMPLE Code and System Acceptance Design Unit Test Test Test Cleanup Maintenarce OTHER SUPPORT 2.0 .0 .0 .0 .0 .0 PROGRAM MANAGEMENT 3.1 .0 .0 .0 .0 .0 SECRETARY 1.3 .0 .0 .0 .0 .0 TECHPUBS 5.7 .0 .0 .0 .0 .0 ALL SERVICES 12.1 .0 .0 .0 .0

Figure 2-70. Single Project Services Hours (3 of 4)

Services Hours Report (Detailed Meekly Hours)

| 09/07/88 | 07: | 53:46 | | | | | | | | | | Project | : EXAMP |
|-------------------|-------|------------------|----------|------------|------------------|----------|------------------|----------|----------|----------|------------|------------------|----------|
| | | 88- 01-02 | 88-01-09 | 88-01-16 | 88 -01-23 | 88-01-30 | 88-02-06 | 88-02-13 | 88-02-20 | 88-02-27 | 88 -03 -05 | 88-03-12 | 88-03-19 |
| THSUPP | | .0 | 2.5 | 4.0 | 4.0 | 8.0 | .0 | 2.0 | 3.0 | .0 | 6.0 | .0 | 4.0 |
| PROGNENT | | 6.0 | 6.0 | 3.0 | 2.0 | 6.0 | 2.0 | 4.0 | 2.0 | 4.0 | 4.0 | 8.0 | 9.0 |
| ECRTARY | | 2.0 | .5 | .0 | 2.5 | .0 | .0 | 1.0 | 3.0 | 2.0 | 3.0 | 2.0 | .0 |
| ECHPUBS | | 1.0 | .0 | .0 | .0 | .0 | 3.0 | .0 | .0 | .0 | 4.5 | 20.5 | 20.0 |
| otal | | 9.0 | 9.0 | 7.0 | 8.5 | 14.0 | 5.0 | 7.0 | 8.0 | 6.0 | 17.5 | 30.5 | 33.0 |
| noulative | Total | 9.0 | 18.0 | 25.0 | 33.5 | 47.5 | 52.5 | 59.5 | 67.5 | 73.5 | 91.0 | 121.5 | 154. |
| | | 88-03-26 | 88-04-02 | 88 -04 -09 | 88-04-16 | 88-04-23 | 88 -04 -30 | 88-05-07 | 88-05-14 | 88-05-21 | 88-05-28 | 88-06-04 | 88-06-1 |
| THSUPP | | .0 | .0 | .0 | .0 | .0 | 3.0 | 5.0 | 4.0 | 4.0 | .0 | .0 | 4. |
| ROGNENT | | 2.0 | 5.0 | .0 | 4.0 | 2.0 | 1.0 | 4.0 | 2.0 | 2.0 | 2.0 | 2.0 | 3. |
| ECRTARY | | 4.0 | 2.0 | .0 | 3.0 | .0 | .0 | 3.0 | .0 | 2.0 | 3.0 | .0 | 2. |
| ECHPUBS | | 3.5 | 28.5 | .0 | 9.5 | 5.0 | 3.5 | .0 | .0 | .0 | 1.0 | 7.0 | • |
| Total | | 9.5 | 35.5 | .0 | 16.5 | 7.0 | 7.5 | | | | | 9.0 | |
| Cumulative | Total | 164.0 | 199.5 | 199.5 | 216.0 | 223.0 | 230.5 | 242.5 | 248.5 | 256.5 | 262.5 | 271.5 | 290. |
| | | 88-06-18 | 88-06-25 | 88-07-02 | 88-07-09 | 88-07-16 | BB- 07-23 | 88-07-30 | 88-08-06 | 88-08-13 | 88-08-20 | 88-08- 27 | 88-09-0 |
| THSUPP | | 4.0 | .0 | 6.0 | 2.0 | .0 | | | | | | .0 | |
| PROGNENT | | 2.0 | 2.0 | 1.0 | 10.0 | 2.0 | | | | | | .0 | |
| SECRTARY | | 4.0 | .0 | .0 | | | | | | | | .0 | |
| rechpu b s | | 21.5 | 12.5 | 13.0 | 24.5 | 10.5 | .0 | .0 | .0 | .0 | .0 | .0 | • |
| otal | | 31.5 | 14.5 | | | | | | | | | .0 | |
| Cumulative | Total | 312.0 | 326.5 | 346.5 | 383.0 | 398.5 | 398.5 | 398.5 | 398.5 | 398.5 | 398.5 | 398.5 | 398. |
| | | Totals | | | | | | | | | | | |
| DTHSUPP | | 65.5 | | | | | | | | | | | |
| PROGNENT | | 102.0 | | | | | | | | | | | |
| SECRYARY | | 42.0 | 1 | | | | | | | | | | |
| TECHPUBS | | 189.0 | | | | | | | | | | | |
| Total | | 398.5 | | | | | | | | | | | |

Figure 2-70. Single Project Services Hours (4 of 4)

Possible Messages

Message: Not Available

Explanation: This will appear under the Average Weekly

Hours Column if there are no phase dates for the project. The average hours are calculated by dividing the total hours by the number of weeks since the project started. This number of weeks cannot be calculated if the phase

dates are not known.

Message: Phase dates are not available for xxxx

Explanation: This message will appear on the hours by phase

sections of the report (Option 2) if there are

no phase dates for this project.

2.4.2.3 Miscellaneous Reports

Miscellaneous reports are reports that contain data that are not specific to any project. Section 2.4.1.22 contains information on generating a miscellaneous report.

2.4.2.3.1 Miscellaneous Encoded Values Report

This report produces output detailing the personnel codes, computer codes, and encoded values stored in the database.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|--|-------------------------|
| 1 | Outputs a listing of all the per-
sonnel in the database, including
short names, long names, and codes | Figure 2-71
(Part 1) |
| 2 | Outputs a listing of all the computer names in the database, both the short and long names | Figure 2-71
(Part 2) |
| 3 | Outputs a listing of all the vali-
dation fields, the field's values,
and the field's codes | Figure 2-71
(Part 3) |

Encoded Values Report (Detailed Listing)

09/07/88 08:30:01

Report Type: Miscellaneous

Personnel Summary

| Form Name | Full Name | Internal | Date Entered |
|---------------------|--------------------------------|------------|--------------|
| | | Programmer | |
| | | 1d | |
| AAGRE | AMME AGRE | 545 | 06/01/88 |
| AFERNANDEZ | Al Fernandez | 581 | 09/02/88 |
| ALYUBOMIRSKY | ANATOLY LYUBONIRSKY | 548 | 06/14/88 |
| AMESKIN | AARON MESKIN | 168 | 01/04/88 |
| ATAD6 | ATAD6 ACCEPTANCE TEST (TCOPS) | 221 | 01/04/89 |
| ATAUBER | ANDREW TAUBER | 553 | 08/15/88 |
| ATDBMS | ATORNS ACCEPTANCE TEST (TCOPS) | · 380 | 01/04/88 |
| ATUI | ATUI ACCEPTANCE TEST (TCOPS) | 358 | 01/04/88 |
| ATUTEL | ATUTIL ACCEPTANCE TEST (TCOPS) | 225 | 01/04/88 |
| BALDRIDGE | BALDRIDGE | 425 | 01/04/88 |
| BANKS | BANKS | 15 | 01/04/88 |
| BCHN | BEN CHU | 445 | 01/04/88 |
| BEDWARDS | BETSY EDWARDS | 62 | 01/04/88 |
| BEROVEMAN | BRIAN GROVEMAN | 542 | 04/25/88 |
| BHUGHES | B HUGHES | 58 | 01/04/88 |
| BLANK | BLANK | 268 | 01/04/88 |
| | | | |

Figure 2-71. Miscellaneous Encoded Values (1 of 3)

Encoded Values Report (Detailed Listing)

09/07/88 08:37:04

Report Type: Miscellaneous

Computer Summary

| ***** | | | | |
|---------------------|----------------------|--|--|--|
| Computer Short Name | Computer Full Name | | | |
| 360-75 | IBM S/360 - 75 | | | |
| 360-7501 | IBM S/360 - 75 C1 | | | |
| 360-91 | IBM S/360 - 91 | | | |
| 360-95 | IBN 5/360 - 95 | | | |
| ANY360 | Any IBN 360 computer | | | |
| ANYPBP | Any DEC PDP computer | | | |
| IBN4341 | FDF IBN 4341 (F3) | | | |
| INT9086 | Intel 8086 Microproc | | | |
| LSIII | LSI-11/70 Microproc | | | |
| NAS8040 | FDF MAS 8040 (F1,F2) | | | |
| OTHER | Other computer | | | |
| PDP11 | STL PBP 11/70 | | | |
| TSO | Time Sharing Option | | | |
| VAX780 | STL VAX 11/780 | | | |
| VAX8600 | DSTL VAX 8600 | | | |

Figure 2-71. Miscellaneous Encoded Values (2 of 3)

Encoded Values Report (Detailed Listing)

| 09/07/88 | 08: 39: 05 | | Report Type: Miscellaneous |
|----------|------------|-------------------|----------------------------|
| | | Validation Fields | |

| Field where used | Value (Description) | Code |
|------------------|---|----------|
| ACTIVITY | Create Design | CREDES |
| ACTIVITY | Read/Review Code | ROREVCOD |
| ACTIVITY | Test Code Units | TSTCODUN |
| ACTIVITY | Debugging | DEBUG |
| ADA_FEATURE | Generics | GEN |
| ABA_FEATURE | Recursion | RECUR |
| AMA_FEATURE | System Dependent Features | SYSDEPF |
| ADA_FEATURE | Tasking | TASK |
| CH_TYPE | Improvement of User Services | IMPUS |
| CH_TYPE | Improvement of Clarity, Maintainability, or Documentation | EMPCH |
| CH_TYPE | Implementation of Requirements Change | IMPRE |
| CH_TYPE | Other Change Type | OTHCH |
| CON_TYPE | Include File | INCL |
| CON_TYPE | Assembly Language Component | ALC |
| CON_TYPE | Ada Package Body | ADAPACKB |
| CON_TYPE | Ada Task Body | ADATASKB |

Figure 2-71. Miscellaneous Encoded Values (3 of 3)

SECTION 3 - DATA ENTRY

3.1 INTRODUCTION

Data entry personnel are concerned with entering data into the database, updating existing data, deleting existing data, and performing quality assurance on the data. They also have access to the functions available to the general user as described in Section 2 and upload/download functions as described further in Section 3.7. In general, the following steps are followed when entering data into the SEL database:

- 1. Enter data into the database from data written on SEL forms.
- 2. Perform quality assurance on the data.
- 3. Correct or delete bad data.

These steps are executed by using the menu system. Operation of the various screens will be described in the following sections. Section 3.2 describes the process for inserting data into the database. Section 3.3 contains the procedures for updating existing data. Section 3.4 describes the procedures for deleting data. Section 3.5 explains the process for quality assuring data. Section 3.6 describes general database support functions. Section 3.7 describes the DAMSEL PC system.

3.2 INSERTING DATA

The data insertion screens are intended to be used for entering data from completed SEL forms into the database. An insert screen is shown in Figure 2-10. A sample insert session is shown in Appendix A.

The general procedure to be followed when inserting data is as follows:

1. Select option 1 (Form function) from the Main menu.

- Select option 2 (Insert new data) from the Form Functions menu.
- 3. When the Insert menu is displayed, select the option number associated with the type of data to be inserted.
- 4. Enter data into the appropriate fields, corresponding to the information written on the SEL form.

 Each field is validated after it is entered.
- 5. After all the data have been entered, press the <Commit> key to save the data to the database.
- 6. The user may exit from the insert screen at any point by pressing the <Exit/Cancel> key.

NOTE: Data not yet saved by the <Commit> key will not be saved to the database.

The keypad diagram shown in Figure 3-1 highlights the keys that are available for the insert screens. There are many keys used by each of the insert screens. These keys are listed and explained as follows. Keys that are specific to a given insert screen will be described in the section describing the individual insert screen.

General Keys

<Next Field>

This key allows the user to move from one field to the next. When the cursor is positioned on the last field on the screen, this key will cause the cursor to loop back to the first field on the screen.

<Previous Field>

This key allows the user to move from one field to the previous field. When the cursor is positioned on the first field on the screen, this key will move the cursor to the last field on the screen.




Figure 3-1. Insert Keypad

<Commit>

This key causes the data currently on the screen to be stored to the database. Additional validations are performed on the data at this time. If an error is found, the user will be notified, and the data will not be saved. See the list of General Messages below for additional information.

NOTE: It is good practice to press the <Next Field> key after the last field is entered before pressing the <Commit> key. This ensures that the field is validated before an attempt is made to save the data to the database. The fields are validated during execution of the <Commit> key, but the validation is much quicker when performed with the <Next Field> key.

<Clear Block>

This key will clear the entire screen in preparation for entering a new form.

NOTE: Any data on the screen when this key is pressed will not be saved in the database.

<Clear Field>

This key will clear the field where the cursor is currently positioned. The first time this key is pressed, any data after the cursor are erased. The second time this key is pressed, the entire field is cleared.

<Exit/Cancel>

This key exits from the screen and returns to the Insert menu.

NOTE: Any data on the screen when this key is pressed will not be saved in the database.

<List Field Values>

This key will cause all the values that are valid for the current field to be displayed. The values are displayed one at a time. A message is displayed instructing the user how to move through the list of values and select a value. This key is only available on certain fields on each screen. These specific field names will be listed in the section that describes the particular screen.

General Messages

A number of messages may be displayed while the insert screens are run. Messages without a solution are informational. The messages that may be displayed while the data are inserted are listed below. Messages that are specific to a given screen are described in the section associated with that screen.

Message: Field must be entered

Cause: A mandatory field was not entered.

<u>Solution</u>: Enter a value for this field. If you are unsure of a value, use the <List Field Values> key if available for the field, or exit from the screen

if you are unable to continue.

Message: Do you want to commit the change you have made? Y

Cause: This message is displayed if the user presses the <Clear Block> or <Exit/Cancel> key after an error occurred while trying the save the information to the database.

<u>Solution</u>: The user should always respond No to this question. This requires typing an N over the Y that is currently displayed and pressing the <Next Field> key.

Message: Transaction completed -- x records processed

<u>Cause</u>: Data have been successfully stored in the database after the user pressed the <Commit> key.

Message: Press RETURN to retrieve next value, PF4 to stop

<u>Cause</u>: This message appears while using the <List Field Values> key.

Solution: Do as the message suggests. If the value you want is currently displayed, press the <Exit/Cancel> key; otherwise, press the <Next Field> key to display the next valid value.

Message: Last value retrieved

Cause: This message is displayed while using the <List Field Values> key. There are no more values to be displayed.

<u>Solution</u>: To see the values again, press the <List Field Values> key again.

Message: Unrecognized command

Cause: The user has pressed an invalid key.

Solution: This key does not have any effect on this screen. Simply select one of the keys described above.

Message: Form was NOT inserted

Cause: This message appears after the user has pressed the <Clear Block> key. The message reminds the user that the data that were on the screen before it was cleared were not saved.

<u>Solution</u>: To save the data, reenter it, and press the <Commit> key.

Message: Project name not in database. Please reenter

<u>Cause</u>: The user entered a project name that does not exist in the database.

Solution: The cursor will be positioned on the project name field. The user can either press the <Exit/Cancel> key to return to the menu or enter another project name. A new project name can be entered over the current name, or the current name may be blanked out with the <Clear Field> key and the new name entered.

Message: Date format is DD-MON-YY

Cause: An invalid date format was entered.

Solution: Reenter the date using the 'DD-MON-YY' format.

Message: Form number already exists. Please reenter

<u>Cause</u>: A form with this number has already been entered in the database.

Solution: Verify that the correct form number was typed in.
The cursor will be positioned on the form number field. To retype the form number either type over the current form number, or use the <Clear Field> key to clear the field and enter another number.

Message: Programmer name not in database. Please reenter

<u>Cause</u>: The user has entered a programmer name that does not exist in the database.

Solution: Verify that the name was typed in as it appears on the form. The name should consist of a first initial and a last name. A maximum of 15 characters can be entered. If the name was typed in as it appears on the form and it still cannot be found in the database, contact the DBA. It is possible that the name was not spelled correctly on the form, or the writing was not legible. Another possibility is that the name is a new programmer's name and has not yet been added to the database.

Each of the following sections describes a different insert screen. The screen-specific keys that can be used in each screen are listed along with the action they cause. Required fields are listed. Screen-specific error and information messages will be discussed, along with the appropriate responses to them.

3.2.1 SUBSYSTEM INSERT

The data should be entered using a SEL SIF. To select this screen,

- Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 1 (Subsystem data).

Figure 2-7 shows the Subsystem screen as it appears on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date
- Prefix
- Name

Keys

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following are additional keys that may be used for this screen:

<Next Record>

This key allows the user to scroll down to enter additional subsystem information. If the cursor is at the last line of the page, this key will scroll some of the current entries off the top of the page to allow the user to enter additional lines of subsystem information.

<Pre><Previous Record>

This key allows the user to scroll up to see previous subsystem information that has scrolled off the page.

<List Field Values>

This key is available on

Project Name Function

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Message: Prefix already exists in database for this project. Please reenter

<u>Cause</u>: A subsystem prefix was entered that already exists in the database for this project.

Solution: Verify that the user has typed in the subsystem prefix as it appears on the form. If the prefix is correct, the user should verify that the correct information exists in the database for this subsystem. To do this, the user should exit from this screen and get into the subsystem view screen. If the information that is displayed in the view for this subsystem does not match the information on the form, he/she should notify the DBA.

Message: Invalid subsystem function. Use <Esc-v> to display
valid options

Cause: An invalid "Function" field value was entered.

Solution: Use the <List Field Values> key to select a valid value. If the user is unsure of a value, contact the DBA.

3.2.2 COMPONENT ORIGINATION FORM INSERT

The data should be entered from a SEL COF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 2 (COF data).

Figure 2-8 shows the COF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Form Number
- Project Name

- Subsystem Prefix
- Component Name

Keys

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following are additional keys that may be used for this screen:

<Next Page>

This key is used to move between pages of the COF insert screen. The COF screen has two pages. The <Next Page> key causes paging in a circular motion. The first time the second page is displayed. From the second screen, the key brings up the

first screen.

<List Field Values>

This key is available on Project Name Origin

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Message: COF form number starts with a C. Please reenter

The user entered a character other than C as the first Cause: character for the COF form number.

Solution: Enter C as the first character for COF form number.

Message: The X position should be a numeric digit. Please reenter

Cause: The user entered non-numeric digits in the X position of the COF form number.

Solution: Enter numeric digits for the second to sixth positions of the form number.

Message: Subsystem prefix not found for this project.
Please reenter

<u>Cause</u>: This subsystem does not exist in the database for this project.

Solution: Verify that the subsystem prefix was typed correctly. If so, this may mean that the subsystem prefix has not been stored in the database yet. Contact the DBA. If the subsystem prefix was entered incorrectly, retype it. The cursor will be positioned on the subsystem prefix field. Either type over the current subsystem name, or use the <Clear Field> key to clear the field and then enter another subsystem prefix.

<u>Message</u>: Component already exists for this subsystem. Please reenter

<u>Cause</u>: The user entered a component name that already exists in the database with the same subsystem prefix and project name.

Solution: Verify that the component name was typed in as it appears on the form. If the component name was typed in correctly, a COF was probably already stored for this component. The user should verify that the information that exists in the database for this component corresponds to the information on the form. To do this, the user should exit from this screen and select the COF view screen. If the information that is displayed in the view for this component does not match the information on the form, notify the DBA.

Message: Must be in range 1 to 5

<u>Cause</u>: The user has entered a number greater than 5 or less than 1 in the "Relative Difficulty" field.

Solution: Enter a number between 1 and 5.

Message: Invalid character. Please enter X or blank

Cause: The user entered a character other than an X or a blank in either the "Type of component" field or the "Purpose" field.

<u>Solution</u>: Enter an X next to the appropriate selection or use the <Clear Field> key to blank out the field.

Message: Mandatory fields must be entered before going to
 next page

<u>Cause</u>: The user pressed the <Next Page> key to go to the second page before entering all the mandatory fields.

Solution: See the Mandatory Fields section above for a list of mandatory fields. Fill in these fields before pressing the <Next Page> key to move to the second page.

<u>Cause</u>: The user entered an invalid value in one of the "Origin Type" fields.

Solution: Check the value that was entered for typographical errors and reenter if necessary. If the correct value is not known, use the <List Field Values> key to see a list of valid values, and select the appropriate one. If the value was entered by mistake and the field should be blank, use the <Clear Field> key to clear the field.

3.2.3 CHANGE REPORT FORM INSERT

The data should be entered using a SEL CRF. To select this screen,

- Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 3 (CRF data).

Figure 2-9 shows the CRF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains

an explanation of running an insert screen. The mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date
- Programmer
- Form Number
- At least one subsystem/component name

Keys

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following is an additional key that may be used for this screen:

<Next Page>

This key moves to the next sequential page of the CRF. When the cursor is on page 4, it moves back to page 1.

<Next Record>

This key may be used to scroll through the subsystem prefix component names associated with the current CRF. This key is only active on the component page. It will move the cursor from the current subsystem/component entry to the subsystem field below the current entry.

<Pre><Previous Record>

This key may be used to scroll to a previous subsystem prefix/component name associated with the current CRF. This key is only active on the component page. It will move the cursor from the current subsystem/component entry to the subsystem field above the current entry.

<Delete Components>

This key deletes all the components associated with this CRF. The key is only available on the component name page. It is useful when it is necessary to delete all the components at once.

<Create Record>

This key creates a new space for a subsystem/component name to be entered. This allows the user to enter a new component without having to scroll through all the components first.

<Delete Record>

This key deletes the subsystem/
component name combination from the
line on which the cursor is positioned.

<Clear Record>

This key also deletes the subsystem/ component name combination from the line on which the cursor is positioned.

<List Field Values>

This key is available on

Project name
Effort to isolate the change
Effort to implement the change
Type of change
If so, which feature(s) were
involved?

Enter the statement that is most true Which, if any, tools aided in the detection and correction of this error?

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Message: Must delete the component names before changing the project name

<u>Cause:</u> The user attempted to change the project name associated with the current CRF. This is not allowed until all the component names associated with the

form have been deleted first because component names are associated with specific projects; therefore, if the project name on the form is changed, the component names will need to be changed, too.

Solution: If it is necessary to change the project name, first position the cursor on the first subsystem prefix in the scrolling area and press the <Clear Field> key. Then use the <Next Field> key to move to the next subsystem field in that scrolling area, and delete that Subsystem/component. Finally, use the <Next Record> key to scroll down, and verify that all the component names have been deleted. Now the project name can be changed.

Message: ERROR--The component name field is blank

Cause: User pressed <Commit> key or <Next Record> or <Pre-vious Record> keys, but the component name field was blank for a nonblank subsystem prefix.

Solution: The cursor will be positioned on the blank component name. Either enter a valid component name, or use the <Delete Record> key to delete the record.

Message: Must be on the component page to scroll

<u>Cause</u>: The user pressed the <Next Record> or <Previous Record> key but was not positioned on the component page.

Solution: Answer Y to the Component Question field on page 1 to move the cursor to the component page.

Message: Duplicate component name please delete

<u>Cause</u>: The user entered a duplicate component name, then tried to commit.

<u>Solution</u>: The cursor will be positioned on the duplicated component name. Delete the duplicate component using the <Delete Record> key.

Message: Invalid subsystem prefix

Cause: The user entered an invalid subsystem prefix.

Solution: Enter a valid subsystem prefix, or use the <Delete

Record> key to delete the subsystem.

Message: Invalid subsystem/component combination

Cause: The user entered a subsystem/component name combina-

tion that is not valid for this project.

Solution: Enter a valid subsystem/component name combination

or use <Delete Record> to delete this subsystem/

component name.

Message: Backspace not allowed. Use <Previous Record> to

get to the previous component

<u>Cause</u>: The user attempted to use the <Previous Field> key

from the subsystem prefix field. This is not avail-

able.

Solution: Use the <Previous Record> key to go to the pre-

vious subsystem field.

Message: Invalid component

<u>Cause</u>: The user entered an invalid component name for the

current subsystem prefix and project name.

Solution: Enter a valid component name, or use <Delete

Record> to delete the subsystem prefix/component

name combination.

Message: Use <Next Record> to move to the next subsystem/

component name

Cause: The user attempted to use the <Next Field> key from

the component name field. This is not available.

Solution: Use the <Next Record> key to move to the next

subsystem prefix field.

Message: CRF form number starts with M. Please reenter

<u>Cause</u>: The user entered a character other than M as the first character for the CRF form number..

Solution: Enter M as the first character for CRF form number.

Message: The X position should be a numeric digit. Please reenter

Cause: The user entered non-numeric digits in the X position of the CRF form number.

<u>Solution</u>: Enter numeric digits for the second to sixth positions of the form number.

Message: No previous component names to be displayed

<u>Cause</u>: The user pressed the <Previous Record> key in an attempt to scroll before the first component name. This means that the first component name is being displayed.

<u>Solution</u>: To view additional components for this subsystem, the user may attempt to scroll down by using the <Next Record> key.

Message: Invalid subsystem prefix

<u>Cause</u>: The user entered an invalid subsystem prefix.

Solution: Enter a valid subsystem prefix, or use the <Delete Record> key to delete the subsystem.

<u>Message</u>: This is not a valid component for this project

<u>Cause</u>: The user entered an invalid component name for the current subsystem prefix and project name entered.

Solution: Enter a valid component name, or use <Delete Record> to delete the subsystem prefix/component name combination.

Solution: See the General Keys list in Section 3.2 for an explanation of the <List Field Values> key.

Message: Please enter an N or a Y or a blank

Cause: The user entered a value other than a Y or an N or a blank in either the "Effects of change", "Ada contributed?", or "Documentation okay?" fields.

Solution: The user should enter a Y or an N, if appropriate, or use the <Clear Field> key to blank out the field.

Message: Must be on the first page to scroll through component names

Cause: The user pressed the <Next Record> or <Previous Record> key to scroll through the component names while the cursor was positioned on the second or third page.

Solution: To scroll through the component names, use the <Next Page> key to page to the first page, then use the <Next Record> or <Previous Record> keys to scroll through the names.

Message: Please enter a Y or an N

<u>Cause</u>: The user entered a value other than a Y or an N in the "Error Characteristics" field.

Solution: The user should enter a Y or an N if appropriate.

Message: Invalid Ada feature, use <Listval> to see a list
 of the valid features

Cause: The user entered an Ada feature that does not correspond to any of the Ada feature codes stored in the database.

Solution: Use the <List Field Values> key to scroll through a list of the valid values for the Ada feature fields.

Message: Cannot enter a value in this field if change type
 is not ERRCO (see p.1)

Cause: The user entered a value in a field that applies only to error correction changes, but the change type field on page 1 was not entered as the error correction code (ERRCO).

Solution: Examine the CRF. If the programmer did not check change type of error correction but did fill in the error information in Section 3 of the CRF, there is a discrepancy. Contact the DBA to find out if the change should be an error correction or not. To change the change type field value, clear the current error field, and move the cursor back to the change type field.

Message: A(n) xxxxx must be specified for an error correction change

Cause: The user did not enter a value (specified in place of the xxx) that is necessary for a change that is an error correction (ERRCO). The change type field appears on page 1.

Solution: Examine the CRF. Verify that all the fields on the screen were entered as specified by the CRF. If a required error information field is missing, contact the DBA.

Message: Invalid character. Please enter X or blank

Cause: The user entered a character other than an X or a blank in either the "Source of error" or the "Error resources" field.

Solution: Enter an X next to the appropriate selection, or use the <Clear Field> key to blank out the field.

Message: This field cannot be entered unless Ada contributed to the change

Cause: The user entered a value in a field that applies only to changes involving Ada but answered N to the question of whether Ada contributed to the change.

Solution: Examine the CRF. If the form notes that Ada did contribute to the change, all the Ada-related fields should be filled in. If the form states that Ada did not contribute to the change, none of the Ada-related fields should be filled in. If there is a discrepancy, contact the DBA.

Message: Invalid tool name, use <Listval> to see a list of
 the valid tool names

<u>Cause</u>: The user entered a tool name that does not correspond to any of the tool codes in the database.

Solution: Use the <List Field Values> key to scroll through a list of valid tool names, and select one of these.

Message: Invalid cause of Ada error, use <Listval> to see a
list of the valid values

Cause: The user entered an Ada error cause name that does not correspond to any of the Ada error cause codes in the data base.

<u>Solution</u>: Use the <List Field Values> key to scroll through a list of valid Ada error cause names, and select one of these.

Message: Must enter at least one component name

<u>Cause</u>: The user tried to save a CRF to the data base without entering any component names in the component names fields.

Solution: Enter the component names that appear on the CRF. At least one component name must appear on a CRF. If not, then contact the DBA to find the name of the component(s) that were changed.

Message: Please enter an X

Cause: The user entered a character other than an X in one of the "Class of Error" fields.

<u>Solution</u>: Use the <Clear Field> key to blank out the invalid character; then enter an X next to the appropriate error class.

Message: An Ada error cause statement must be entered

Cause: The user did not enter a value in the "Cause of Ada error" field when the change was an error correction and Ada contributed to the change.

Solution: Enter a valid cause of Ada error value into the field as specified on the current CRF. If no value is specified for this field on the form, contact the DBA.

Message: At least one Ada resource must be entered

<u>Cause</u>: The user did not enter a value in the "Ada Resources" field when Ada contributed to the change.

Solution: Enter a valid Ada resource value into the field as specified on the current CRF. If no value is specified for this field on the form, contact the DBA.

Message: At least one Ada tool must be entered

Cause: The user did not enter a value in the "Ada tool" field when Ada contributed to the change.

Solution: Enter a valid error tool value into the field as specified on the current CRF. If no value is specified for this field on the form, contact the DBA.

Message: An Ada error documentation field must be entered

<u>Cause</u>: The user did not enter a value in the "Ada error documentation" field when the change was an error correction and Ada contributed to the change.

Solution: Enter a valid Ada error documentation value into the field as specified on the current CRF. If no value is specified for this field on the form, contact the DBA.

Message: At least one Ada feature must be entered

<u>Cause</u>: The user did not enter a value in the "Ada feature" field when Ada contributed to the change.

Solution: Enter a valid Ada feature value into the field as specified on the current CRF. If no value is specified for this field on the form, contact the DBA.

Message: The xxxx field cannot be entered unless Ada and error

Cause: The user tried to enter a value in the specified field when the change was not an error correction and/or Ada did not contribute to the change.

Solution: If the field is specified on the current CRF but the change was not an error correction and Ada did not contribute to the change, contact the DBA to resolve the discrepancy.

3.2.4 PERSONNEL RESOURCES FORM INSERT

The data should be entered using a SEL PRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 4 (PRF data).

Figure 2-10 shows the PRF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, fields that are redisplayed after a form is inserted and the screen is cleared, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date (Friday)
- Programmer
- Form Number

Redisplayed Fields

The following fields are redisplayed after the <Clear Block> key has been pressed.

- Project Name
- Date (Friday)

<u>Keys</u>

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following is an additional key that may be used for this screen:

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Message: PRF form number starts with a P. Please reenter

<u>Cause</u>: The user entered a character other than P as the first character for the PRF form number.

Solution: Enter P as the first character for PRF form number.

Message: The X position should be a numeric digit. Please
reenter

<u>Cause</u>: The user entered non-numeric digits in the X position of the PRF form number.

Solution: Enter numeric digits for the second to sixth positions of the form number.

Message: Must be in range of 0 to 80

<u>Cause</u>: A number less than 0 or greater than 80 was entered in the hours column.

Solution: Check the number on the form. If this number is greater than 80 or less than 0, check with the DBA; otherwise, reenter the hours as they appear on the form.

Message: A form with the same project, submission date and programmer already exists

Cause: A form with the same project name, submission date, and programmer name already exists in the database. Only one form is allowed to be entered for a given programmer and project for each week.

Solution: Verify that the correct project, date, and programmer name was typed in. If so and a duplicate still exists, this may mean that the form has already been entered. Notify the DBA of the duplicate PRF information for the given week date.

Message: Invalid Friday date; please reenter

Cause: The user entered a date that is not a Friday date.

Solution: Verify that the date was typed in as it appears on the form and that the date is a Friday. If the date is not a Friday, the form must be returned.

Message: Project name has to be entered

Cause: A value of NULL was entered for the project name.

Solution: Enter a valid project name.

Message: Form date has to be entered

Cause: A value of NULL was entered for the date.

Solution: Enter a valid date.

Message: Programmer has to be entered

<u>Cause</u>: A value of NULL was entered for the programmer.

Solution: Enter a valid programmer.

3.2.5 SERVICES/PRODUCTS FORM INSERT

The data should be entered using a SEL SPF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 5 (SPF data).

Figure 2-11 shows the SPF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, fields that are redisplayed after a form is inserted and the screen is cleared, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Form Number
- Project Name
- Date (Friday)

Redisplayed Fields

The following fields are redisplayed after the <Clear Block> key has been pressed:

- Project Name
- Date (Friday)

Keys

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following is an additional key that may be used for this screen:

<u>Messages</u>

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Message: SPF form number starts with S. Please reenter

<u>Cause</u>: The user entered a character other than S as the first character for the SPF form number.

Solution: Enter S as the first character for SPF form number.

Message: The X position should be a numeric digit. Please reenter

<u>Cause</u>: The user entered non-numeric digits in the X position of the SPF form number.

<u>Solution</u>: Enter numeric digits for the second to sixth positions of the form number.

Message: SPF already exists for this project and sub date.
Please reenter

<u>Cause</u>: An SPF with the same project name and submission date already exists in the database. Only one form is allowed to be entered for a given project each week.

Solution: Verify that the correct project and date were typed in. If so, this form may have already been entered. Notify the DBA of possible duplicate SPF information for the given week date.

Message: Must be in the range of 0.0 to 999.9

Cause: A number less than 0.0 or greater than 999.9 was entered in the hours column for service personnel. There should not be any hours out of this range charged for service personnel during a given week.

Solution: Verify that the number entered corresponds to the number on the form. If not, reenter the number.

If the number on the form is greater than 999.9 or less than 0.0, verify the number with the DBA.

Message: Computer name not in database

Cause: The computer name must be entered in a coded format.

<u>Solution</u>: Use the <List Field Values> key to see the available computer names.

Message: Must be in the range of 0.0 to 99999999.9

<u>Cause</u>: A number less than 0.0 or greater than 99999999.9 was entered in the computer hours column. There should not be any hours out of this range logged to a computer during a given week.

Solution: Verify that the number entered corresponds to the number on the form. If not, reenter the number. If the number on the form is greater than 9999999.9 or less than 0.0, verify the number with the DBA.

Message: Submission date is not a Friday. Please reenter

Cause: The user entered a date that is not a Friday date.

Solution: Verify that the date was typed in as it appears on the form and that it was a Friday date. If it was not a Friday date, the form must be returned.

3.2.6 PROJECT ESTIMATES FORM INSERT

The data should be entered using a SEL PEF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 6 (PEF data).

Figure 2-12 shows the PEF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Form Number
- Form Date (dd-mmm-yy)
- Project End

<u>Keys</u>

Refer to Section 3.2 for a list of keys that are available on all insert screens.

Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project Name.

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen.

Message: Must be in the range of 0.0 to 99999999.9

<u>Cause</u>: A number less than 0.0 or greater than 99999999.9 was entered in the staff hours column. No hours out of this range should be estimated for staff hours for a given project.

Solution: Verify that the number entered corresponds to the number on the form. If not, reenter the number. If the number on the form is greater than 9999999.9 or less than 0.0, verify the number with the DBA.

Message: PEF form number starts with an E. Please reenter

<u>Cause</u>: The user entered a character other than E as the first character for the PEF form number..

Solution: Enter E as the first character for PEF form number.

Message: The X position should be a numeric digit. Please
 reenter

<u>Cause</u>: The user entered non-numeric digits in the X position of the PEF form number.

Solution: Enter numeric digits for the second to sixth positions of the form number.

Message: A PEF already exists for this project and form date. Record cannot be saved

Cause: A PEF with the same project name and form date already exists in the database. Only one form is allowed to be entered for a given project with a given submission date.

Solution: Verify that the correct project and date were typed in. If they were typed in as they appear on the form and a duplicate still exists, this may mean that this form has already been entered in the database. Notify the DBA of possible duplicate PEF information for the given submission date.

Message: Date is not a Saturday. Please reenter

Cause: The user entered a phase date that is not a Saturday date.

Solution: Verify that the date was typed in as it appears on the form and that it was a Saturday date. If it was not a Saturday date, the form must be returned.

3.2.7 SUBJECTIVE EVALUATION FORM INSERT

The data should be entered using a SEL SEF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 7 (SEF data).

Figure 2-13 shows the SEF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory field, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Form Number

Keys

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project Name.

<u>Messages</u>

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Message: SEF already exists for this project

<u>Cause</u>: The user entered a project name that already has an SEF entered.

Solution: Enter a new project name if project name was entered incorrectly. Notify DBA if this is a duplicate form.

Message: Enter a value from 1 to 5

<u>Cause</u>: The user entered an evaluation that was less than the minimum range or greater than the maximum range.

Solution: Reenter a value that is between 1 and 5 inclusive, or leave the evaluation null.

Message: Enter either an X or null

<u>Cause</u>: The user entered an incorrect key to indicate that this tool was used.

Solution: Enter an X to indicate the tool was used, or leave this evaluation as a null field.

3.2.8 PROJECT COMPLETION STATISTICS FORM INSERT

The data should be entered using a SEL PCSF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 8 (PCSF data).

Figure 2-14 shows the PCSF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Form Number
- Project Name
- Date

<u>Keys</u>

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following are additional keys that may be used for this screen:

<List Field Values>

This key is available on

Project Name Computer

<Next Page>

This key is used to move between pages of the PCSF insert screen. The PCSF screen has two pages. The <Next Page> key causes paging in a circular motion. The first time the second page is displayed. From the second screen, the key brings up the first screen.

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Message: Must be in the range 0 to ...

<u>Cause</u>: A number less than 0 was entered in one of the columns for which a positive numeric value is expected.

Solution: Verify that the number entered corresponds to the number on the form. If not, reenter the number. If the number on the form is less than 0, verify the number with the DBA.

Message: Date is not a Saturday. Please reenter

<u>Cause</u>: The user entered a phase date that is not a Saturday date.

Solution: Verify that the date was typed in as it appears on the form and that it was a Saturday date. If it was not a Saturday date, the form must be returned.

Message: A PCSF already exists for this project. Please reenter

Cause: A PCSF with the same project name already exists in the database. Only one form is allowed to be entered for a given project.

Solution: Verify that the correct project was typed in. If it was typed as it appears on the form and a duplicate still exists, this may mean that this form has already been entered in the database.

Notify the DBA of possible duplicate PCSF information.

Message: Computer name not in database

Cause: The computer name must be entered in a coded format.

<u>Solution</u>: Use the <List Field Values> key to see the available computer names.

Message: PCSF form number starts with A. Please reenter

<u>Cause</u>: The user entered a character other than A as the first character for the PCSF form number.

<u>Solution</u>: Enter A as the first character for PCSF form number.

Message: The X position should be a numeric digit. Please reenter

<u>Cause</u>: The user entered non-numeric digits in the position of the PCSF form number.

Solution: Enter numeric digits for the second to sixth positions of the form number.

3.2.9 COMPONENT STATISTICS INSERT

The data are extracted from a <Project Name>.INS file that contains the results of the component statistics combiner project closeout tool. The file should be in the format listed in Table 3-1. To select the Component Statistics insert screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 9 (Component Statistics data).

Table 3-1. INS File Format

| Byte
<u>Position</u> | Contents |
|-------------------------|---------------------------------|
| 2-8 | Component number |
| 10-19 | Component source lines |
| 21-30 | Component comment lines |
| 32-41 | Component executable statements |
| 43-52 | Component statements |
| 54-63 | Final origin of component |

Figure 2-20 shows the Component Statistics screen as it will appear on the terminal screen. Note that currently only a component statistics screen for the insert operation exists. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, screenspecific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- ORACLE password

<u>Keys</u>

Refer to Section 3.2 for a list of keys that are available on all insert screens.

Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project Name.

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen.

Message: Cannot create an error file

<u>Cause</u>: This means that an error file cannot be created in the user-specified directory.

<u>Solution</u>: Press <Exit/Cancel> to exit and contact the system maintenance personnel.

Message: SQLLOAD host command error

Cause: This means that an error occurs during execution of the SQLLoader software, and this message should not normally be issued.

<u>Solution</u>: Press <Exit/Cancel> to exit and contact the system maintenance personnel.

Message: Lock table COM_STAT error

<u>Cause</u>: This may be caused when the COM_STAT table is locked by another user or other resource.

Solution: Try the operation again later. If the problem persists, contact the system maintenance personnel.

Message: Error during insertion

Cause: An error occurs during data insertion into the

COM_STAT table.

Solution: Press <Exit/Cancel> to exit and contact the system

maintenance personnel.

3.2.10 CLEANROOM PERSONNEL RESOURCES FORM INSERT

The data should be entered using a SEL Cleanroom PRF. To select this screen,

- Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- Enter option number 10 (Cleanroom PRF data).

Figure 2-15 shows the Cleanroom PRF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, fields that are redisplayed after a form is inserted or the screen is cleared, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date (Friday)
- Programmer
- Form Number

Redisplayed Fields

The following fields are redisplayed after the <Clear Block> key has been pressed or after a form has been inserted into the database:

- Project Name
- Date (Friday)

<u>Keys</u>

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following is an additional Rey that may be used for this screen:

<List Field Values> This key is available on Programmer.

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen.

Message: Invalid FRIDAY date. Please reenter

Cause: The date that was entered is not a valid Friday date.

Solution: Verify that the correct Friday date was entered. The cursor will remain positioned on the date field. To reenter the date, the user may type over the current date or use the <Clear Field> key to clear the field before entering a new date.

Message: Date must be entered

Cause: Either the user pressed the <Next Field> or <Previous Field> key from the Date Field before entering a date or the user pressed the <Commit> key when the date field was blank.

Solution: The Date field must be entered. Enter a valid date.

Message: Programmer must be entered

Cause: Either the user pressed the <Next Field> or <Previous Field> key from the Programmer field before entering a programmer name or the user pressed the <Commit> key when the Programmer field was blank.

Solution: The Programmer field must be entered. Enter a valid programmer name.

Message: Form number must be entered

<u>Cause</u>: Either the user pressed the <Next Field> or <Previous Field> key from the Form Number field before entering a form number or the user pressed the <Commit> key when the Form Number field was blank.

Solution: The form number field must be entered. Enter a valid form number.

Cause: The form number entered does not begin with an 'R'.

Solution: Verify that the form number was typed as it appears on the form. It should begin with an 'R' followed by five numeric digits. Reenter the correct form number.

Message: The second position should be a numeric digit.
Please reenter

(NOTE: This message may appear for the third, fourth, fifth, or sixth position of the form number.)

<u>Cause</u>: The form number entered does not contain a numeric digit in the second position.

Solution: Verify that the form number was typed as it appears on the form. It should begin with an 'R' followed by five numeric digits. Reenter the correct form number.

Message: A form with the same project, date, and programmer
already exists

Cause: A form with the same project, submission date, and programmer name already exists in the database. Only one form is allowed to be entered for a given programmer and project for each week.

Solution: Verify that the correct project, date, and programmer name were typed in. If so and a duplicate still exists, this may mean that the form has already been entered. Notify the DBA of the duplicate Cleanroom PRF information for the given week date.

Message: Must be in range 0 to 80

<u>Cause</u>: A number less than 0 or greater than 80 was entered in an hours column.

Solution: Check the number on the form. If the number is greater than 80 or less than 0, check with the DBA. Otherwise, reenter the hours as they appear on the form.

3.2.11 WEEKLY MAINTENANCE EFFORT FORM INSERT

The data should be entered using a SEL WMEF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option number 11 (WMEF data).

Figure 2-16 shows the WMEF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, fields that are redisplayed after a form is entered and the screen is cleared, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date (Friday)
- Programmer
- Form Number

Redisplayed Fields

The following keys are redisplayed after the <Clear Block> key has been pressed or after a form has been inserted into the database:

- Project Name
- Date (Friday)

<u>Keys</u>

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project
Name.

Messages

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Message: Invalid FRIDAY date. Please reenter

Cause: The date that was entered is not a valid Friday date.

Solution: Verify that the correct Friday date was entered. The cursor will remain positioned on the date field. To reenter the date, the user may type over the current date or use the <Clear Field> key to clear the field before entering a new date.

Message: Project name must be entered

Cause: The cursor was on the Project name field. The user pressed the <Next Field> key before entering a project name.

<u>Solution</u>: The Project name must be entered. Enter a valid project name.

Message: Please enter a date

<u>Cause</u>: The cursor was on the Date field. The user pressed the <Next Field> key before entering a date.

Solution: If viewing a form by the project-date-programmer specification, all three of these fields must be entered. Enter a valid Friday date.

Message: Please enter a programmer

<u>Cause</u>: The cursor was on the Programmer field. The user pressed the <Next Field> key before entering a programmer name.

Solution: If viewing a form by the project-date-programmer specification, all three fields must be entered. Enter a valid programmer name.

Message: A form with the same project, date, and programmer already exists

Cause: A form with the same project, submission date, and programmer name already exists in the database. Only one form is allowed to be entered for a given programmer and project for each week.

3-42

Solution: Verify that the correct project, date, and programmer name were typed in. If so and a duplicate still exists, this may mean that the form has already been entered. Notify the DBA of the duplicate WMEF information for the given week date.

Message: Must be in range 0 to 80

<u>Cause</u>: A number less than 0 or greater than 80 was entered in an hours column.

Solution: Check the number of the form. If the number is greater than 80 or less than 0, check with the DBA. Otherwise, reenter the hours as they appear on the form.

3.2.12 MAINTENANCE CHANGE REPORT FORM INSERT

The data should be entered using a SEL MCRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option number 12 (MCRF data).

Figure 2-17 shows the MCRF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, fields that are redisplayed after a form is inserted and the screen is cleared, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Form Number
- Form Name
- OSMR Number
- Project Name

- Change Characterization
- Submission Date
- Type of Modification
- Cause of Change
- Time of Isolate Problem
- Time to Complete Change

Redisplayed Fields

No fields are redisplayed after the <Clear Block> key has been pressed.

<u>Keys</u>

Refer to Section 3.2 for a list of keys that are available on all insert screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on the Project
Name.

Messages

Message: At least one changed object must be selected

<u>Cause</u>: The user did not select any of the six possible change objects.

Solution: Place an X beside any of the six change objects, clear the block, or exit the form.

Message: At least one entry must appear under lines of code added, changed, or deleted

<u>Cause</u>: The user did not make any entries on the "Number of Lines of Code:" line.

Solution: Enter at least one value under any of the three possible lines of code values (added, changed, or deleted), clear the block, or exit the form.

<u>Message</u>: At least one entry must appear under components added, changed, or deleted

Cause: The user did not make any entries on the."Number of Components:" line.

<u>Solution</u>: Enter at least one value under any of the three possible number of component values (added, changed, or deleted), clear the block, or exit the form.

Cause: The user entered a value under "Number of Components: Added," and the sum of all entries on the "Number of Added Components:" line do not equal the number of components added.

Solution: Check to ensure the numbers were correctly entered; if values still do not add up, return the form to the originator for correction.

Message: Entry must be between 1 and X; please reenter

<u>Cause</u>: The user entered a value out of the valid range for the current field.

<u>Solution</u>: Enter a value between 1 and the value specified by the X.

Message: Entry must be X or null; please reenter

<u>Cause</u>: The user entered an invalid value when trying to select or bypassed one of the six changed object fields.

Solution: Blank out the current field by entering a space or using the <Clear Field> key. Enter <Next Field> to bypass the current object or enter an X to indicate the object was changed.

3.2.13 DEVELOPMENT STATUS FORM INSERT

The data should be entered using a SEL DSF. Unlike other SEL forms, the DSF is inserted into the DAMSEL PC system residing on the SEL task PC. Section 3.7 provides information on the DAMSEL PC menuing system. To select this screen,

- Perform steps 1 and 2 of Section 3.2 to display the Insert menu.
- 2. Enter option 1 (DSF data).

Figure 2-18 shows the DSF screen as it will appear on the terminal screen. Section 3.2, steps 4 through 6, contains an explanation of running an insert screen. The mandatory fields, fields that are redisplayed after a form is inserted and the screen is cleared, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Programmer
- Project Name
- Date (Friday)
- Changes (Y or N)

Redisplayed Fields

The following field is redisplayed after the <Clear Block> key has been pressed:

• Date (Friday)

Keys

Refer to Sections 3.2 and 3.7.1 for a list of keys that are available on all insert screens and corresponding keys in the DAMSEL PC system, respectively.

<u>Messages</u>

Refer to Section 3.2 for a list of messages that may appear during all insert screens. Following are additional messages that may appear on this screen:

Cause: Value of N was entered in change field, but no form exists with same project and submission date 14 days before.

Solution: Verify that the correct project and date were entered or enter value of Y for Changes field to enter changed form data.

<u>Cause</u>: A form already exists in the database for the project and date entered.

Solution: Verify that the correct project and date were entered.

Message: Form cannot be inserted without data values

<u>Cause</u>: The <Commit> key was pressed, and no values were entered in the status data fields.

Solution: Enter data values or exit from the form.

<u>Cause</u>: DSF number has been automatically generated and should be recorded on the DSF.

Message: Invalid Friday date; please reenter

Cause: A date was entered that is not a Friday date.


Solution: Reenter a Friday date.

3.3 UPDATING DATA

The data update screens are intended to be used for updating data found to be in error during quality assurance or other examination of the data. The update screens correspond to SEL forms. A sample update screen is shown in Figure 3-2. This sample screen is similar to the generic PRF screen format shown in Section 2.2 Figure 2-10, with the exception of an additional field, the mode, which can have the values of SAVED, SELECT, or UPDATE. A sample update session is shown in Appendix A. The general procedure to be followed when updating data is as follows:

- 1. Select option 1 (Form function) from the Main menu.
- 2. Select option 3 (Update existing data) from the Form Functions menu.
- 3. When the Update menu is displayed, select the option number associated with the type of data to be inserted.
- 4. Enter the key field(s) as specified for the particular screen. In all cases except subsystem update, the form number can be used as the key for viewing the data. In addition, form data can be viewed by any key field(s) that make that form unique. At this point the screen is in SELECT mode, meaning that data have not been retrieved for update. The mode is displayed in the lower right-hand corner.
- 5. Press the <Next Field> key to retrieve data.

PERSONNEL RESOURCE DATA UPDATE SCREEN



Char Mode: Replace Page 1

Count: *0

Figure 3-2. Sample Update Screen

- 6. Now the screen is in UPDATE mode. Use the keys described as follows to move to the field(s) to be updated. Update the field by either typing over existing data, or use the <Clear Field> key to clear out the field and enter the new data. The new data will be validated as they are entered.
- 7. After all the updates have been made, press the <Commit> key to save the data to the database.
- 8. The user may exit from the update screen at any point by pressing the <Exit/Cancel> key.

NOTE: Data not yet saved by the <Commit> key will not be saved to the database.

The keypad diagram shown in Figure 3-3 highlights the keys that are available for the update screens. Many keys are used by each of the update screens; these keys are listed and explained below. Keys that are specific to a given update screen will be described in the section describing the individual update screen.




Figure 3-3. Update Keypad

General Keys

<Next Field>

This key serves two purposes, depending on the MODE. When the MODE field is set to SELECT (that is, data have not yet been retrieved to be updated), this key will retrieve data when pressed after entering a key field value. key may also be used to move between fields in multifield keys while in SELECT mode. When the MODE field is set to UPDATE and data have been retrieved to be updated, the key allows the user to move from one field to the next. When the cursor is positioned on the last field on the screen, this key will cause the cursor to loop back to the first field on the screen.

<Pre><Previous Field>

This key allows the user to move from one field to the previous field. When the cursor is positioned on the first field, this key will move the cursor to the last field on the screen.

<Commit>

This key causes the data currently on the screen to be stored to the database. Additional validations are performed on the data at this time. If an error is found, the user will be notified, and the data will not be saved. See the list of General Messages below for additional information. This key is only available in UPDATE mode.

NOTE: It is good practice to press the <Next Field> key after the last field is entered before pressing the <Commit> key. This ensures that the field is validated before an attempt is made to save the data to the database. The fields are validated during execution of the <Commit> key, but the validation is much quicker when performed with the <Next Field> key.

<Clear Block>

This key will clear the entire screen in preparation for updating another form. This key should be used if the wrong form was retrieved by mistake.

NOTE: Any data on the screen when this key is pressed will not be saved in the database.

<Clear Field>

This key will clear the field where the cursor is currently positioned. The first time this key is pressed, any data after the cursor is erased. The second time this key is pressed, the entire field is cleared.

<Exit/Cancel>

This key exits from the screen and returns to the Update menu.

NOTE: Any data on the screen when this key is pressed will not be saved in the database.

3 - 51

<List Field Values>

This key will cause all the values that are valid for the current field to be displayed. The values are displayed one at a time. A message is displayed instructing the user how to move through the list of values and select a value. This key is only available on certain fields on each screen. These specific field names will be listed in the section that describes the particular screen.

General Messages

A number of messages may be displayed while running the update screens. Messages without a solution are informational. General messages that may be displayed while the data are updated are listed below. Messages that are specific to a given screen are described in the section associated with that screen.

Message: Field must be entered

Cause: A mandatory field was not entered.

Solution: Enter a value for this field. If you are unsure of a value, use the <List Field Values> key if available for the field. If you are still unsure after viewing the available values, contact the DBA.

Message: Do you want to commit the change you have made? Y

Cause: This message is displayed if the user presses the <Clear Block> or <Exit/Cancel> key after an error occurred while attempting to store data in the database.

Solution: The user should always answer No to this question. This requires typing N over the default Y and pressing the <Next Field> key.

Message: Transaction completed -- x records processed

This message appears after the <Commit> key is Cause:

pressed, and data have been successfully.updated in the

database.

Message: Press RETURN to retrieve next value, PF4 to stop

This message appears while using the <List Field Cause:

Values> key.

Do as the message suggests. If the value you want is currently displayed, press the <Exit/ Solution:

Cancel> key; otherwise, press the <Return> key to

display the next valid value.

Message: Last value retrieved

This message is displayed while using the <List Cause:

Field Values> key. There are no more values to be

displayed.

To see the values again, press the <List Field Solution:

Values> key again.

Message: Unrecognized command

Cause: You have pressed an invalid key.

Solution: This key does not have any effect on this

screen. Simply select one of the keys described

above.

<u>Message:</u> The form was NOT updated in the database

The user pressed the <Clear Block> key and Cause:

cleared the data from the screen.

Solution: The data that were displayed before the <Clear

Block> were not saved to the database. Enter a

form number to be updated or exit from the screen.

Message: Press any function key to acknowledge message

<u>Cause</u>: The processing is complete and acknowledgment is being requested.

<u>Solution</u>: To see the second message, press any one of the function keys (the <Enter Query> key is one choice).

Message: The form was updated in the database

<u>Cause</u>: The updates made to the form have been successfully saved in the database.

Message: Must retrieve data first

Cause: The user attempted to use the <Commit> key while in SELECT mode (that is, before data were retrieved).

<u>Solution</u>: To update a form, enter the form number and use the <Next Field> key to retrieve the data; proceed to update the data and <Commit> the changes.

Each of the following sections describes a different update screen. The screen-specific keys that can be used in each screen are listed along with the action they cause. Key fields and required fields are listed. Screen-specific error and information messages will be discussed, along with the appropriate responses to them.

3.3.1 SUBSYSTEM UPDATE

The data on the screen correspond to one subsystem from a SIF. To select the screen,

- 1. Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- Enter option 1 (Subsystem data).

Figure 2-7 shows the Subsystem screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys and screen-specific messages are listed below.

Key Fields To Retrieve Data

- Project Name: Upon entry to this form, the cursor will be positioned at this field. The user should enter the name of the project that corresponds to the subsystem to be updated. If an invalid name is entered, the user will be prompted to enter a valid name.
- <u>Subsystem Prefix</u>: Enter the subsystem prefix that is to be updated. If an invalid subsystem prefix is entered (the subsystem prefix does not exist in the database associated with the specified project), the user will be prompted for another prefix.

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Submission Date
- Subsystem Prefix
- Subsystem Function

Keys

Refer to Section 3.3 for a list of keys that are available on all update screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Subsystem
Function.

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.1 for

a list of messages that may appear while subsystem data are entered. Following is an additional message that may appear on this screen:

Message: Subsystem does not exist for this project in database

<u>Cause</u>: The user entered a subsystem prefix that does not exist in the database for the current project.

Solution: Verify that the prefix was typed correctly and the correct project name was entered. Contact the DBA if a subsystem prefix to be updated does not exist in the database.

3.3.2 COMPONENT ORIGINATION FORM UPDATE

The data on the screen corresponds to a COF. To select the screen,

- 1. Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option 2 (COF data).

Figure 2-8 shows the COF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to the COF view screen described in Section 2.3.2 for a description of the key fields.)

Form Number

OR

- Project Name
- Subsystem Prefix
- Component Name

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Subsystem Prefix
- Component Name

Keys

Refer to Section 3.3 for a list of keys that are available on all update screens. Following are additional keys that may be used for this screen:

<List Field Values> This key is available on

Project Name Origin

<Next Page>

This key is used to move between pages of the COF Update screen. The COF screen has two pages. The <Next Page> key causes paging in a circular motion. The first time the second page is displayed. From the second screen, the key brings up the first screen.

<u>Messages</u>

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.2 for a list of messages that may appear while COF data are entered. Following is an additional message that may appear on this screen:

<u>Cause</u>: The user entered a component name that does not exist in the database in association with the subsystem prefix and project name entered on the COF.

Solution: Verify that the component name was typed in as it appears on the COF. If not, reenter the name as it appears on the form. If the name was entered correctly, contact the DBA.

3.3.3 CHANGE REPORT FORM UPDATE

The data on the screen correspond to a CRF. To select the screen,

- 1. Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option 3 (CRF data).

Figure 2-9 shows the CRF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to the CRF view screen described in Section 2.3.3 for a description of the key fields.)

Form Number

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date (DD-MMM-YY)
- Programmer
- Form Number
- At least one subsystem/component name

Keys

Refer to Section 3.3 for a list of keys that are available on all update screens. Following are additional keys that may be used for this screen:

<Next Page>

This key may be used to move between pages of the update screen. screen consists of three pages. the user is positioned on the first screen and presses the <Next Page>, either the second or third screen will be displayed. The second screen will be displayed only if the "Type of change" field is ERRCO (an error correction) since the second screen contains only error information. Otherwise, the second screen will not be displayed, and the cursor will move to the third screen. From the third screen, the cursor moves to the first screen. When the cursor is positioned on the component name page, this key will move the cursor to page 1.

<Next Record>

This key may be used to scroll through the subsystem prefix/ component names associated with the current CRF. This key is only active on the component page. It will move the cursor from the current subsystem/component entry to the subsystem field below the current entry.

<Pre><Previous Record>

This key may be used to scroll to a previous subsystem prefix/component name associated with the current CRF. This key is only active on the component page. It will move the cursor from the current subsystem/component entry to the subsystem field above the current entry.

<Delete Components>

This key deletes all the components associated with this CRF. The key is only available on the component name page. It is useful when it is necessary to delete all the components at once.

<Create Record>

This key creates a new space for a subsystem/component name to be entered. This allows the user to enter a new component without having to scroll through all the components first.

<Delete Record>

This key deletes the subsystem/
component name combination from the line
on which the cursor is positioned.

<Clear Record>

This key also deletes the subsystem/ component name combination from the line on which the cursor is positioned.

<Next Set>

This key retrieves the next set of component names and displays them to the screen. This is only useful when there are more than 15 components for the CRF (since that is the maximum that will be displayed on a screen).

<List Field Values>

This key is available on

Project Name
Effort to isolate the change
Effort to implement the change
Type of change
Features
Statement that is most true
Tools

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.3 for a list of messages that may appear while CRF data are entered. Following are additional messages that may appear on this screen:

<u>Message</u>: Press <Return> to retrieve the component names

<u>Cause</u>: The user is in the process of retrieving data. Most of the data have been retrieved, and now the component names are about to be retrieved.

<u>Solution</u>: Press the <Return> key to retrieve the component names.

Message: Invalid component(s) found for this project

Cause: The user attempted to change the project name, but a component had been previously entered that is not valid for the new project name.

Solution: The user will be positioned on the component page and given the opportunity to delete all the component names. Alternatively, the user can move to specific records and delete only those components that are not associated with the new project.

<u>Cause</u>: The user attempted to change the project name, but a component had been previously entered that is not valid for the new project name. The user was then positioned on the component name page.

Solution: The user may press the <Delete Components> key to delete all the components associated with this CRF.

3.3.4 PERSONNEL RESOURCES FORM UPDATE

The data on the screen correspond to a PRF. To select the screen,

- Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option 4 (PRF data).

Figure 2-10 shows the PRF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to the PRF view screen described in Section 2.3.4 for a description of the key fields.)

Form Number

OR

- Project Name
- Date
- Programmer

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date (Friday)
- Programmer
- Form Number

<u>Keys</u>

Refer to Section 3.3 for a list of keys that are available on all update screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on

Project Name Programmer

<u>Messages</u>

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.4, PRF insert, for a list of messages that may appear while PRF data

are entered. Following are additional messages that may appear on this screen:

Message: Data is not displayed for this form - it has subsystem activity hours

<u>Cause</u>: The form being retrieved has associated subsystem activity hours.

<u>Solution</u>: Contact the DBA for assistance in retrieving this data.

Message: Must supply a project name or use <PRVFLD> to
 retrieve by form number

Cause: A value of NULL was entered for the project name.

<u>Solution</u>: Enter a valid project or use the <Previous Field> key to retrieve by form number.

Message: Must supply a date or use prvrec> two times to
 retrieve by form number

Cause: A value of NULL was entered for the date.

<u>Solution</u>: Enter a valid date or use the <Previous Field> key twice to retrieve by form number.

Message: Form for this project, date, and programmer not
found

<u>Cause</u>: The project, date, and programmer combination entered does not have an associated form existing in the database.

Solution: Verify that the correct project, date, and programmer were entered. To reenter the fields, use the <Clear Block> key to clear the fields before entering new values. To exit and return to the main menu, press the <Exit/Cancel> key. Must supply a programmer or use prvrec> three

times to retrieve by form number

Cause: A value of NULL was entered for the programmer.

Solution: Enter a valid programmer or use the <Previous Field> key three times to retrieve by form

number.

3.3.5 SERVICES/PRODUCTS FORM UPDATE

The data on the screen corresponds to a SPF. To select the screen,

- 1. Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- Enter option 5 (SPF data).

Figure 2-11 shows the SPF screen as it will appear on the Section 3.3, steps 4 through 8, contains terminal screen. an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to the SPF view screen described Section 2.3.5 for a description of the key fields.)

Form Number

OR

- Project
- Date

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Form Number
- Project Name
- Date (Friday)

<u>Keys</u>

Refer to Section 3.3 for a list of keys that are available on all update screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project Name.

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.5 for a list of messages that may appear while entering SPF data. Following are additional messages available on this screen:

Message: Function not permitted in SELECT mode

Cause: The user attempted to use the <Commit> key while in SELECT mode (that is, before data were retrieved).

Solution: To update a form, enter the form number and use the <Next Field> key to retrieve the data; then proceed to update the data, and <Commit> the changes.

Message: Must supply a project name or use <PRVFLD> to retrieve by form number

<u>Cause</u>: The user entered without supplying a project name when the form number was null.

<u>Solution</u>: Enter a valid project name, use the <List Field Values> key, or use the <Previous Field> key to retrieve form by number.

Message: Date is not a Friday - Please reenter

Cause: The user entered a date that was not a Friday.

Solution: Enter a valid Friday date.

Message: Form for this project and date not found

<u>Cause</u>: The user entered a project name and date combination that does not have an SPF associated with it.

<u>Solution</u>: Enter a valid project name and date combination, retrieve the form by form number, or exit.

Message: Must supply a date or use <PRVREC> two times to
 retrieve by form number

<u>Cause</u>: The user entered <Next Field> without supplying a Friday date after entering a valid project name.

Solution: Enter a valid Friday date or retrieve form by form number.

Message: First character of form number must be an 'S' or NULL

Cause: The user entered a character that is invalid.

<u>Solution</u>: Clear the field, enter an S or space; clear the block; or exit the form.

3.3.6 PROJECT ESTIMATES FORM UPDATE

The data on the screen correspond to a PEF. To select the screen,

- Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- Enter option 1 (PEF data).

Figure 2-12 shows the PEF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to the PEF view screen described in Section 2.3.6 for a description of the key fields)

Form Number

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project name
- Form date (DD-MMM-YY)
- Form number
- Project end

<u>Keys</u>

Refer to Section 3.3 for a list of keys that are available on all update screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project Name.

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.6 for a list of messages that may appear while PEF data are entered.

3.3.7 SUBJECTIVE EVALUATION FORM UPDATE

The data on the screen correspond to an SEF. To select the screen,

- Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option 7 (SEF data).

Figure 2-13 shows the SEF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory field, screen-specific keys, and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to the SEF view screen described in Section 2.3.7 for a description of the key fields)

Form Number

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project name
- Form date (DD-MMM-YY)
- Form number
- Project end

Keys

Refer to Section 3.3 for a list of keys that are available on all update screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project Name.

<u>Messages</u>

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.7 for a list of messages that may appear while SEF data are

entered. Following are additional messages that may appear on this screen:

Message: SEF data already exist for project and form number

Cause: The user tried to update the form number to a form number that already exists in the database, or the form was not correctly deleted before committing the update for this form.

Solution: Reenter correct form and project name if entered incorrectly. If problem is not resolved, return form to DBA for assistance.

Message: Error updating form

Cause: The updates for the form could not be entered into the database.

Solution: Return the form to the DBA for assistance in correcting this form.

Message: Enter a value from 1 to 5

<u>Cause</u>: The user entered an evaluation that was less than the minimum range or greater than the maximum range.

<u>Solution</u>: Reenter a value that is between 1 and 5 inclusive, or leave the evaluation null.

Message: Enter either an X or null

<u>Cause</u>: The user entered an incorrect key to indicate that this tool was used.

<u>Solution</u>: Enter an X to indicate the tool was used, or leave this evaluation as a null field.

3.3.8 PROJECT COMPLETION STATISTICS FORM UPDATE

The data on the screen correspond to a PCSF. To select the screen,

- Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option 8 (PCSF data).

Figure 2-14 shows the PCSF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to the PCSF view screen described in Section 2.3.8 for a description of the key fields.)

• Form Number

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project name
- Form date (DD-MM-YY)
- Form number

<u>Keys</u>

Refer to Section 3.3 for a list of keys that are available on all update screens. Following are additional keys that may be used for this screen:

<Next Page>

This key is used to move between pages of the PCSF update screen. The PCSF screen has two pages. The <Next Page> key causes paging in a circular motion. The first time the second page is displayed. From the second screen, the key brings up the first screen.

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.8 for a list of messages that may appear while PCSF data are entered. Following are additional messages that may appear on this screen.

Message: Mandatory fields must be entered before going to
the next page

<u>Cause</u>: The user has pressed the <Enter> key without entering the fields required to retrieve data.

Solution: Enter form number or project name to retrieve data before attempting to go to the next page.

Message: Computer name already on this form

<u>Cause</u>: The user has entered the same computer name two times.

Solution: Remove one of the entries.

<u>Cause</u>: The user has pressed the <Next Field> key without supplying a project name while in the INSERT mode.

Solution: Enter a valid project name, retrieve data by form number, or exit.

Message: PCSF for this project not found

<u>Cause</u>: The user is attempting to retrieve information for a project that does not have PCSF data in the database.

Solution: Select a different project or exit.

Message: First character of form number must be 'A' or NULL

<u>Cause</u>: The user is attempting to enter an invalid first character in the form number.

Solution: Enter an 'A' or make the field NULL.

3.3.9 CLEANROOM PERSONNEL RESOURCES FORM UPDATE

The data that are displayed on this screen were entered using data from a SEL Cleanroom PRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option number 9 (Cleanroom PRF data).

Figure 2-15 shows the Cleanroom PRF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The mandatory fields, key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields to Retrieve Data

(Refer to the Cleanroom PRF view screen described in Section 2.3.9 for a description of the key fields.)

Form Number

OR

- Project
- Date
- Programmer

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date (Friday)
- Programmer
- Form Number

Keys

Refer to Section 3.3 for a list of keys that are available on all update screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Programmer.

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.10 for a list of messages that may appear while Cleanroom PRF data are entered. Following are additional messages that may appear on this screen.

Message: A Cleanroom PRF already exists with this form number

Cause: In UPDATE mode, the user has attempted to change the form number to a form number of a Cleanroom PRF that already exists in the database.

<u>Solution</u>: Verify that the form number was entered as it appears on the form. If so, contact the DBA.

Message: No form found associated with this project, date,
and programmer

<u>Cause</u>: The user tried to view a form by the project-dateprogrammer specification, but no form was found in the database with the project, date, and programmer values entered.

Solution: Verify that the project, date, and programmer were typed just as they appear on the form. If the values were entered correctly but this message still appears, press the <Clear Block> key and try viewing the form by the form number specification.

<u>Message</u>: The date, programmer, and form number fields must be entered

<u>Cause</u>: The user pressed the <Commit> key when the Date, Programmer, or Form Number field was blank.

Solution: Enter valid values in these mandatory fields that are blank.

3.3.10 WEEKLY MAINTENANCE EFFORT FORM UPDATE

The data on the screen correspond to a SEL WMEF. To select this screen.

- Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option number 11 (WMEF data).

Figure 2-16 shows the WMEF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields to Retrieve Data

(Refer to WMEF view screen described in Section 2.3.10 for a description of the key fields.)

Form Number

OR

- Project
- Date
- Programmer

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Project Name
- Date (Friday)
- Programmer
- Form Number

Keys

Refer to Section 3.3 for a list of keys that are available on all update screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project
Name.

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.11 for a list of messages that may appear while WMEF data are entered.

Following are additional messages that may appear on this screen.

Message: No form found associated with this project, date,
and programmer

Cause: The user tried to view a form by the project-dateprogrammer specification, but no form was found in the database with the project, date, and programmer values entered.

Solution: Verify that the project, date, and programmer were typed just as they appear on the form. If the values were entered correctly but this message still appears, the user can press the <Clear Block> key and try viewing the form by the form number specification.

<u>Message</u>: The date, programmer, and form number fields must be entered

<u>Cause</u>: The user pressed the <Commit> key when the Date, Programmer, or Form Number field was blank.

Solution: Enter valid values in these mandatory fields that are blank.

3.3.11 MAINTENANCE CHANGE REPORT FORM UPDATE

The data on the screen correspond to a SEL MCRF. To select the screen,

- 1. Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option number 12 (MCRF data).

Figure 2-17 shows the MCRF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains the explanation of running an update screen. The key fields, mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to MCRF view screen described in Section 2.3.11 for a description of the key fields.)

Form Number

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Form Number
- Form Name
- OSMR Number
- Project Name
- Change Characterization
- Submission Date
- Type of Modification
- Cause of Change
- Time to Isolate Problem
- Time to Complete Change

<u>Keys</u>

Refer to Section 3.3 for a list of keys that are available on all update screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project
Name.

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.12 for a list of messages that may appear while MCRF data are entered.

3.3.12 DEVELOPMENT STATUS FORM UPDATE

The data on the screen correspond to a SEL DSF. Unlike other SEL forms, the DSF is updated using the DAMSEL PC system residing on the SEL task PC. Section 3.7 provides information on the DAMSEL PC menuing system. To select this screen,

- Perform steps 1 and 2 of Section 3.3 to display the Update menu.
- 2. Enter option 1 (DSF data)

Figure 2-18 shows the DSF screen as it will appear on the terminal screen. Section 3.3, steps 4 through 8, contains an explanation of running an update screen. The key fields, mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields To Retrieve Data

(Refer to the DSF view screen described in Section 2.3.12 for a description of the key fields.)

Form Number

OR

- Project Name
- Date

Mandatory Fields

Some of the fields on the screen are required fields and must be entered before the data can be stored in the database. These fields are

- Programmer
- Project Name
- Date (Friday)

<u>Keys</u>

Refer to Sections 3.3 and 3.7.1 for a list of keys that are available on all update screens and corresponding keys in the DAMSEL PC system, respectively.

Messages

Refer to Section 3.3 for a list of messages that may appear while the data are updated. See Sections 3.2 and 3.2.13 for a list of messages that may appear while DSF data are entered. Following are additional messages that may appear on this screen:

Message: Must supply a programmer or use <Prvfld> to retrieve by form number

Cause: The user entered <Next Field> without entering a
 programmer.

Solution: Enter a programmer or retrieve by form number.

Cause: The user entered <Next Field> without entering a
 project.

Solution: Enter a project or retrieve by form number.

Message: Must supply a date or use <Prvfld> to retrieve by
form number

Solution: Enter a date or retrieve by form number.

Message: No form found associated with this project and date

<u>Cause</u>: No form exists in the database for the entered project and date.


<u>Solution</u>: Verify that the correct project and date were entered.

3.4 <u>DELETING DATA</u>

The data deletion screens are intended to be used for deleting invalid data from the database. Most of the screens correspond to a SEL data collection form. A sample delete screen in shown in Figure 3-4. This sample screen is similar to the generic PRF screen format shown in Section 2.2, Figure 2-10, with the exception of two additional fields, a form status field and a confirm delete field. A sample delete session is shown in Appendix A. The general procedure for deleting data is as follows:

- 1. From the Main menu, select option 1 (Form function).
- 2. Select option 4 (Delete existing data) from the Form Functions menu.
- 3. From the Delete menu, select the option number associated with the type of data to be deleted.
- 4. Enter the key field(s). In all cases, except Subsystem delete, the form number can be used as the key for deleting data. In addition, forms can also be deleted by any key field(s) that make that form unique.
- 5. Press the <Next Field> key to retrieve data.
- 6. Verify that these are the data to be deleted. If it is, answer Y to the "Enter Y to delete or N to cancel request" request. If the data displayed do not correspond to the data to be deleted, enter N.
- 7. Press the <Commit> key to process the delete response.
- 8. Exit from the delete screen at any point by pressing the <Exit/Cancel> key.

PERSONNEL RESOURCE FORM DELETE SCREEN



Char Mode: Replace Page 1

Count: *0

Figure 3-4. Sample Delete Screen

NOTE: Data appearing on the screen that have not yet been deleted from the database with the <Commit> key will remain in the database upon exiting.

The keypad diagram shown in Figure 3-5 highlights the keys that are available for the delete screens. Many keys are used by each of the delete screens. These keys are listed and explained below.

Keys that are specific to a given delete screen will be described in the section describing the individual delete screen.

General Keys

<Next Field>

This key allows the user to retrieve the data that are to be deleted from the database. It is also used to move between key fields on multiple key screens.

<Commit>

This key is pressed after answering whether the data currently displayed should be deleted from the database.




Figure 3-5. Delete Keypad

<Clear Block>

This key will clear the entire screen in preparation for entering a new screen of information.

NOTE: Any data on the screen when this key is pressed will not be deleted from the database.

<Clear Field>

This key will clear the field where the cursor is currently positioned. The first time this key is pressed, any data after the cursor is erased. The second time this key is pressed, the entire field is cleared.

<Exit/Cancel>

This key exits from the screen and returns to the Delete menu.

NOTE: Any data on the screen when this key is pressed will not be deleted from the database.

General Messages

A number of messages may be displayed while running the delete screens. Messages without a solution are informational. General messages that may be displayed while data are deleted are listed as follows. Messages that are specific to a given screen are described in the section associated with that screen.

Message: Unrecognized command

Cause: The user pressed an invalid key.

Solution: This key does not have any effect on this screen.

Simply select one of the keys described previ-

ously.

Message: Form was NOT deleted

Cause: The user pressed the <Clear Block> key or answered N

to the question of whether to delete the form. The data that were displayed on the screen were not de-

leted from the database.

Message: Form has been DELETED

Cause: The user answered Y to the question of whether to

delete the form. The form was deleted from the

database.

Message: Enter either Y or N

Cause: The user entered a character other than a Y or an N

in response to the question of whether to delete the

form.

Solution: Enter a Y to delete the form or an N to keep the

form in the database.

Message: Data must first be retrieved

<u>Cause</u>: The user pressed the <Next Page> key to move to

the second page before data were retrieved for de-

letion.

Solution: Enter values in the key fields and press the <Next Field> key to retrieve data to be updated. Now the <Next Page> key may be used to move to the second page.

Each of the following sections describes a different delete screen. The screen-specific keys that can be used in each screen are listed along with the actions they cause. Key fields are listed. Screen-specific error and information messages will be discussed, along with the appropriate responses to them.

3.4.1 SUBSYSTEM DELETE

The data on the screen correspond to one subsystem from a SIF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- Enter option 1 (Subsystem data).

Figure 2-7 shows the Subsystem screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the Subsystem update screen described in Section 3.3.1 for a description of the key fields.)

- Project Name
- Subsystem Prefix

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available on all delete screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project
Name.

<u>Messages</u>

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Sections 2.3 and 2.3.1, SIF view, contain messages that may appear while SIF data are retrieved to be deleted. Following is an additional message that may appear on this screen:

Message: Subsystem does not exist for this project in database

<u>Cause</u>: The user entered a subsystem name that does not exist in the database for the project specified on the form.

Solution: Verify the spelling of the subsystem prefix.

Verify that the correct project name was entered.

Use the <Clear Field> key to reenter the project name or <Clear Block> to reenter the project name.

3.4.2 COMPONENT ORIGINATION FORM DELETE

The data on the screen correspond to a COF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option 2 (COF data).

Figure 2-8 shows the COF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the COF view screen described in Section 2.3.2 for a description of the key fields.)

• Form Number

OR

- Project Name
- Subsystem Prefix
- Component Name

Keys

Refer to Section 3.4 for a list of keys that are available on all delete screens. Following are additional keys that may be used for this screen:

<Next Page>

This key may be used to move between pages of the COF delete screen. The screen consists of two pages. If the user is positioned on the first screen and presses the <Next Page>, the second screen will be displayed. From the second screen, the cursor will move to the first screen. The cursor must be on page 2 to respond to the delete question.

<Pre><Previous Field>

This key allows the user to move among the key fields. The key blanks out the current field value and moves to the previous field.

Messages

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Sections 2.3 and 2.3.2, COF view, contain a list of messages that may appear while COF data are retrieved to be deleted. Following are additional messages that may appear on this screen:

Message: Component has been DELETED

Cause: This COF was deleted from the database.

Message: Component was NOT deleted

Cause: This COF was not deleted and remains in the database.

3.4.3 CHANGE REPORT FORM DELETE

The data on the screen correspond to a CRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- Enter option 3 (CRF data).

Figure 2-9 shows the CRF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the CRF view screen described in Section 2.3.3 for a description of the key fields.)

Form Number

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available on all delete screens. Following are additional keys that may be used for this screen:

while on page 3 to move to page 3, and while on page 3 to move to page 1.

<Pre><Previous Record>

This key allows the user to scroll up to see component names that have been scrolled off the screen by the <Next Record> key.

Messages

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Sections 2.3 and 2.3.3, CRF view, contain a list of messages that may appear while in CRF.

3.4.4 PERSONNEL RESOURCES FORM DELETE

The data on the screen correspond to a PRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option 4 (PRF data).

Figure 2-10 shows the PRF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the PRF view screen described in Section 2.3.4 for a description of the key fields.)

Form Number

OR

- Project Name
- Date
- Programmer

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available on all delete screens.

Messages

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Sections 2.3 and 2.3.4, PRF view, contain a list of messages that may appear while PRF data are retrieved to be deleted. Following is an additional message that may appear on this screen:

Message: First character of form number must be 'P' or NULL

Cause: A value other than P or NULL was entered as the first character of the form number.

Solution: Enter a value of P or NULL as the first character of the form number.

3.4.5 SERVICES/PRODUCTS FORM DELETE

The data on the screen correspond to a SPF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option 5 (SPF data).

Figure 2-11 shows the SPF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed on the following pages.

Key Fields

(Refer to the SPF view screen described in Section 2.3.5 for a description of the key fields.)

- Form Number
 - OR
- Project Name
- Submission Date

Keys

Refer to Section 3.4 for a list of keys that are available on all delete screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on Project
Name.

Messages

Refer to Section 3.4 for a list of messages that may appear while the data are deleted. Sections 2.3 and 2.3.5, SPF view, contain a list of messages that may appear while SPF data are retrieved to be deleted.

3.4.6 PROJECT ESTIMATES FORM DELETE

The data on the screen correspond to a PEF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option 6 (PEF data).

Figure 2-12 shows the PEF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the PEF view screen described in Section 2.3.6 for a description of the key fields.)

Form Number

Keys

Refer to Section 3.4 for a list of keys that are available on all delete screens.

<u>Messages</u>

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Section 2.3 contains a list of messages that may appear while PEF data are retrieved to be deleted.

3.4.7 SUBJECTIVE EVALUATION FORM DELETE

The data on the screen correspond to a SEF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option 7 (SEF data).

Figure 2-13 shows the SEF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the SEF view screen described in Section 2.3.7 for a description of the key fields.)

• Form Number

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available on all delete screens.

Messages

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Section 2.3 contains a list of messages that may appear while SEF data are retrieved to be deleted.

3-91

3.4.8 PROJECT COMPLETION STATISTICS FORM DELETE

The data on the screen correspond to a PCSF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option 8 (PCSF data).

Figure 2-14 shows the PCSF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the PCSF view screen described in Section 2.3.8 for a description of the key fields.)

Form Number

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available on all delete screens. Following are additional keys that may be used for this screen:

<Next Page>

This key may be used to move among pages of the PCSF delete screen.

The screen consists of two pages. If the user in positioned on the first screen and presses the <Next Page>, the second screen will be displayed. From the second screen, the cursor will move to the first screen. The cursor must be on page 2 to respond to the delete question.

<u>Messages</u>

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Section 2.3 contains a list of messages that may appear while PCSF data are retrieved to

be deleted. Following is an additional message that may appear on this screen:

Message: Form number may not be null

Cause: The user pressed the <Next Field> key to retrieve data from the database but the Form Number field was blank.

Solution: Enter a valid form number or use the <Exit/Cancel> key to return to the menu.

3.4.9 CLEANROOM PERSONNEL RESOURCES FORM DELETE

The data on the screen correspond to a SEL Cleanroom PRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option number 9 (Cleanroom PRF data).

Figure 2-15 shows the Cleanroom PRF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Keys Fields To Delete Data

(Refer to the Cleanroom PRF view screen described in Section 2.3.9 for a description of the key fields.)

Form Number

OR

- Project
- Date
- Programmer

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available on all delete screens. Following is an additional key available on the Cleanroom PRF delete screen.

<Previous Field>

This key allows the user to move from one field to the previous field. The current field is cleared before the cursor is placed on the previous field.

Messages

Refer to Section 3.4 for a list of messages that may appear while the data are deleted. Sections 2.3 and 2.3.9, Clean-room PRF view, contain a list of messages that may appear while the Cleanroom PRF data are retrieved to be deleted.

3.4.10 WEEKLY MAINTENANCE EFFORT FORM DELETE

The data on the screen correspond to a SEL WMEF. To select this screen.

- Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option number 11 (WMEF data).

Figure 2-16 shows the WMEF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed blow.

Key Fields To Delete Data

(Refer to the WMEF view screen described in Section 2.3.10 for a description of the key fields.)

Form Number

OR

- Project
- Date
- Programmer

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available on all delete screens.

<u>Messages</u>

Refer to Section 3.4 for a list of messages that may appear while the data are deleted. Sections 2.3 and 2.3.10, WMEF view, contain a list of messages that may appear while WMEF data are retrieved to be deleted.

3.4.11 MAINTENANCE CHANGE REPORT FORM DELETE

The data on the screen correspond to a SEL MCRF. To select this screen,

- Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option number 12 (MCRF data).

Figure 2-17 shows the MCRF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the MCRF view screen described in Section 2.3.11 for a description of the key fields.)

Form Number

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available on all delete screens.

Messages

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Section 2.3.11, MCRF view, contains

a list of messages that may appear while MCRF data are retrieved to be deleted.

Message: Form number not found in database

<u>Cause</u>: The form number that was entered does not exist in the database for an MCRF.

Solution: Verify that the correct form number was entered. The cursor will remain positioned on the form number field. To reenter the form number, the user may type over the current form number or use the <Clear Field> key to clear the field before entering a new form number. To exit and return to the Main menu, the user should press the <Exit/Cancel> key.

3.4.12 DEVELOPMENT STATUS FORM DELETE

The data on the screen correspond to a SEL DSF. Unlike other SEL forms, the DSF is deleted using the DAMSEL PC system residing on the SEL task PC. Section 3.7 provides information on the DAMSEL PC menuing system. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.4 to display the Delete menu.
- 2. Enter option 1 (DSF data).

Figure 2-18 shows the DSF screen as it will appear on the terminal screen. Section 3.4, steps 4 through 8, contains an explanation of running a delete screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the DSF view screen described in Section 2.3.12 for a description of the key fields.)

Form Number

OR

- Project Name
- Date

<u>Keys</u>

Refer to Sections 3.4 and 3.7.1 for a list of keys that are available on all delete screens and corresponding keys in the DAMSEL PC system, respectively.

Messages

Refer to Section 3.4 for a list of messages that may appear while data are deleted. Section 2.3.12, DSF view, contains a list of messages that may appear while DSF data are retrieved to be deleted. Following are additional messages that may appear on this screen:

Cause: The user entered <Next Field> without entering a
 project name.

Solution: Enter a project or retrieve by form number.

Cause: The user entered <Next Field> without entering a date.

Solution: Enter a date or retrieve by form number.

Message: Invalid Friday date; please reenter

Cause: A date was entered that is not a Friday date.

Solution: Reenter a Friday date.

Message: No form found associated with this project and date

<u>Cause</u>: No form exists in the database for the entered project and date.

Solution: Verify that the correct project and date were entered.

3.5 QUALITY ASSURING DATA

The quality assurance (QA) screens are used by the QA personnel to verify that the data entered in the database correspond to the data written on the completed SEL form. Each QA screen corresponds to a SEL form. The layout of each of the QA screens is designed to look like the related SEL form. A sample QA screen is shown in Figure 3-6. This sample screen is similar to the generic PRF screen format shown in Section 2.2, Figure 2-10, with the exception of two additional fields, a QA status field and a QA input field to change the form status. A sample QA session is shown in Appendix A. The general procedure to be followed when quality assuring data is as follows:

- 1. From the Main menu, select option 1 (Form function).
- 2. Select option 5 (Quality assure data) from the Form Functions menu.
- 3. From the Quality Assurance menu, select the option number associated with the type of data to be quality assured.
- 4. Enter the key field(s) as specified for the particular screen. In all cases, except the Subsystem QA screen, the form number is used as the key for quality assuring data. In addition, forms may be quality assured by any key field(s) that make that form unique.
- 5. Press the <Next Field> key to retrieve data.
- 6. Compare the data on the screen with the data written on the SEL form. If the data appear correct, enterC. If the data displayed have errors, enter E.
- 7. Press the <Commit> key to update the QA status flag in the database.

8. The user may exit from the QA screen at any point by pressing the <Exit/Cancel> key.

NOTE: The status flag for data appearing on the screen will not be updated.

The keypad diagram shown in Figure 3-6 highlights the keys that are available during the QA screens. Keys that are used on all the QA screens are described below. Some QA screens allow the use of additional keys. These special cases will be described in the section associated with the specific QA screen.




Figure 3-6. QA Keypad

General Keys

<Next Field>

This key is used to retrieve data from the database. When the user enters the screen, the cursor will be positioned on the key field. The user should enter a valid key and press the <Next Field> key to retrieve the data associated with that form number to perform quality assurance on the data.

<Clear Block>

This key will clear the entire screen in preparation for entering a new

screen of information.

NOTE: The QA status field will not be updated to reflect any changes currently

on the screen.

<Clear Field>

This key will clear the field where the cursor is currently positioned. The first time this key is pressed, any data after the cursor are erased. The second time this key is pressed, the entire field is cleared.

<Commit>

This key saves the quality assurance status of the form into the database. The cursor must be on the "Enter C for correct or E for error" field, and the user should have entered a C or an E, depending on the results of the quality assurance check.

<Exit/Cancel>

This key exits from the screen and returns to the Quality Assurance menu.

NOTE: The QA status field will not be updated to reflect any changes currently on the screen.

General Messages

A number of messages may be displayed while running the QA screens. Messages without a solution are informational. General messages that may be displayed while data are quality assured are listed below. Messages that are specific to a screen are described in the section associated with that screen.

Message: Unrecognized Command

Cause: The user has pressed an invalid key.

<u>Solution</u>: This key does not have any effect on this screen. Simply select one of the keys described above.

Message: Form number not found in database

Cause: The user entered a form number that does not exist in

the database.

Solution: Verify that the form number was typed in cor-

rectly.

Message: Status field was NOT updated '

Cause: The user pressed the <Clear Block> key to clear the

screen. The value that currently appears on the screen in response to the "Enter C for correct or E for errors" question was not saved in the database.

Solution: Enter a form number to be quality assured or exit

from the screen.

Message: Enter either C or E

Cause: The user entered a value other than C or E in the QA

status field.

Solution: Enter a C if the data on the screen match that on

the form or an E if there are errors in the data on

the screen.

Message: Transaction completed -- 1 record processed

Cause: The status entered on the screen has been saved to

the database.

Message: Status field has been updated. Ready for next form

to QA

Cause: The status entered on the screen has been saved to

the database.

Message: Data must first be retrieved

Cause: The user pressed the <Next Page> key to move to the

second page before data were retrieved.

Solution: Enter values in the key fields and press the <Next Field> key to retrieve data to be quality assured. After the data have been retrieved, the <Next Page> key may be used to move to the second page.

Each of the following sections describes a different QA screen. The key field(s) required to retrieve the data for quality assuring are described as well as the screen-specific keys that may be used while in the screen. Screen-specific error and information messages are discussed, along with the appropriate responses to them.

3.5.1 COMPONENT ORIGINATION FORM QA

The data on the screen correspond to a COF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- 2. Enter option 1 (COF data).

Figure 2-8 shows the COF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the COF view screen described in Section 2.3.2 for a description of the key fields.)

Form Number

<u>Keys</u>

Refer to Section 3.5 for a list of keys that are available on all QA screens. Following is an additional key that may be used for this screen:

<Next Page>

This key is used to move between the two pages that make up the COF QA screen. Press the <Next Page> key while on page 1 to move to page 2 and while on page 2 to move to page 1.

Messages

Refer to Section 3.5 for a list of messages that may appear while data are quality assured.

3.5.2 CHANGE REPORT FORM QA

The data on the screen correspond to a CRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- 2. Enter option 2 (CRF data).

Figure 2-9 shows the CRF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the CRF view screen described in Section 2.3.3 for a description of the key fields.)

Form Number

<u>Keys</u>

Refer to Section 3.5 for a list of keys that are available on all QA screens. Following are additional keys that may be used for this screen:

<Next Page>

This key is used to move among the four pages that make up the CRF QA screen. Press the <Next Page> key while on page 1 to move to page 2, while on page 2 to move to page 3, while on page 3 to move to page 4, and while on page 4 to move to page 1.

<Next Record>

This key may be used to scroll through the subsystem prefix/component names associated with the current CRF. This key is only active on the component page. It will move the cursor from the current subsystem/component entry to the subsystem field below the current entry.

<Pre><Previous Record>

This key may be used to scroll to a previous subsystem prefix/component name associated with the current CRF. This key is only active on the component page. It will move the cursor from the current subsystem/component entry to the subsystem field above the current entry.

Messages

Refer to Section 3.5 for a list of messages that may appear while data are quality assured. Following are additional messages that may appear on this screen:

Message: At last component name. Cannot scroll forward

<u>Cause</u>: The user pressed the <Next Record> key when the last component was displayed. There are no more component names to be displayed.

<u>Solution</u>: The user may want to use the <Previous Record> key to view previously displayed components that have been scrolled out of the scrolling area.

Message: At first component name. Cannot scroll backward

<u>Cause</u>: The user pressed the <Previous Record> key when the first component was displayed. There are no previous components to be displayed.

Solution: If the current component scrolling area is filled the user may want to use the <Next Record> key to see if additional components may be viewed.

Message: Press <Next Field> to retrieve component names

Cause: The user is in the process of retrieving data. Most of the data have been retrieved, and now.the component names are about to be retrieved.

Solution: Use the <Next Field> key to retrieve the component names.

Message: Record must be entered or deleted first

<u>Cause</u>: The user pressed the <Next Record> key, but there were no more component names to be displayed.

Solution: Use the <Previous Record> key to scroll up, or use <Next Page> to go to the next page.

3.5.3 PERSONNEL RESOURCES FORM QA

The data on the screen correspond to a PRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the OA menu.
- 2. Enter option 4 (PRF data).

Figure 2-10 shows the PRF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the PRF view screen described in Section 2.3.4 for a description of the key fields.)

• Form Number

OR

- Project Name
- Date
- Programmer

<u>Keys</u>

Refer to Section 3.5 for a list of keys that are available on all QA screens.

Messages

Refer to Section 3.5 for a list of messages that may appear while data are quality assured. Sections 2.3 and 2.3.4, PRF view, contain messages that may appear while PRF data are retrieved to be quality assured.

3.5.4 SERVICES/PRODUCTS FORM QA

The data on the screen correspond to a SPF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- 2. Enter option 4 (SPF data).

Figure 2-11 shows the SPF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Field(s)

(Refer to the SPF view screen described in Section 2.3.5 for a description of the key fields.)

Form Number

OR

- Project Name
- Submission Date

3-106

<u>Keys</u>

Refer to Section 3.4 for a list of keys that are available while data are quality assured.

<List Field Values> This key is available on Project
Name.

Messages

Refer to Section 3.4 for a list of messages that may appear while data are quality assured. Sections 2.3 and 2.3.5, SPF view, contain messages that may appear while SPF data are retrieved to be quality assured.

3.5.5 PROJECT ESTIMATES FORM QA

The data on the screen correspond to a PEF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- Enter option 5 (PEF data).

Figure 2-12 shows the PEF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Field(s)

(Refer to the PEF view screen described in Section 2.3.6 for a description of the key fields.)

Form Number

Keys

Refer to Section 3.5 for a list of keys that are available on all QA screens.

Messages

Refer to Section 3.5 for a list of messages that may appear while data are quality assured.

3.5.6 SUBJECTIVE EVALUATION FORM QA

The data on the screen correspond to the SEF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- 2. Enter option 6 (SEF data).

Figure 2-13 shows the SEF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the SEF view screen described in Section 2.3.7 for a description of the key fields.)

Form Number

<u>Keys</u>

Refer to Section 3.5 for a list of keys that are available on all QA screens.

<u>Messages</u>

Refer to Section 3.5 for a list of messages that may appear while data are quality assured.

3.5.7 PROJECT COMPLETION STATISTICS FORM QA

The data on the screen correspond to the PCSF. To select this screen,

- Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- 2. Enter option 7 (PCSF data).

Figure 2-14 shows the PCSF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields(s)

(Refer to the PCSF view screen described in Section 2.3.8 for a description of the key fields.)

Form Number

Keys

Refer to Section 3.5 for a list of keys that are available on all QA screens. Following is an additional key that may be used for this screen:

<Next Page>

This key is used to move between the two pages that make up the PCSF QA screen. Press the <Next Page> key while on page 1 to move to page 2 and while on page 2 to move to page 1.

<u>Messages</u>

Refer to Section 3.5 for a list of messages that may appear while data are quality assured. Following are additional messages that may appear on this screen:

Message: Must supply a project name or use <PRVFLD> to retrieve by form number

<u>Cause</u>: The user pressed the <Next Field> key without supplying a project name while in insert mode.

Solution: Enter a valid project name, retrieve data by form number, or exit.

Message: Invalid project name - Please reenter

<u>Cause</u>: The user has entered a project name that is not in the database.

Solution: Enter a valid project name, retrieve data by form number, or exit.

Message: A PCSF does not exist for this project

<u>Cause</u>: The user is attempting to retrieve information for a project that does not have PCSF data in the database.

Solution: Select a different project or exit.

Message: First character of form number must be 'A' or NULL

<u>Cause</u>: The user has entered an invalid first character in the form number.

Solution: Enter an 'A' or make the field NULL.

3.5.8 CLEANROOM PERSONNEL RESOURCES FORM QA

The data that are displayed on this screen were entered using data from a SEL Cleanroom PRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- 2. Enter option number 8 (Cleanroom PRF data).

Figure 2-15 shows the Cleanroom PRF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key

fields, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the Cleanroom PRF view screen described in Section 2.3.9 for a description of the key fields.)

Form Number

<u>Keys</u>

Refer to Section 3.5 for a list of keys that are available on all QA screens. Following is an additional key that is available on the Cleanroom PRF QA screen.

<Pre><Previous Field>

This key allows the user to move from one field to the previous field. The current field is cleared before the cursor is placed on the previous field.

Messages

Refer to Section 3.5 for a list of messages that may appear while data are quality assured. Sections 2.3 and 2.3.9, CLPRF view, contain messages that may appear while cleanroom PRF data are retrieved to be quality assured.

3.5.9 WEEKLY MAINTENANCE EFFORT FORM QA

The data on the screen correspond to a SEL WMEF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the OA menu.
- 2. Enter option number 9 (WMEF data).

Figure 2-16 shows the WMEF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key fields for the screen, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the Weekly Maintenance Effort Form view screen description in Section 2.3.10 for a description of the key fields.)

Form Number

OR

- Project
- Date
- Programmer

<u>Keys</u>

Refer to Section 3.5 for a list of keys that are available on all QA screens. Following is an additional key that may be used for this screen:

<Previous Field>

This key allows the user to move from one field to the previous field. The current field is cleared before the cursor is placed on the previous field.

Messages

Refer to Section 3.5 for a list of messages that may appear during all QA screens. Sections 2.3 and 2.3.10, WMEF view, contain messages that may appear while WMEF data are retrieved to be quality assured.

3.5.10 MAINTENANCE CHANGE REPORT FORM QA

The data on the screen correspond to a SEL MCRF. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- Enter option number 12 (MCRF data).

Figure 2-17 shows the MCRF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains

an explanation of running a QA screen. The key field for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field

(Refer to the MCRF view screen described in Section 2.3.11 for a description of the key fields.)

Form Number

<u>Keys</u>

Refer to Section 3.5 for a list of keys that are available on all QA screens.

Messages

Refer to Section 3.5 for a list of messages that may appear while data are quality assured.

3.5.11 DEVELOPMENT STATUS FORM QA

The data on the screen correspond to a SEL DSF. Unlike other SEL forms, the DSF is quality assured using the DAMSEL PC system residing on the SEL task PC. Section 3.7 provides information on the DAMSEL PC menuing system. To select this screen,

- 1. Perform steps 1 and 2 of Section 3.5 to display the QA menu.
- 2. Enter option 1 (DSF data).

Figure 2-18 shows the DSF screen as it will appear on the terminal screen. Section 3.5, steps 4 through 8, contains an explanation of running a QA screen. The key field, screen-specific keys, and screen-specific messages are listed below.

Key Fields

(Refer to the DSF view screen described in Section 2.3.12 for a description of the key fields.)

Form Number

OR

- Project Name
- Date

<u>Keys</u>

Refer to Sections 3.5 and 3.7.1 for a list of keys that are available on all QA screens and corresponding keys in the DAMSEL PC system, respectively.

<u>Messages</u>

Refer to Section 3.5 for a list of messages that may appear while data are quality assured. Section 2.3, DSF view, contains messages that may appear while DSF data are retrieved to be quality assured. Following are additional messages that may appear on this screen:

Message: Must supply a project name or use <Prvfld> two
times to retrieve by form number

Cause: The user entered <Next Field> without entering a
 project name.

Solution: Enter a project or retrieve by form number.

Message: Supply a date or use <Previous Field> three times
to retrieve by form number

Solution: Enter a date or retrieve by form number.

Message: Date is not a Friday. Please reenter

Cause: A date was entered that is not a Friday date.

Solution: Reenter a Friday date.

Message: No form found associated with this project and date

Cause: No form exists in the database for the entered

project and date.

Solution: Verify that the correct project and date were

entered.

3.6 GENERAL DATABASE SUPPORT FUNCTION

The general database support screens are intended to be used for database support operations, such as generating a distribution tape. A sample database support function session is shown in Appendix A. The general procedure to be followed when performing database support functions is as follows:

- 1. From the Main menu, select option 5 (General database support function).
- Select the option number associated with the type of support function you would like to perform.
- 3. When the specific database support function screen is displayed, press the <Commit> key to process the request.
- 4. The user may exit from the database support screen by pressing the <Exit/Cancel> key.

The keypad diagram shown in Figure 3-7 highlights the keys that are available during the general database support screens. Keys that are used on all the database support screens are described as follows. Some database support screens allow the use of additional keys. These special cases will be described in the section associated with the specific database support screen.

General Keys

<Commit>

This key is used to start processing the database support function. The current screen will be cleared while a command file is run. When processing is completed, the screen will be redisplayed.

<Exit/Cancel>

This key causes the user to exit from the screen and return to the General Database Support Functions Menu.

General Messages

A number of messages may be displayed while the general database support functions screens are run. Messages without a solution are informational. General messages that may be displayed while the database support function is used are




Figure 3-7. Database Support Function Keypad

listed below. Messages that are specific to a given screen are described in the section associated with that screen.

Message: Unrecognized command

Cause: The user has pressed an invalid key.

Solution: This key does not have any effect on this screen. Simply select one of the keys described above or

in the screen-specific key section.

Each of the following sections describes a different general database support function screen. The screen-specific keys that may be used while in the screen are described in each section. Screen-specific error and information messages and the appropriate response to them are discussed.

3.6.1 GENERATE DISTRIBUTION TAPE

This screen allows the user to generate a distribution tape of the SEL database. The user is required to mount a tape before processing may proceed. To select this screen,

- 1. Perform step 1 of Section 3.6 to display the General Database Support Function menu.
- 2. Enter option 1 (Generate distribution tape).

Figure 3-8 shows the Generate Distribution Tape screen as it will appear on the terminal screen. (Refer to Section 3.6, steps 3 and 4, for an explanation of running a database support function screen.) The screen-specific keys and screen-specific messages are listed below.

Generate Distribution Tape

Press <PF3> to start the generating process <PF4> to exit

Figure 3-8. Generate Distribution Tape Screen

<u>Keys</u>

Refer to Section 3.6 for a list of keys that are available on all general database support function screens.

Messages

Refer to Section 3.6 for a list of messages that may appear in the general database support screens. Following are additional messages that may appear on this screen:

Message: The data files are not there

<u>Cause</u>: Some or all of the files to be written to tape were not generated correctly.

Solution: This may signal a number of problems. The user may have exceeded the available disk quota. The user should contact the DBA.

3.7 DAMSEL PC SYSTEM

The DAMSEL PC system resides on the SEL task PC and is currently used for processing Development Status Form (DSF) data only. However, other types of data can easily be added in the future. The DAMSEL PC system provides DSF form functions (view, insert, update, delete, and quality assurance), a DSF report function, and DSF upload/download data functions. DSF insert, update, delete, and QA functions are discussed in Sections 3.2, 3.3, 3.4, and 3.5, respectively. The four main topics are discussed in this section:

- Section 3.7.1 describes the menu screens available in the DAMSEL PC system.
- Section 3.7.2 describes the DAMSEL PC upload/ download function.
- Section 3.7.3 describes the DAMSEL PC view screens.
- Section 3.7.4 describes the DAMSEL PC report generation subsystem.

3.7.1 DAMSEL PC MENU SYSTEM

The DAMSEL PC menu system provides access to various DSF data access functions on the PC. Figure 3-9 shows the structure of the menu system. A PC ORACLE account must be set up for the user to allow the user to access the DAMSEL PC menu system. To access the system,

- 1. Boot the SEL task PC and enter ORACLE at the prompt.
- 2. Run the DAMSEL PC system: DAMSELPC.
- 3. Enter ORACLE user name and password (Figure 3-10) and press the <Next Field> key to bring up the DAMSEL PC Main menu. Figure 3-11 shows a picture of the DAMSEL PC Main menu as it will be displayed on the PC screen.
- 4. Enter the number associated with the desired operation and press the <Next Field> key to display the selected menu.
- 5. Figures 3-12 and 3-13 show the second- and third-level menu screens. The third-level menu screens (view, insert, update, delete, and QA) are similar; therefore, only one is shown in Figure 3-13. These screens are explained in more detail in the sections that follow.

The PC keyboard shown in Figure 3-14 and the keystroke description shown in Figure 3-15 highlight the keys that are available throughout the DAMSEL PC system.




Figure 3-9. DAMSEL PC Menu System

SQL*Forms (Run Form): Version 2.3.22.3 - Production on Wed Jan 24 10:30:55 1990 Copyright (c) 1987, Oracle Corporation, California, USA. All rights reserved.

SECURE DATABASE: ENTER NAME AND PASSWORD

Username: Password:

Press F8 at any time to show function keys.

Char Mode: Replace

Figure 3-10. ORACLE User Name and Password

DAMSEL PC MAIN MENU

What type of function do you want to perform?

- 1 Form Function
- 2 Report Function
- 3 DBA Function 4 Upload/Download Data

<F4> - Exit

Please enter your selection number:

Char Mode: Replace Page 1

Count: *0

Figure 3-11. DAMSEL PC Main Menu

FORM FUNCTIONS MENU

What type of operation do you want to perform ?

- 1 View existing data
- 2 Insert new data
- 3 Update existing data
- 4 Delete existing data 5 - Quality assure data

<F4> - Previous menu

Please enter your selection number:

Char Mode: Replace Page 5

Count: *0

Figure 3-12. Second-Level Menus (1 of 3)

REPORT FUNCTION MENU

1 - DSF Report

<PF1>- Top menu <PF4>- Previous menu

Please enter your selection number:

Please enter the project name:

Please enter your ORACLE password:

The report output will be in a file in C:\USERS\DAMSEL\<Project>.OUT

Do you want the file printed automatically? ** The file is deleted after printing.

(Press (Commit) to generate the report)

Char Mode: Replace Page 3

Count: *0

Figure 3-12. Second-Level Menus (2 of 3)

UPLOAD/DOWNLOAD DATA MENU

What type of function do you want to perform?

1 - Upload DSF data to the VAX

2 - Download validation data to the PC

<F4> - Exit

Please enter your selection number:

Please enter your PC ORACLE password:

Please enter your VAX ORACLE user name:

Please enter your VAX ORACLE password:

(Press <Commit> to start processing)

Char Mode: Replace Page 2

Count: *0

Figure 3-12. Second-Level Menus (3 of 3)

MENU FOR VIEW OPERATIONS

What type of data do you want to operate on ?

1 - DSF data

<F1> - Top menu
<F4> - Previous menu

Please enter your selection number:

Char Mode: Replace Page 6

Count: *0

Figure 3-13. Sample Third-Level Menu




Figure 3-14. DAMSEL PC Keyboard

| FUNCTION | KEYSTROKE(S) | FUNCTION | KEYSTROKE(S) |
|----------------------|----------------|---------------------------------|--------------|
| Right | -> Arrov | Clear Block | Shift-F3 |
| Scroll Right | Ctrl -> | Clear Form/Rollback | |
| Next Primary Key Fld | | Delete Record | |
| Next Record | PgDn | Create Record | |
| Down | Down Arrow | Duplicate Field | |
| Scroll Down | Ctrl-Enter | Duplicate Record | |
| Next Set of Records | | | |
| Next Block | Ctrl-PqDn | Enter Query
Count Query Hits | Shift-F2 |
| Left | <- Arrow | Execute Query | |
| Scroll Left | Ctrl <- | Commit Transaction | |
| Previous Field | Shift-F8 | Exit/Cancel | F4 |
| | Back Tab | | Esc |
| Previous Record | PgUp | Redisplay Page | |
| Up | Up Arrow | Help | F2 |
| Scroll Up | Ctrl-Backspace | | |
| Previous Block | Ctrl-PgUp | Display Error | |
| Insert/Replace | Ins | Block Menu | F5 |
| Delete Character | Del | Show Function Keys | |
| Delete Backward | Backspace | 4- | |
| Clear Field | Shift-F9 | | |
| Clear Record | Shift-F4 | | |

Press any function key to return to form.

Figure 3-15. DAMSEL PC Keystrokes

Messages

A number of messages may be displayed while at the menu level. Messages without a solution are informational. General messages that may be displayed while the DSF is run are listed below. Messages specific to a given screen are described in the section associated with that screen.

Message: You do not have access to xxxx

Cause: The user selected an option (specified in place in the xxx) for which he/she does not have the required privilege.

Message: xxx functions are not currently available

Cause: This function (specified in place of the xxx) is not currently available but will be available in a later release.

Cause: The user pressed a key that is not valid on this
 menu screen.

Solution: This will not cause any problems; simply press a valid key.

Message: Invalid selection. Please enter a number between
xx and yy

<u>Cause</u>: The user selected an option number that is less than the first available option number (xx) or greater than the last option number (yy).

Solution: Enter a valid option number, or use the <Previous Menu> or <Top Menu> keys to exit from the menu screen.

3.7.2 DAMSEL PC UPLOAD/DOWNLOAD FUNCTION

The upload/download function is intended to be used for transporting DSF and validation data between the VAX and PC ORACLE databases. To upload/download data, the user must first obtain a data line by pressing the telephone's data line button and then dialing 5020 or 5045. If the signal is busy, the user should try again later. Then the user selects option 4 from the DAMSEL PC Main menu (Figure 3-11), which brings up the Upload/Download Data menu (Figure 3-12). this menu, the user must select either option 1 (upload) or option 2 (download) and supply a PC ORACLE password, VAX ORACLE user name, and password. Once these are entered, the user must press <Commit> to start the processing. Once the processing is complete (it will take at least 15 minutes) the Upload/Download Data menu will reappear. The following section describes available keys and messages that may appear during execution.

3.7.2.1 Upload/Download Data Menu Screen

This screen is used to upload/download data. To select this screen, the user should choose option 4 from the DAMSEL PC Main menu.

Figure 3-12 shows the Upload/Download Data menu screen as it will appear on the terminal screen. The keys and screen-specific messages are listed below.

<u>Keys</u>

Refer to Figures 3-14 and 3-15 to identify the keys that are available on all DAMSEL PC screens.

<u>Messages</u>

Refer to Section 3.7.1 for a list of messages that may appear during all DAMSEL PC screens. Following are additional messages that may appear on this screen:

Message: Invalid response. Enter a 1 or 2

Cause: The user entered an invalid option number.

Solution: Enter a 1 or a 2 to upload or download.

Message: You must enter your PC password

Cause: The user entered a blank PC password.

Solution: Enter your valid PC password to continue process-

ing the upload or download.

Message: You must enter your VAX ORACLE user name

Cause: The user entered a blank VAX ORACLE user name.

Solution: Enter your valid VAX ORACLE user name to continue

processing the upload or download.

Message: You must enter your VAX ORACLE password

Cause: The user entered a blank VAX ORACLE password.

Solution: Enter your valid VAX ORACLE password to continue

processing the upload or download.

Message: Press <Commit> to continue processing

Cause: The user pressed return after the last field on the

screen.

Solution: Press the <Commit> key to process the upload

or download.

3.7.3 DAMSEL PC VIEW SCREENS

Viewing screens are intended to be used for looking at data. No data can be added, deleted, or changed in the database by using the view screens. The general procedure to be followed when viewing data is as follows.

- 1. From the DAMSEL PC Main menu, select option 1 (Form function) (Figure 3-11).
- 2. Select option 1 (View existing data) from the Form Functions menu (Figure 3-12).
- 3. Select the option number associated with the type of data you would like to view.
- 4. Enter the key field(s) as specified for the particular screen. In most cases the form number is used as the key for viewing the data.
- 5. Press the <Next Field> key to retrieve data.
- 6. After data have been viewed, press the <Clear Block> key to clear the screen and ready the screen for viewing another form.
- You may exit from the view screen at any point in the viewing process by pressing the <Exit/Cancel> key.

The keystroke description shown in Figure 3-15 lists the keys that are available during the view screens. Most commonly used keys are described as follows.

General View Keys

<Next Field>

After the key field has been entered, the user should press the <Next Field> key. This will cause the data to be retrieved and displayed to the screen.

<Clear Block>

This key clears the screen in preparation for viewing another form.

<Clear Field>

This key may be used to clear the key field(s) in preparation for entering a new key.

<List Field Values>

This key will cause all the values that are valid for the current field to be displayed. The values are displayed one at a time. A message is displayed instructing the user how to move through the list of values and select one. This key is only available on certain fields on each screen. These specific field names will be listed in the section that describes the particular screen.

<Exit/Cancel>

This key causes the user to exit from the screen and return to the View menu.

General Messages

A number of messages may be displayed while running the view screens. Messages without a solution are informational. General messages that may be displayed while data are viewed are shown below. Messages that are specific to a given screen are described in the section associated with that screen.

Message: Unrecognized Command

Cause: The user has pressed an invalid key.

Solution: This key does not have any effect on this screen. Simply select one of the keys described above.

The following section describes the DSF view screen. Currently, the DSF view screen is the only existing view screen in the DAMSEL PC system. The key field(s) required to view the data is described as well as the screen-specific keys that may be used while in the screen. Screen-specific error and information messages and the appropriate responses to them are discussed.

3.7.3.1 Development Status Form View

The data displayed on this screen were entered using data from a SEL DSF. To select this screen,

- Perform steps 1 and 2 of Section 3.7.3 to display the View menu.
- 2. Enter option number 1 (DSF data).

Figure 2-18 shows the DSF screen as it will appear on the terminal screen. Section 3.7.3, steps 4 through 7, contains an explanation of running a DAMSEL PC view screen. The key field(s) for the screens, screen-specific keys, and screen-specific messages are listed below.

Key Field To View Data

<u>Form Number</u>—Upon entry to the screen, the user will be positioned at this field. The user should enter a valid DSF number. If the form number does not exist in the database, the user will be prompted to enter a valid form number.

or

Development Status Specification—The development status specification consists of two parts. Both parts must be entered. Upon entry to the screen, the cursor will be placed on the Form Number field. To enter a development status specification as the key, press the <Next Field> key to move to the Project Name field (the first part of this two part key).

<u>Project Name</u>—The user should enter a valid project name. If the project name does not exist in the database, the user will be prompted to enter a valid project name.

<u>Date</u>--The user should enter a valid submission date, a Friday. If the date is not a Friday, the user will be prompted to enter a valid date.

<u>Keys</u>

Refer to Section 3.7.3 for a list of keys that are available on all views.

Messages

Refer to Sections 2.3, 2.3.12, and 3.7.3 for a list of messages that may appear while data are viewed.

3.7.4 DAMSEL PC REPORT GENERATION

This section describes the procedures for generating reports of SEL data on the SEL task PC. Currently, the DSF report is the only report that exists.

3.7.4.1 Report Function Menu Screen

This screen is used to run the DAMSEL PC reports. This screen is selected by choosing option 2 from the DAMSEL PC Main menu.

Figure 3-12 shows the Report Function menu screen as it will appear on the terminal screen. The screen-specific messages are listed below.

<u>Keys</u>

Refer to Figure 3-14 and 3-15 to identify the keys that are available on all DAMSEL PC screens.

<u>Messages</u>

Refer to Section 3.7.1 for a list of messages that may appear during all DAMSEL PC screens. Following are additional messages that may appear on this screen:

Message: Invalid selection

Cause: The user entered an invalid option number.

Solution: Enter 1 to generate a DSF report.

Message: Invalid project name. Please reenter

Cause: The user entered an invalid project name.

Solution: Enter a valid SEL database project name.

Message: A password must be entered

Cause: The user entered a blank PC ORACLE password.

Solution: Enter your valid PC ORACLE password.

Message: Please enter Y or N

Cause: The user entered an invalid response to the print

question.

Solution: Enter Y to print the report automatically (the

output file will be deleted after printing) or N

to save the file instead of printing.

3.7.4.2 DSF Report (PC)

This report produces output that details the contents of the DSFs submitted for a given project.

| Option
<u>Number</u> | Description | Sample Output |
|-------------------------|---------------|-------------------------|
| 1 | Entire report | Figure 2-68
(Part 6) |

Possible Message

Message: No data for project: <Project Name>

Explanations: This message will appear on the DSF report if

there are no DSF data for the project.

SECTION 4 - DATABASE ADMINISTRATOR

4.1 INTRODUCTION

The SEL DBA is responsible for entering new projects into the database, entering new programmer and computer names into the database, maintaining the VALIDATION table of encoded values, and performing various database maintenance tasks. The DBA also has access to the functions available to the general user as described in Section 2.

4.2 DBA FUNCTION SCREENS

This section contains descriptions of the operation of each of the DBA screens. The DBA function screens correspond to specific DBA functions rather than to SEL forms. For each type of function, the same screen is used to insert, view, update, or delete data. (Section 2.2 describes the menu system.) A sample DBA session is shown in Appendix A. The general procedure to be followed when running a DBA function screen is as follows:

- 1. Select option 4 (DBA Function) from the Main menu.
- When the DBA Functions menu is displayed, select the option number associated with the type of operation to be performed.
- 3. To view data, press the <Enter Query> key to prepare for performing a query. Use the <Execute Query> key to retrieve data from the database; then use the <Next Record> and <Previous Record> keys to scroll through the data. To view a particular record, the user may enter the key field and then press the <Execute Query> key.
- 4. To insert data, verify that the screen is not in the Enter Query mode. The words Enter Query would appear at the bottom of the page. The <Exit/Cancel>

key may have to be used to cancel the Enter Query mode and put the screen in Insert mode. Use the <Next Field> and <Previous Field> keys to move around the screen and enter new data; then press the <Commit> key to save the changes in the database. Any computer-generated fields will be filled in at this time.

- 5. To update data, use the <Enter Query> key to prepare for performing a query. Enter the key field of the record to be updated. Use the <Execute Query> key to retrieve the data from the database. If necessary, use the <Next Record> and <Previous Record> keys to move to the record(s) to be updated. Then, use the <Next Field> and <Previous Field> keys to move to the correct field(s) in the record. After the data have been updated, press the <Commit> key to save the changes in the database.
- 6. To delete data, use the <Enter Query> key to prepare for performing a query. Enter the key field of the record to be deleted. Press the <Execute Query> key to retrieve the data to be deleted. Use the <Delete Record> key to delete the record from the screen and press the <Commit> key to delete the record from the record from the database.
- 7. The user may exit from the DBA screens at any point by pressing the <Exit/Cancel> key.

NOTE: Data not yet saved by the <Commit> key will not be saved to the database.

The keypad diagram shown in Figure 4-1 highlights the keys that are available for the DBA screens. There are many keys used by each of the DBA screens. These keys are listed and explained as follows. Keys that are specific to a given DBA screen will be described in the section describing the individual DBA screen.

DBA KEYPAD




Figure 4-1. DBA Keypad

General Keys

<Execute Query>

This key retrieves data from the database and displays it to the screen. Some of the DBA screens display multiple lines of data, while others display only one line at a time. If the <Execute Query> key is pressed without specifying any key field data, all the applicable data from the database will be displayed. If a key field is specified, just that record will be displayed.

<Clear Field>

This key clears the current field. The first time the key is pressed, data at and after the cursor are erased. The next time the key is pressed the entire field is cleared. <Clear Block>

This key clears the screen, without saving the data in the database.

<Next Record>

This key causes a new row of data to be displayed. On multiple-line screens, the cursor will move down one line until it reaches the bottom of the screen; then data will begin to be scrolled off the top as new data are displayed on the bottom line of the screen. For screens where just one record is displayed at a time, new data are displayed on the screen, replacing the data currently displayed.

<Pre><Previous Record>

This key causes a previously displayed row of data to be redisplayed after it was scrolled off the page. On multiple-line screens, the cursor will move up one line until it reaches the top of the screen; then data will begin to be scrolled off the bottom as old data are displayed on the top line of the screen. For screens where just one record is displayed at a time, old data are redisplayed on the screen, replacing the data currently displayed.

<Next Field>

This key allows the cursor to move between fields in a forward motion from one field to the next.

<Pre><Previous Field>

This key allows the cursor to move between fields in a backward motion from one field to the previous field.

<Commit>

This key saves the data currently displayed on the screen to the data-base.

<Exit/Cancel>

This key allows the user to exit from the current DBA screen and return to the DBA menu screen.

NOTE: Any updates to the database should be saved with the <Commit> key before exiting from the screen.

<List Field Values>

This key will cause all the values that are valid for the current field to be displayed. The values are displayed one at a time. A message

is displayed instructing the user how to move through the list of values and select a value. This key is only available on certain fields on each screen. These specific field names will be listed in the section that describes the particular screen.

<Delete Record>

This key clears a record from the screen in preparation for deleting the record from the database (by pressing the <Commit> key).

<Enter Query>

This key prepares the screen for a query operation. The screen is cleared, and the user is instructed how to perform the query.

General Messages

Some messages may be displayed while running the DBA screens. Messages without a solution are informational. General messages that may be displayed during any of the screens are listed as follows. Messages that are specific to a given screen are described in the section associated with that screen.

Message: Do you want to commit the changes you have made? Y

Cause: This message is displayed when the user attempts to clear the screen or exit from the screen without saving the data.

Solution: Answer Y to save the data that are currently displayed on the screen or N to continue with clearing the screen or exiting without saving the data.

Message: No changes to commit

<u>Cause</u>: The user pressed the <Commit> key to save the data to the database, but no changes have been made to the data on the screen since they were retrieved from the database.

Solution: Make any changes necessary to the data, or use the <Clear Block> or <Exit/Cancel> keys after viewing the data.

Message: List of values not available on this field

<u>Cause</u>: The user pressed the <List Field Values> key, but the current field does not have a list of values that can be displayed.

<u>Solution</u>: Determine the correct value to enter without using the <List Field Values> key.

Message: Field must be entered

<u>Cause</u>: The user tried to use the <Next Field> key to skip over a mandatory field.

Solution: Data must be entered in this field before the information can be saved in the database.

Message: Query caused no records to be retrieved, reenter

<u>Cause</u>: The user attempted to perform a query, and no data were found.

Solution: If a specific key field was used when performing the query, the user may want to blank out that field and perform a query on all possible values in the database. This will let the user know what values are available.

Message: Transaction completed, xx record processed

<u>Cause</u>: A change was made to the database. The modification could be an insert, update, or delete.

Each of the following sections describes a different DBA screen. The screen-specific keys that can be used in each screen are listed along with the actions they cause. Required fields and software-generated fields are listed. Screen-specific error and information messages will be discussed, along with the appropriate responses to them.


4.2.1 NEW PROJECT

This screen is used to enter a new project into the database, view current project information, update current project information, or delete current project information. To select this screen,

- Perform step 1 of Section 4.2 to display the DBA menu.
- 2. Enter option 1 (New project data).

Figure 4-2 shows the New Project Data screen as it will appear on

the terminal screen. Section 4.2, steps 3 through 7, contains an explanation of running the screen (viewing data, inserting data, updating data, deleting data). The mandatory fields, computer-generated fields, screen-specific keys, and screen-specific messages are listed below.



Char Mode: Replace Page 1

Count: *0

Figure 4-2. New Project Data Screen

Mandatory Field

Project Name

Computer-Generated Field

Project Number

Keys

Refer to Section 4.2 for a list of keys that are available on all DBA screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on

Project type Active Status

Messages

Refer to Section 4.2 for a list of messages that may appear during all DBA screens. Following are additional messages that may appear on this screen:

Message: Project name exists in database <Reenter>

<u>Cause</u>: The user entered a project name while in insert mode, but the name already exists in the database.

Solution: Verify that the name was typed in correctly. If the name was entered already, view the information, and resolve any conflicts between what is in the database and the information to be added.

Message: Invalid project type entered (use <Esc-V> to see
 valid codes)

Cause: The user entered an invalid project type.

Solution: Use the <List Field Values> key to view a list of the valid project types. Select one of these project types.

<u>Cause</u>: The user entered an invalid status code.

Solution: Use the <List Field Values> key to view a list of the valid status codes. Select one of these status codes.

Cause: The user attempted to delete a project from the database while data currently exist for that project in the table specified.

Solution: Verify that this project is to be deleted from the database. No data should exist in the database for a project to be deleted unless they are invalid data that were entered by mistake and should be deleted.

4.2.2 ENCODING DATA


This screen is used to enter new coded values into the database, view current coded values, update current coded values, or delete current coded values. To select this screen,

- 1. Perform step 1 of Section 4.2 to display the DBA menu.
- 2. Enter option 2 (Encoding data).

Figure 4-3 shows the Encoding Data screen as it will appear on the terminal. Section 4.2, steps 3 through 7, contains an explanation of running the screen (viewing data, inserting data, updating data, deleting data). The mandatory fields, screen-specific keys, and screen-specific messages are listed below.

Mandatory Fields

- Name of field
- Code
- Value



Char Mode: Replace Page 1

Count: *0

Figure 4-3. Encoding Data Screen

<u>Keys</u>

Refer to Section 4.2 for a list of keys that are available on all DBA screens.

Messages

Refer to Section 4.2 for a list of messages that may appear during all DBA screens. Following are additional messages that may appear on this screen:

Cause: The user entered a field name that does not correspond to a field in the database and that requires entries in the validation table.

<u>Solution</u>: Enter a field name that corresponds to a database field that requires entries in the validation table.

Message: Record cannot be deleted

<u>Cause</u>: The user pressed the <Delete Record> key to delete an encoded value from the database.

Solution: Encoded values cannot be deleted from the database.

Message: Code already exists < Reenter new code>

<u>Cause</u>: The user entered a code for a given field, but that code already exists in the database for that field.

Solution: Verify that the code was typed in correctly. If the code already exists in the database, view the information that is currently stored in the database for that code and field. Resolve any differences between the information currently in the database and the information to be stored in the database.

4.2.3 PROGRAMMER DATA

This screen is used to enter a new programmer name into the database, view current programmer information, update current programmer information, or delete current programmer information. To select this screen,

- 1. Perform step 1 of Section 4.2 to display the DBA menu.
- Enter option 3 (Programmer data).


Figure 4-4 shows the Personnel Data screen as it will appear on the terminal screen. Section 4.2, steps 3 through 7, contains an explanation of running the screen (viewing data, inserting data, updating data, deleting data). The mandatory fields, computer-generated fields, screen-specific keys, and screen-specific messages are listed below.

Mandatory Field

None

Computer-Generated Fields

- Entry date
- Programmer id



Char Mode: Replace Page 1

Count: *0

Figure 4-4. Personnel Data Screen

Keys

Refer to Section 4.2 for a list of keys that are available on all DBA screens.

Messages

Refer to Section 4.2 for a list of messages that may appear during all DBA screens. Following are additional messages that may appear on this screen:

Message: Programmer id exists in table xxx

Cause: The user attempted to delete a programmer from the database while data currently exist for that programmer in the table specified (in place of the xxx).

Solution: Verify that this programmer is to be deleted from the database. No data should exist in the database for a programmer to be deleted unless invalid data were entered by mistake and, therefore, should be deleted.

Message: Programmer name already exists <Reenter>

<u>Cause</u>: The user entered a programmer name while in insert mode, but the name already exists in the database.


Solution: Verify that the name was typed in correctly. If the name was entered already, view the information, and resolve any conflicts between what is in the database and the information to be added.

4.2.4 COMPUTER DATA

This screen is used to enter new computer data into the database, view current computer information, or update current computer information. To select this screen,

- Perform step 1 of Section 4.2 to display the DBA menu.
- 2. Enter option 4 (Computer data).

Figure 4-5 shows the Computer Data screen as it will appear on the terminal screen. Section 4.2, steps 3 through 7, contains an explanation of running the screen (viewing data, inserting data, updating data). The mandatory fields, screen-specific keys, and screen-specific messages are listed below.



Char Mode: Replace Page 1 Count: *0

Figure 4-5. Computer Data Screen

Mandatory Fields

- CPU short name
- CPU full name

Keys

Refer to Section 4.2 for a list of keys that are available on all DBA screens.

Messages

Refer to Section 4.2 for a list of messages that may appear during all DBA screens.

4.2.5 STATUS FLAGS

This screen is used to update status values for a particular form type or all form types in a project. To select this screen,

- 1. Perform step 1 of Section 4.2 to display the DBA menu.
- 2. Enter option 5 (Status flags).

Figure 4-6 shows the Status Flag screen as it will appear on the terminal screen. To update the data, first enter the project name. Use the <Next Field> key to move to the next field to enter the form type for which status values are to be updated. ALL is used to indicate all the form types

existing for the project. Then use <Next Field> key again to go to the status field and enter the new status value.

Mandatory Fields

- Project name
- Form type
- Status

STATUS FLAG

Please enter

Project Name:

Form type/ All: ALL

Status flag value:

Press <PF3> to commit the changes or <PF4> - Previous menu

Char Mode: Replace Page 1

Count: *0

Figure 4-6. Status Flag Screen

<u>Keys</u>

Refer to Section 4.2 for a list of keys that are available on all DBA screens. Following is an additional key that may be used for this screen:

<List Field Values> This key is available on

Project name Status

Messages

Refer to Section 4.2 for a list of messages that may appear during all DBA screens. Following are additional messages that may appear on this screen:

Message: Invalid project. Please reenter

<u>Cause</u>: This means that a project name was entered that does not exist in the database.

Solution: The cursor will be positioned on the project name.

A new project name can be entered over the cur-

rent name.

Message: There is no COF data for this project. STATUS not updated

<u>Cause</u>: This means that the user wants to update the status values for the COF, but there are no data for the form type.

<u>Solution</u>: Verify the form type is the correct one. If it is, press <Exit/Cancel> to exit. Log onto ORACLE using SQL*Plus and investigate further.

Message: There is no CRF data for this project. STATUS not updated

Cause: This means that the user wants to update the status values for the CRF, but there are no data for the form type.

Solution: Verify the form type is the correct one. If it is, press <Exit/Cancel> to exit. Log onto ORACLE using SQL*Plus and investigate further.

Message: There are no PCSF data for this project. STATUS not updated

Cause: This means that the user wants to update the status values for the PCSF, but there are no data for the form type.

Solution: Verify the form type is the correct one. If it is, press <Exit/Cancel> to exit. Log onto ORACLE using SQL*Plus and investigate further.

Message: There are no PEF data for this project. STATUS not updated

Cause: This means that the user wants to update the status values for the PEF, but there are no data for the form type.

Solution: Verify the form type is the correct one. If it is, press <Exit/Cancel> to exit. Log onto ORACLE using SQL*Plus and investigate further.

Message: There are no PRF data for this project. STATUS not updated

Cause: This means that the user wants to update the status values for the PRF, but there are no data for the form type.

<u>Solution</u>: Verify the form type is the correct one. If it is, press <Exit/Cancel> to exit. Log onto ORACLE using SQL*Plus and investigate further.

Message: There are no SEF data for this project. STATUS not updated

Cause: This means that the user wants to update the status values for the SEF, but there are no data for the form type.

Solution: Verify the form type is the correct one. If it is, press <Exit/Cancel> to exit. Log onto ORACLE using SQL*Plus and investigate further.

Message: There are no SPF data for this project. STATUS not updated

Cause: This means that the user wants to update the status values for the SPF, but there are no data for the form type.

Solution: Verify the form type is the correct one. If it is, press <Exit/Cancel> to exit. Log onto ORACLE using SQL*Plus and investigate further.

| |
 |
|--|------|
| | |

•

.

•

APPENDIX A - SAMPLE SESSIONS

PERSONNEL RESOURCE FORM VIEWING SCREEN

| Activity | Hours |
|---|-------|
| Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | • |

Project Name:

Date(Friday):

Programmer:

Form No:

Char Mode: Replace Page 1

Count: *0

Figure A-1. Sample Viewing Session (1 of 3)

PERSONNEL RESOURCE FORM VIEWING SCREEN

| Activity | Hours |
|---|--------------|
| Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | Site program |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | |

Project Name: ASP

Date(Friday): 01-NAK-05

Programmer: Kranks

Form No: 23

Char Mode: Replace Page 1

Count: *0

Figure A-1. Sample Viewing Session (2 of 3)

PERSONNEL RESOURCE FORM VIEWING SCREEN

| Activity | Hours |
|---|-------|
| Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | |

Project Name:
Date(Friday):

Programmer:

Form No:

Char Mode: Replace Page 1

Count: *0

Figure A-1. Sample Viewing Session (3 of 3)

REPORT FUNCTION MENU

What type of report operation do you want to perform?

- 1 Create a report script
- 2 Retrieve an existing report script to run or modify
- 3 View or delete existing report scripts

<PF1>- Top menu <PF4>- Previous menu

Please enter your selection number:

Please enter script name to be retreived or <BSC V> to list:

and the second

Char Mode: Replace Page 1

Count: *0

Figure A-2. Sample Create Script Session (1 of 5)

MAIN REPORT MENU

What would you like to do to a script?

- 1 Run current report script (script will be deleted upon completion of report if it has not been saved)
- 2 View/Edit current report script
- 3 Add report to the current report script
- 4 Save current report script
- 5 Change routing of report script (current routing: STL_GREENTSC.

<PF4>- Previous menu

Please enter your selection number:

NOTE: For creating a new script use option 3 to populate.

The current script will no longer be available if <PF4> is
 is pressed prior to saving script

Char Mode: Replace Page 2 Count:

Count: *0

Figure A-2. Sample Create Script Session (2 of 5)

REPORT CATEGORIES MENU

What type of report would you like to add?

- 1 Multiple Project
- 2 Single Project
- 3 Miscellaneous

<PF4>- Previous menu

Please enter your selection number:

Char Mode: Replace Page 8

Count: *0

Figure A-2. Sample Create Script Session (3 of 5)

SINGLE PROJECT REPORTS MENU

Which Single Project Report would you like to run? Press (PF3) to save your selection.

- 1 Activity Hours
- 2 Actual Statistics to Date
- 3 Component Names
- 4 Computer Resources
- 5 Estimated Statistics
- 6 Form Counts 7 General Project Data
- 8 Growth History

- 9 GSFC Form Counts
- 10 GSFC Manpower Hours
- 11 Maintenance Activity Hours
- 12 Manpower Hours
- 13 SEL Forms (COF, CRF, PRF, SPF, DSF)
 14 SEL Maintenance Forms (MCRF and WMEF
- 15 Services Hours

<PF4>~ Previous menu

Please enter your selection number: Please enter project name or <ESC-V> to list:

Char Mode: Replace Page 1

Count: #0

Figure A-2. Sample Create Script Session (4 of 5)

ACTUAL STATISTICS TO DATE REPORT SELECTION SCREEN

Please place an X beside all desired reports. Press <PF3> when selection is complete.

- Project Statistics
- 🗯 Resource Statistics
- 🚟 SAP Data

<PF4> - Previous Menu

Figure A-2. Sample Create Script Session (5 of 5)

FORM FUNCTIONS MENU

What type of operation do you want to perform?

- 1 View existing data
- 2 Insert new data
- 3 Update existing data4 Delete existing data
- 5 Quality assure data

<PF1>- Top menu <PF4>- Previous menu

Please enter your selection number:

Char Mode: Replace Page 1

Count: *0

Figure A-3. Sample Insert Session (1 of 4)

PERSONNEL RESOURCE DATA INPUT SCREEN

| Activity | Hours |
|---|-------|
| Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test | |
| Rework
Enhancing/Refining
/Optimizing
Documenting
Reuse | |

Project Name:

Date(Friday):

Programmer:

Form No:

Char Mode: Replace Page 1

Count: *0

Figure A-3. Sample Insert Session (2 of 4)

PERSONNEL RESOURCE DATA INPUT SCREEN

| Activity | Hours | |
|---|------------------------|--|
| Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | 20
4
5,5
10.5 | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | 25 | |

Project Name: ACME,

Date(Friday): 02-7EB-90

Count: *0

Programmer: GHELLER

Form No: 2 09090

Figure A-3. Sample Insert Session (3 of 4)

PERSONNEL RESOURCE DATA INPUT SCREEN

| Activity | Hours | Project Name: Rese |
|--|-------|-------------------------|
| Predesign | | Date(Friday): 02-880-90 |
| Create Design
Read/Review Design | | Programmer: |
| Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | | Form No: |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | | , |

Figure A-3. Sample Insert Session (4 of 4)

PERSONNEL RESOURCE DATA UPDATE SCREEN

| Activity | Hours |
|---|-------|
| Predign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | |

Project Name:

Date(Friday):

Programmer:

Form No: PREGOZ

SPLECT

Char Mode: Replace Page 1

Count: *0

Figure A-4. Sample Update Session (1 of 4)

PERSONNEL RESOURCE DATA UPDATE SCREEN

| Activity | Hours | |
|---|----------------|--|
| Predign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | 7 4 0 4
7 7 | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | 25 | |

Project Name: 252

Date(Friday): 10 Fig. 60

Programmer: GHELLER

Form No: FREQUE

Char Mode: Replace Page 1

Count: *0

THUNTE

Figure A-4. Sample Update Session (2 of 4)

PERSONNEL RESOURCE DATA UPDATE SCREEN

| Activity | Hours |
|---|-------|
| Predign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | 2 4 |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | 25 |

Project Name: ASP

Date(Friday): 19-FRH-68

Programmer: GHELLER

Form No: PRESOZ

Char Mode: Replace Page 1

Count: *0

UPDATE

Figure A-4. Sample Update Session (3 of 4)

PERSONNEL RESOURCE DATA UPDATE SCREEN

| Activity | Hours | Project Name: | |
|--|--------|---------------|---|
| Predign | | Date(Friday): | |
| Create Design
Read/Review Design | | Programmer: | |
| Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | | Form No: | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | | | *************************************** |
| | | ~~~~ | |
| Char Mode: R | eplace | Page 1 Count: | *0 |

Figure A-4. Sample Update Session (4 of 4)

PERSONNEL RESOURCE FORM DELETE SCREEN

| Activity | Hours |
|--|-------|
| Predesign Create Desin Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | |

Project Name:

Date(Friday):

Programmer:

Form No: PREGGZ

STATUS

Enter 'Y' to delete
or 'N' to cancel request
Then: Press PF3 to save

in database

Char Mode: Replace Page 1

Count: *0

Figure A-5. Sample Delete Session (1 of 4)

PERSONNEL RESOURCE FORM DELETE SCREEN

| Activity | Hours |
|--|-------|
| Predesign Create Desin Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | 1. |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | , |

Project Name:

Date(Friday): 19-200-10

Programmer: GREELER

Form No: Pargo

STATUS

Enter 'Y' to delete

or 'N' to cancel request Then: Press PF3 to save

in database

Char Mode: Replace Page 1

Count: *0

Figure A-5. Sample Delete Session (2 of 4)

PERSONNEL RESOURCE FORM DELETE SCREEN


| Activity | Hours | Project Name: ASP |
|---|-------|--|
| Predesign
Create Desin | | Date(Friday): ************************************ |
| Read/Review Design
Write Code | | Programmer: GERE ER |
| Read/Review Code Test Code Units | | Form No: District |
| Debugging | | STATUS |
| Integration Test Acceptance Test | 3.0 | Enter 'Y' to delete |
| Other | | or 'N' to cancel request Then : Press PF3 to save |
| Rework
Enhancing/Refining
/Optimizing | - | in database |
| Documenting
Reuse | | |

Char Mode: Replace Page 1

Count: *0

Figure A-5. Sample Delete Session (3 of 4)

PERSONNEL RESOURCE FORM DELETE SCREEN



Count: *0

Figure A-5. Sample Delete Session (4 of 4)

PERSONNEL RESOURCE FORM QUALITY ASSURANCE SCREEN

| Activity | Hours |
|---|-------|
| Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | |

Project Name: Date(Friday): Programmer:

Form No: PRECCI

QA-STATUS

Enter 'C' for correct or 'E' for errors Then : Press PF3 to save

in database

Char Mode: Replace Page 1

Count: *0

Figure A-6. Sample QA Session (1 of 4)

PERSONNEL RESOURCE FORM QUALITY ASSURANCE SCREEN

| Activity | Hours |
|---|-------|
| Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | |

Project Name:

Date(Friday): 61-FEE-62

Programmer: WINTLOW

Form No: PRICE

QA-STATUS

Enter 'C' for correct or 'E' for errors
Then: Press PF3 to save

in database

Char Mode: Replace Page 1

Count: *0

Figure A-6. Sample QA Session (2 of 4)

PERSONNEL RESOURCE FORM QUALITY ASSURANCE SCREEN

| Activity | Hours |
|---|-------|
| Predesign Create Design Read/Review Design Write Code Read/Review Code Test Code Units Debugging Integration Test Acceptance Test Other | |
| Rework Enhancing/Refining /Optimizing Documenting Reuse | |

Project Name: Name:

Date(Friday): 01-FFE-35

Programmer: WFARLOW

Form No: PRFUOL

QA-STATUS

Enter 'C' for correct or 'E' for errors
Then: Press PF3 to save

in database

Char Mode: Replace Page 1

Count: *0

Figure A-6. Sample QA Session (3 of 4)

PERSONNEL RESOURCE FORM QUALITY ASSURANCE SCREEN

| Hours | Project Name: |
|-------|---|
| | Date(Friday): |
| | Programmer: |
| | Form No: |
| | QA-STATUS Enter 'C' for correct or 'E' for errors Then : Press PF3 to save |
| 3 | in database |
| | nours |

Figure A-6. Sample QA Session (4 of 4)

What type of function do you want to perform?

1 - Generate distribution tape

<PF4> - Previous menu

Please enter your selection number:


Char Mode: Replace Page 1

Count: #0

Figure A-7. Sample Database Support Function Session (1 of 2)

Generate Distribution Tape

Figure A-7. Sample Database Support Function Session (2 of 2)



Enter a query. Press FFI Lu exemple. FFE Lu Carcel.

Char Mode: Replace Page 1 ENTER QUERY Cou


Count: *0

Figure A-8. Sample DBA Viewing Data Session (1 of 3)

| ROJECT
NAME | PROJECT
NO. | PROJECT
TYPE | ACTIVE
STATUS |
|----------------|----------------|-----------------|------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Char Mode: Replace Page 1 ENTER QUERY Count: *0

Figure A-8. Sample DBA Viewing Data Session (2 of 3)



Char Mode: Replace Page 1

Count: *1

Figure A-8. Sample DBA Viewing Data Session (3 of 3)

| | · | |
|---|---|---|
| | | • |
| | | • |
| | | |
| | | |
| | | |
| | | |
| , | | |
| | | |
| | | |
| | • | |
| | | |
| | | |

•

.

GLOSSARY

CCF Component Change Form

COF Component Origination Form

CRF Change Report Form

DAMSEL Database Access Manager for the SEL

DBA Database Administrator
DSF Development Status Form

GSFC Goddard Space Flight Center

MCRF Maintenance Change Report Form

PC personal computer

PCSF Project Completion Statistics Form

PDR preliminary design review
PEF Project Estimates Form
PRF Personnel Resource Form

QA quality assurance

SAP Source Code Analyzer Program
SEF Subjective Evaluation Form

SEL Software Engineering Laboratory

SIF Subsystem Information Form

SPF Services/Products Form

STL Systems Technology Laboratory
WMEF Weekly Maintenance Effort Form

| | | | | Micros | |
|--|---|---|---|--------|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | • | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | • | | · | • | |
| | | | | | |
| | | | | | |
| | | , | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | • | | | • | |
| | • | | | · · | |
| | | | | • | |
| | | | | • | |
| | | | | | |
| | | | | | |

REFERENCES

- Software Engineering Laboratory, SEL-89-101, <u>Software Engineering Laboratory (SEL) Database Organization and User's Guide (Revision 1)</u>, M. So, G. Heller, S. Steinberg, K. Pumphrey, and D. Spiegel, February 1990
- 2. --, SEL-87-008, <u>Data Collection Procedures for the Rehosted SEL Database</u>, G. Heller, October 1987

| • | | | |
|---|--|---|---|
| | | | |
| | | | |
| | | • | |
| | | | • |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

STANDARD BIBLIOGRAPHY OF SEL LITERATURE

The technical papers, memorandums, and documents listed in this bibliography are organized into two groups. The first group is composed of documents issued by the Software Engineering Laboratory (SEL) during its research and development activities. The second group includes materials that were published elsewhere but pertain to SEL activities.

SEL-ORIGINATED DOCUMENTS

- SEL-76-001, <u>Proceedings From the First Summer Software Engineering Workshop</u>, August 1976
- SEL-77-002, <u>Proceedings From the Second Summer Software Engineering Workshop</u>, September 1977
- SEL-77-004, <u>A Demonstration of AXES for NAVPAK</u>, M. Hamilton and S. Zeldin, September 1977
- SEL-77-005, <u>GSFC NAVPAK Design Specifications Languages</u> Study, P. A. Scheffer and C. E. Velez, October 1977
- SEL-78-005, <u>Proceedings From the Third Summer Software Engineering Workshop</u>, September 1978
- SEL-78-006, <u>GSFC Software Engineering Research Requirements</u>
 <u>Analysis Study</u>, P. A. Scheffer and C. E. Velez, November 1978
- SEL-78-007, Applicability of the Rayleigh Curve to the SEL Environment, T. E. Mapp, December 1978
- SEL-78-302, FORTRAN Static Source Code Analyzer Program (SAP) User's Guide (Revision 3), W. J. Decker and W. A. Taylor, July 1986
- SEL-79-002, The Software Engineering Laboratory: Relationship Equations, K. Freburger and V. R. Basili, May 1979
- SEL-79-003, Common Software Module Repository (CSMR) System Description and User's Guide, C. E. Goorevich, A. L. Green, and S. R. Waligora, August 1979
- SEL-79-004, Evaluation of the Caine, Farber, and Gordon Program Design Language (PDL) in the Goddard Space Flight Center (GSFC) Code 580 Software Design Environment, C. E. Goorevich, A. L. Green, and W. J. Decker, September 1979

- SEL-79-005, <u>Proceedings From the Fourth Summer Software Engineering Workshop</u>, November 1979
- SEL-80-002, <u>Multi-Level Expression Design Language-</u>
 <u>Requirement Level (MEDL-R) System Evaluation</u>, W. J. Decker and C. E. Goorevich, May 1980
- SEL-80-003, <u>Multimission Modular Spacecraft Ground Support Software System (MMS/GSSS) State-of-the-Art Computer Systems/Compatibility Study</u>, T. Welden, M. McClellan, and P. Liebertz, May 1980
- SEL-80-005, <u>A Study of the Musa Reliability Model</u>, A. M. Miller, November 1980
- SEL-80-006, <u>Proceedings From the Fifth Annual Software Engineering Workshop</u>, November 1980
- SEL-80-007, An Appraisal of Selected Cost/Resource Estimation Models for Software Systems, J. F. Cook and F. E. McGarry, December 1980
- SEL-81-008, Cost and Reliability Estimation Models (CAREM) User's Guide, J. F. Cook and E. Edwards, February 1981
- SEL-81-009, Software Engineering Laboratory Programmer Workbench Phase 1 Evaluation, W. J. Decker and F. E. McGarry, March 1981
- SEL-81-011, Evaluating Software Development by Analysis of Change Data, D. M. Weiss, November 1981
- SEL-81-012, The Rayleigh Curve as a Model for Effort Distribution Over the Life of Medium Scale Software Systems, G. O. Picasso, December 1981
- SEL-81-013, <u>Proceedings From the Sixth Annual Software Engineering Workshop</u>, December 1981
- SEL-81-014, Automated Collection of Software Engineering Data in the Software Engineering Laboratory (SEL), A. L. Green, W. J. Decker, and F. E. McGarry, September 1981
- SEL-81-101, <u>Guide to Data Collection</u>, V. E. Church, D. N. Card, F. E. McGarry, et al., August 1982
- SEL-81-104, The Software Engineering Laboratory, D. N. Card, F. E. McGarry, G. Page, et al., February 1982

- SEL-81-107, Software Engineering Laboratory (SEL) Compendium of Tools, W. J. Decker, W. A. Taylor, and E. J. Smith, February 1982
- SEL-81-110, Evaluation of an Independent Verification and Validation (IV&V) Methodology for Flight Dynamics, G. Page, F. E. McGarry, and D. N. Card, June 1985
- SEL-81-205, Recommended Approach to Software Development, F. E. McGarry, G. Page, S. Eslinger, et al., April 1983
- SEL-82-001, Evaluation of Management Measures of Software Development, G. Page, D. N. Card, and F. E. McGarry, September 1982, vols. 1 and 2
- SEL-82-004, Collected Software Engineering Papers: Volume 1, July 1982
- SEL-82-007, <u>Proceedings From the Seventh Annual Software</u> Engineering Workshop, December 1982
- SEL-82-008, Evaluating Software Development by Analysis of Changes: The Data From the Software Engineering Laboratory, V. R. Basili and D. M. Weiss, December 1982
- SEL-82-102, FORTRAN Static Source Code Analyzer Program (SAP) System Description (Revision 1), W. A. Taylor and W. J. Decker, April 1985
- SEL-82-105, Glossary of Software Engineering Laboratory Terms, T. A. Babst, F. E. McGarry, and M. G. Rohleder, October 1983
- SEL-82-806, Annotated Bibliography of Software Engineering Laboratory Literature, M. Buhler and J. Valett, November 1989
- SEL-83-001, An Approach to Software Cost Estimation, F. E. McGarry, G. Page, D. N. Card, et al., February 1984
- SEL-83-002, <u>Measures and Metrics for Software Development</u>, D. N. Card, F. E. McGarry, G. Page, et al., March 1984
- SEL-83-003, Collected Software Engineering Papers: Volume II, November 1983
- SEL-83-006, Monitoring Software Development Through Dynamic Variables, C. W. Doerflinger, November 1983
- SEL-83-007, <u>Proceedings From the Eighth Annual Software Engineering Workshop</u>, November 1983

- SEL-83-106, Monitoring Software Development Through Dynamic Variables (Revision 1), C. W. Doerflinger, November 1989
- SEL-84-001, Manager's Handbook for Software Development, W. W. Agresti, F. E. McGarry, D. N. Card, et al., April 1984
- SEL-84-003, <u>Investigation of Specification Measures for the Software Engineering Laboratory (SEL)</u>, W. W. Agresti, V. E. Church, and F. E. McGarry, December 1984
- SEL-84-004, <u>Proceedings From the Ninth Annual Software Engineering Workshop</u>, November 1984
- SEL-85-001, <u>A Comparison of Software Verification Techniques</u>, D. N. Card, R. W. Selby, Jr., F. E. McGarry, et al., April 1985
- SEL-85-002, Ada Training Evaluation and Recommendations From the Gamma Ray Observatory Ada Development Team, R. Murphy and M. Stark, October 1985
- SEL-85-003, <u>Collected Software Engineering Papers: Volume III</u>, November 1985
- SEL-85-004, Evaluations of Software Technologies: Testing, CLEANROOM, and Metrics, R. W. Selby, Jr., May 1985
- SEL-85-005, Software Verification and Testing, D. N. Card, C. Antle, and E. Edwards, December 1985
- SEL-85-006, <u>Proceedings From the Tenth Annual Software Engineering Workshop</u>, December 1985
- SEL-86-001, <u>Programmer's Handbook for Flight Dynamics Software Development</u>, R. Wood and E. Edwards, March 1986
- SEL-86-002, <u>General Object-Oriented Software Development</u>, E. Seidewitz and M. Stark, August 1986
- SEL-86-003, Flight Dynamics System Software Development Environment Tutorial, J. Buell and P. Myers, July 1986
- SEL-86-004, Collected Software Engineering Papers: Volume IV, November 1986
- SEL-86-005, Measuring Software Design, D. N. Card, October 1986
- SEL-86-006, <u>Proceedings From the Eleventh Annual Software</u> Engineering Workshop, December 1986

- SEL-87-001, <u>Product Assurance Policies and Procedures for</u>
 <u>Flight Dynamics Software Development</u>, S. Perry et al., March
 1987
- SEL-87-002, Ada Style Guide (Version 1.1), E. Seidewitz et al., May 1987
- SEL-87-003, <u>Guidelines for Applying the Composite Specification Model (CSM)</u>, W. W. Agresti, June 1987
- SEL-87-004, Assessing the Ada Design Process and Its Implications: A Case Study, S. Godfrey, C. Brophy, et al., July 1987
- SEL-87-008, <u>Data Collection Procedures for the Rehosted SEL Database</u>, G. Heller, October 1987
- SEL-87-009, Collected Software Engineering Papers: Volume V, S. DeLong, November 1987
- SEL-87-010, <u>Proceedings From the Twelfth Annual Software Engineering Workshop</u>, December 1987
- SEL-88-001, System Testing of a Production Ada Project: The GRODY Study, J. Seigle, L. Esker, and Y. Shi, November 1988
- SEL-88-002, <u>Collected Software Engineering Papers: Volume VI</u>, November 1988
- SEL-88-003, Evolution of Ada Technology in the Flight Dynamics Area: Design Phase Analysis, K. Quimby and L. Esker, December 1988
- SEL-88-004, <u>Proceedings of the Thirteenth Annual Software</u> Engineering Workshop, November 1988
- SEL-88-005, <u>Proceedings of the First NASA Ada User's Symposium</u>, December 1988
- SEL-89-002, <u>Implementation of a Production Ada Project: The GRODY Study</u>, S. Godfrey and C. Brophy, September 1989
- SEL-89-003, <u>Software Management Environment (SME) Concepts</u> and <u>Architecture</u>, W. Decker and J. Valett, August 1989
- SEL-89-004, Evolution of Ada Technology in the Flight Dynamics Area: Implementation/Testing Phase Analysis, K. Quimby, L. Esker, L. Smith, M. Stark, and F. McGarry, November 1989

- SEL-89-005, <u>Lessons Learned in the Transition to Ada From FORTRAN at NASA/Goddard</u>, C. Brophy, November 1989
- SEL-89-006, Collected Software Engineering Papers: Volume VII, November 1989
- SEL-89-007, <u>Proceedings of the Fourteenth Annual Software Engineering Workshop</u>, November 1989
- SEL-89-008, <u>Proceedings of the Second NASA Ada Users' Symposium</u>, November 1989
- SEL-89-101, <u>Software Engineering Laboratory (SEL) Database</u>
 <u>Organization and User's Guide (Revision 1)</u>, M. So, G. Heller,
 S. Steinberg, K. Pumphrey, and D. Spiegel, February 1990
- SEL-90-001, <u>Database Access Manager for the Software Engineering Laboratory (DAMSEL) User's Guide</u>, M. Buhler and K. Pumphrey, March 1990
- SEL-90-002, The Cleanroom Case Study in the Software Engineering Laboratory: Project Description and Early Analysis, S. Green et al., March 1990

SEL-RELATED LITERATURE

- Agresti, W. W., V. E. Church, D. N. Card, and P. L. Lo, "Designing With Ada for Satellite Simulation: A Case Study," Proceedings of the First International Symposium on Ada for the NASA Space Station, June 1986
- ²Agresti, W. W., F. E. McGarry, D. N. Card, et al., "Measuring Software Technology," <u>Program Transformation and Programming Environments</u>. New York: Springer-Verlag, 1984
- ¹Bailey, J. W., and V. R. Basili, "A Meta-Model for Soft-ware Development Resource Expenditures," <u>Proceedings of the Fifth International Conference on Software Engineering</u>.

 New York: IEEE Computer Society Press, 1981
- ⁷Basili, V. R., <u>Maintenance = Reuse-Oriented Software</u> <u>Development</u>, University of Maryland, Technical Report TR-2244, May 1989
- ¹Basili, V. R., "Models and Metrics for Software Management and Engineering," <u>ASME Advances in Computer Technology</u>, January 1980, vol. 1
- ⁷Basili, V. R., <u>Software Development: A Paradigm for the Future</u>, University of Maryland, Technical Report TR-2263, June 1989

- Basili, V. R., <u>Tutorial on Models and Metrics for Software</u>
 <u>Management and Engineering</u>. New York: IEEE Computer Society
 Press, 1980 (also designated SEL-80-008)
- ³Basili, V. R., "Quantitative Evaluation of Software Methodology," <u>Proceedings of the First Pan-Pacific Computer Conference</u>, September 1985
- ¹Basili, V. R., and J. Beane, "Can the Parr Curve Help With Manpower Distribution and Resource Estimation Problems?,"

 <u>Journal of Systems and Software</u>, February 1981, vol. 2, no. 1
- Basili, V. R., and K. Freburger, "Programming Measurement and Estimation in the Software Engineering Laboratory,"

 <u>Journal of Systems and Software</u>, February 1981, vol. 2, no. 1
- ³Basili, V. R., and N. M. Panlilio-Yap, "Finding Relationships Between Effort and Other Variables in the SEL," <u>Proceedings of the International Computer Software and Applications Conference</u>, October 1985
- ⁴Basili, V. R., and D. Patnaik, <u>A Study on Fault Prediction</u> and Reliability Assessment in the SEL Environment, University of Maryland, Technical Report TR-1699, August 1986
- ²Basili, V. R., and B. T. Perricone, "Software Errors and Complexity: An Empirical Investigation," <u>Communications of the ACM</u>, January 1984, vol. 27, no. 1
- Basili, V. R., and T. Phillips, "Evaluating and Comparing Software Metrics in the Software Engineering Laboratory,"

 Proceedings of the ACM SIGMETRICS Symposium/Workshop: Ouality Metrics, March 1981
- Basili, V. R., and J. Ramsey, <u>Structural Coverage of Functional Testing</u>, University of Maryland, Technical Report TR-1442, September 1984
- ³Basili, V. R., and C. L. Ramsey, "ARROWSMITH-P--A Prototype Expert System for Software Engineering Management," Proceedings of the IEEE/MITRE Expert Systems in Government Symposium, October 1985
- Basili, V. R., and R. Reiter, "Evaluating Automatable Measures for Software Development," <u>Proceedings of the Workshop on Ouantitative Software Models for Reliability, Complexity, and Cost.</u> New York: IEEE Computer Society Press, 1979
- ⁵Basili, V., and H. D. Rombach, "Tailoring the Software Process to Project Goals and Environments," <u>Proceedings of the 9th International Conference on Software Engineering</u>, March 1987

- ⁵Basili, V., and H. D. Rombach, "T A M E: Tailoring an Ada Measurement Environment," <u>Proceedings of the Joint Ada Conference</u>, March 1987
- ⁵Basili, V., and H. D. Rombach, "T A M E: Integrating Measurement Into Software Environments," University of Maryland, Technical Report TR-1764, June 1987
- 6Basili, V. R., and H. D. Rombach, "The TAME Project: Towards Improvement-Oriented Software Environments," <u>IEEE</u> <u>Transactions on Software Engineering</u>, June 1988
- ⁷Basili, V. R., and H. D. Rombach, <u>Towards A Comprehensive</u> Framework for Reuse: A Reuse-Enabling Software Evolution <u>Environment</u>, University of Maryland, Technical Report TR-2158, December 1988
- ²Basili, V. R., R. W. Selby, Jr., and T. Phillips, "Metric Analysis and Data Validation Across FORTRAN Projects," <u>IEEE Transactions on Software Engineering</u>, November 1983
- ³Basili, V. R., and R. W. Selby, Jr., "Calculation and Use of an Environments's Characteristic Software Metric Set," Proceedings of the Eighth International Conference on Software Engineering. New York: IEEE Computer Society Press, 1985
- Basili, V. R., and R. W. Selby, Jr., <u>Comparing the Effective-ness of Software Testing Strategies</u>, University of Maryland, Technical Report TR-1501, May 1985
- ³Basili, V. R., and R. W. Selby, Jr., "Four Applications of a Software Data Collection and Analysis Methodology," Proceedings of the NATO Advanced Study Institute, August 1985
- ⁴Basili, V. R., R. W. Selby, Jr., and D. H. Hutchens, "Experimentation in Software Engineering," <u>IEEE Transactions on Software Engineering</u>, July 1986
- ⁵Basili, V. and R. Selby, Jr., "Comparing the Effectiveness of Software Testing Strategies," <u>IEEE Transactions on</u> <u>Software Engineering</u>, December 1987
- ²Basili, V. R., and D. M. Weiss, <u>A Methodology for Collecting Valid Software Engineering Data</u>, University of Maryland, Technical Report TR-1235, December 1982
- ³Basili, V. R., and D. M. Weiss, "A Methodology for Collecting Valid Software Engineering Data," <u>IEEE Transactions on Software Engineering</u>, November 1984

- ¹Basili, V. R., and M. V. Zelkowitz, "The Software Engineering Laboratory: Objectives," <u>Proceedings of the Fifteenth Annual Conference on Computer Personnel Research</u>, August 1977
- Basili, V. R., and M. V. Zelkowitz, "Designing a Software Measurement Experiment," <u>Proceedings of the Software Life Cycle Management Workshop</u>, September 1977
- ¹Basili, V. R., and M. V. Zelkowitz, "Operation of the Soft-ware Engineering Laboratory," <u>Proceedings of the Second Soft-ware Life Cycle Management Workshop</u>, August 1978
- ¹Basili, V. R., and M. V. Zelkowitz, "Measuring Software Development Characteristics in the Local Environment," <u>Computers and Structures</u>, August 1978, vol. 10
- Basili, V. R., and M. V. Zelkowitz, "Analyzing Medium Scale Software Development," <u>Proceedings of the Third International Conference on Software Engineering</u>. New York: IEEE Computer Society Press, 1978
- ⁵Brophy, C., W. Agresti, and V. Basili, "Lessons Learned in Use of Ada-Oriented Design Methods," <u>Proceedings of the Joint Ada Conference</u>, March 1987
- ⁶Brophy, C. E., S. Godfrey, W. W. Agresti, and V. R. Basili, "Lessons Learned in the Implementation Phase of a Large Ada Project," <u>Proceedings of the Washington Ada Technical Con-</u> <u>ference</u>, March 1988
- ²Card, D. N., "Early Estimation of Resource Expenditures and Program Size," Computer Sciences Corporation, Technical Memorandum, June 1982
- ²Card, D. N., "Comparison of Regression Modeling Techniques for Resource Estimation," Computer Sciences Corporation, Technical Memorandum, November 1982
- 3Card, D. N., "A Software Technology Evaluation Program," Annais do XVIII Congresso Nacional de Informatica, October 1985
- ⁵Card, D., and W. Agresti, "Resolving the Software Science Anomaly," The Journal of Systems and Software, 1987
- 6Card, D. N., and W. Agresti, "Measuring Software Design Complexity," <u>The Journal of Systems and Software</u>, June 1988

- Card, D. N., V. E. Church, W. W. Agresti, and Q. L. Jordan, "A Software Engineering View of Flight Dynamics Analysis System," Parts I and II, Computer Sciences Corporation, Technical Memorandum, February 1984
- ⁴Card, D. N., V. E. Church, and W. W. Agresti, "An Empirical Study of Software Design Practices," <u>IEEE Transactions on Software Engineering</u>, February 1986
- Card, D. N., Q. L. Jordan, and V. E. Church, "Characteristics of FORTRAN Modules," Computer Sciences Corporation, Technical Memorandum, June 1984
- ⁵Card, D., F. McGarry, and G. Page, "Evaluating Software Engineering Technologies," <u>IEEE Transactions on Software Engineering</u>, July 1987
- 3Card, D. N., G. T. Page, and F. E. McGarry, "Criteria for Software Modularization," <u>Proceedings of the Eighth International Conference on Software Engineering</u>. New York: IEEE Computer Society Press, 1985
- 1Chen, E., and M. V. Zelkowitz, "Use of Cluster Analysis To Evaluate Software Engineering Methodologies," <u>Proceedings of the Fifth International Conference on Software Engineering</u>.

 New York: IEEE Computer Society Press, 1981
- ⁴Church, V. E., D. N. Card, W. W. Agresti, and Q. L. Jordan, "An Approach for Assessing Software Prototypes," <u>ACM Software Engineering Notes</u>, July 1986
- ²Doerflinger, C. W., and V. R. Basili, "Monitoring Software Development Through Dynamic Variables," <u>Proceedings of the Seventh International Computer Software and Applications Conference</u>. New York: IEEE Computer Society Press, 1983
- Doubleday, D., "ASAP: An Ada Static Source Code Analyzer Program," University of Maryland, Technical Report TR-1895, August 1987 (NOTE: 100 pages long)
- ⁶Godfrey, S., and C. Brophy, "Experiences in the Implementation of a Large Ada Project," <u>Proceedings of the 1988</u> Washington Ada Symposium, June 1988
- Hamilton, M., and S. Zeldin, <u>A Demonstration of AXES for NAVPAK</u>, Higher Order Software, Inc., TR-9, September 1977 (also designated SEL-77-005)
- Jeffery, D. R., and V. Basili, <u>Characterizing Resource Data:</u>
 A Model for Logical Association of Software Data, University of Maryland, Technical Report TR-1848, May 1987

- ⁶Jeffery, D. R., and V. R. Basili, "Validating the TAME Resource Data Model," <u>Proceedings of the Tenth International Conference on Software Engineering</u>, April 1988
- ⁵Mark, L., and H. D. Rombach, <u>A Meta Information Base for Software Engineering</u>, University of Maryland, Technical Report TR-1765, July 1987
- ⁶Mark, L., and H. D. Rombach, "Generating Customized Software Engineering Information Bases From Software Process and Product Specifications," <u>Proceedings of the 22nd Annual Hawaii</u> International Conference on System Sciences, January 1989
- ⁵McGarry, F., and W. Agresti, "Measuring Ada for Software Development in the Software Engineering Laboratory (SEL)," Proceedings of the 21st Annual Hawaii International Conference on System Sciences, January 1988
- ⁷McGarry, F., L. Esker, and K. Quimby, "Evolution of Ada Technology in a Production Software Environment," <u>Proceedings</u> of the Sixth Washington Ada Symposium (WADAS), June 1989
- ³McGarry, F. E., J. Valett, and D. Hall, "Measuring the Impact of Computer Resource Quality on the Software Development Process and Product," <u>Proceedings of the Hawaiian International Conference on System Sciences</u>, January 1985
- National Aeronautics and Space Administration (NASA), <u>NASA Software Research Technology Workshop</u> (Proceedings), March 1980
- ³Page, G., F. E. McGarry, and D. N. Card, "A Practical Experience With Independent Verification and Validation,"

 <u>Proceedings of the Eighth International Computer Software and Applications Conference</u>, November 1984
- ⁵Ramsey, C., and V. R. Basili, <u>An Evaluation of Expert Systems for Software Engineering Management</u>, University of Maryland, Technical Report TR-1708, September 1986
- ³Ramsey, J., and V. R. Basili, "Analyzing the Test Process Using Structural Coverage," <u>Proceedings of the Eighth International Conference on Software Engineering</u>. New York: IEEE Computer Society Press, 1985
- ⁵Rombach, H. D., "A Controlled Experiment on the Impact of Software Structure on Maintainability," <u>IEEE Transactions on Software Engineering</u>, March 1987

- ⁶Rombach, H. D., and V. R. Basili, "Quantitative Assessment of Maintenance: An Industrial Case Study," <u>Proceedings From the Conference on Software Maintenance</u>, September 1987
- ⁶Rombach, H. D., and L. Mark, "Software Process and Product Specifications: A Basis for Generating Customized SE Information Bases," <u>Proceedings of the 22nd Annual Hawaii International Conference on System Sciences</u>, January 1989
- ⁷Rombach, H. D., and B. T. Ulery, <u>Establishing a Measure-ment Based Maintenance Improvement Program: Lessons Learned in the SEL</u>, University of Maryland, Technical Report TR-2252, May 1989
- ⁵Seidewitz, E., "General Object-Oriented Software Development: Background and Experience," <u>Proceedings of the 21st Hawaii International Conference on System Sciences</u>, January 1988
- ⁶Seidewitz, E., "General Object-Oriented Software Development with Ada: A Life Cycle Approach," <u>Proceedings of the CASE Technology Conference</u>, April 1988
- ⁶Seidewitz, E., "Object-Oriented Programming in Smalltalk and Ada," <u>Proceedings of the 1987 Conference on Object-Oriented Programming Systems, Languages, and Applications</u>, October 1987
- ⁴Seidewitz, E., and M. Stark, "Towards a General Object-Oriented Software Development Methodology," <u>Proceedings of</u> the First International Symposium on Ada for the NASA Space Station, June 1986
- ⁷Stark, M. E. and E. W. Booth, "Using Ada to Maximize Verbatim Software Reuse," <u>Proceedings of TRI-Ada 1989</u>, October 1989
- Stark, M., and E. Seidewitz, "Towards a General Object-Oriented Ada Lifecycle," <u>Proceedings of the Joint Ada Conference</u>, March 1987
- ⁷Sunazuka. T., and V. R. Basili, <u>Integrating Automated Support for a Software Management Cycle Into the TAME System</u>, University of Maryland, Technical Report TR-2289, July 1989
- Turner, C., and G. Caron, <u>A Comparison of RADC and NASA/SEL Software Development Data</u>, Data and Analysis Center for Software, Special Publication, May 1981

- Turner, C., G. Caron, and G. Brement, <u>NASA/SEL Data Compendium</u>, Data and Analysis Center for Software, Special Publication, April 1981
- ⁵Valett, J., and F. McGarry, "A Summary of Software Measurement Experiences in the Software Engineering Laboratory,"

 <u>Proceedings of the 21st Annual Hawaii International Conference on System Sciences</u>, January 1988
- ³Weiss, D. M., and V. R. Basili, "Evaluating Software Development by Analysis of Changes: Some Data From the Software Engineering Laboratory," <u>IEEE Transactions on Software Engineering</u>, February 1985
- ⁵Wu, L., V. Basili, and K. Reed, "A Structure Coverage Tool for Ada Software Systems," <u>Proceedings of the Joint Ada Conference</u>, March 1987
- ¹Zelkowitz, M. V., "Resource Estimation for Medium Scale Software Projects," <u>Proceedings of the Twelfth Conference on the Interface of Statistics and Computer Science</u>. New York: IEEE Computer Society Press, 1979
- ²Zelkowitz, M. V., "Data Collection and Evaluation for Experimental Computer Science Research," <u>Empirical Foundations for Computer and Information Science</u> (proceedings), November 1982
- ⁶Zelkowitz, M. V., "The Effectiveness of Software Prototyping: A Case Study," <u>Proceedings of the 26th Annual Technical Symposium of the Washington</u>, D. C., Chapter of the ACM, June 1987
- ⁶Zelkowitz, M. V., "Resource Utilization During Software Development," <u>Journal of Systems and Software</u>, 1988
- Zelkowitz, M. V., and V. R. Basili, "Operational Aspects of a Software Measurement Facility," <u>Proceedings of the Soft-ware Life Cycle Management Workshop</u>, September 1977

NOTES:

- 1This article also appears in SEL-82-004, Collected Software Engineering Papers: Volume I, July 1982.
- ²This article also appears in SEL-83-003, <u>Collected Software Engineering Papers: Volume II</u>, November 1983.
- 3This article also appears in SEL-85-003, Collected Software Engineering Papers: Volume III, November 1985.

- ⁴This article also appears in SEL-86-004, <u>Collected Software Engineering Papers: Volume IV</u>, November 1986.
- ⁵This article also appears in SEL-87-009, <u>Collected Software Engineering Papers: Volume V</u>, November 1987.
- ⁶This article also appears in SEL-88-002, <u>Collected Software Engineering Papers: Volume VI</u>, November 1988.
- ⁷This article also appears in SEL-89-006, <u>Collected Software Engineering Papers: Volume VII</u>, November 1989.